

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2066	1,5	R	1/2	x	3	1/8 x 2 1/8	.165	.155	.115	.11	.105	.10	.09
2899	6	R-K	1/2	x	4 1/8	1/8 x 3 1/4	.175	.165	.125	.12	.115	.11	.10
2256	20	S-K	5/8	x	2	1/4 x 1 1/8	.155	.145	.105	.10	.095	.09	.08
2694	2	R-K	5/8	x	3	1/4 x 2 1/8	.165	.155	.115	.11	.105	.10	.09
2781	4	R-K	5/8	x	4	1/4 x 3 1/8	.175	.165	.125	.12	.115	.11	.10
1805	8	S	3/4	x	1 1/8	3/8 x 3/4(LIP ONLY)	.155	.145	.105	.10	.095	.09	.08
2146	5	R-K	3/4	x	1 3/4	3/8 x 1	.16	.15	.11	.105	.10	.095	.085
801	2,5	R-K	3/4	x	2 3/4	3/8 x 2	.165	.155	.115	.11	.105	.10	.09
2004	1,4	R	3/4	x	3	3/8 x 2 1/8	.165	.155	.115	.11	.105	.10	.09
2611	10	S	3/4	x	3 3/4	3/8 x 2 7/8	.17	.16	.12	.115	.11	.105	.095
1659	3	S	3/4	x	5 1/2	3/8 x 4 5/8	.19	.18	.14	.135	.13	.125	.115
1878	10	S	7/8	x	1 1/8	1/2 x 3/4(LIP ONLY)	.155	.145	.105	.10	.095	.09	.08
755	10	S	7/8	x	1 3/4	1/2 x 1	.16	.15	.11	.105	.10	.095	.085
3286	6	R-K	7/8	x	3 1/8	1/2 x 2 1/4	.185	.175	.135	.13	.125	.12	.11
1255	5	S	7/8	x	3 3/8	1/2 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
1987	1	S	7/8	x	5 1/2	1/2 x 4 5/8	.19	.18	.14	.135	.13	.125	.115
3329	6	R	7/8	x	5 1/2	1/2 x 4 5/8	.19	.18	.14	.135	.13	.125	.115
2888	4	S-K	15/16	x	1 1/2	9/16 x 5/8	.16	.15	.11	.105	.10	.095	.085
1969	4	S	15/16	x	6 1/2	9/16 x 5 5/8	.20	.19	.15	.145	.14	.135	.125
628	6	S	1	x	1	5/8 x 5/8(LIP ONLY)	.155	.145	.105	.10	.095	.09	.08
2301	8	S-K	1	x	2	5/8 x 1 1/8	.165	.155	.115	.11	.105	.10	.09
861	6	S	1	x	2 11/16	5/8 x 1 13/16	.165	.155	.115	.11	.105	.10	.09
695	4,15	S-K	1	x	3	5/8 x 2 1/8	.165	.155	.115	.11	.105	.10	.09
2529	2	R	1	x	3 3/8	5/8 x 2 1/2	.17	.16	.12	.115	.11	.105	.095
919	4	S	1	x	4	5/8 x 3 1/8	.18	.17	.13	.125	.12	.115	.105
2345	2	R	1	x	4 3/8	5/8 x 3 1/2	.18	.17	.13	.125	.12	.115	.105
497	1,3	S	1	x	4 5/8	5/8 x 3 3/4	.18	.17	.13	.125	.12	.115	.105
500	5	R	1	x	5 1/2	5/8 x 4 5/8	.19	.18	.14	.135	.13	.125	.115
3371	4	R	1	x	6 7/8	5/8 x 6	.20	.19	.15	.145	.14	.135	.125
2931	10	R	1	x	7 3/8	5/8 x 6 1/2	.205	.195	.155	.15	.145	.14	.13
3058	2	R	1	x	8 3/8	5/8 x 7 1/2	.215	.205	.165	.16	.155	.15	.14
2037	1	R	1	x	10	5/8 x 9 1/8	.235	.225	.185	.18	.175	.17	.16
3370	4	R	1	x	10 1/4	5/8 x 9 3/8	.235	.225	.185	.18	.175	.17	.16
2192	2	R	1	x	11	5/8 x 10 1/8	.24	.23	.19	.185	.18	.175	.165
3184	4	R	1	x	12	5/8 x 11 1/8	.25	.24	.20	.195	.19	.185	.175
2678	1	R	1	x	17	5/8 x 16 1/8	.30	.29	.25	.245	.24	.235	.225
2488	8	R-BEA	1 1/16	x	3 3/4	13/16 x 3(BEADED)	.18	.17	.13	.125	.12	.115	.105
1483	8	S-K	1 1/16	x	4 15/16	13/16 x 4 1/16	.19	.18	.14	.135	.13	.125	.115
1476	3	R	1 1/16	x	8	13/16 x 7 1/8	.215	.205	.165	.16	.155	.15	.14
2337	8	S	1 1/8	x	1 1/4	3/4 x 7/8(LIP ONLY)	.165	.155	.115	.11	.105	.10	.09
435	4	S	1 1/8	x	1 1/2	3/4 x 1 1/8(LIP ONLY_	.165	.155	.115	.11	.105	.10	.09
445	1,2	S	1 1/8	x	1 1/2	3/4 x 1 1/8(LIP ONLY_	.165	.155	.115	.11	.105	.10	.09
724	10	S	1 1/8	x	1 3/4	3/4 x 1	.165	.155	.115	.11	.105	.10	.09

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2367	4	R-K	1 1/8	x	4	3/4 x 3 1/8	.185	.175	.135	.13	.125	.12	.11
2432	2	R	1 1/8	x	4 3/8	3/4 x 3 1/2	.185	.175	.135	.13	.125	.12	.11
3090	7	R-K	1 1/8	x	4 7/8	3/4 x 4	.185	.175	.135	.13	.125	.12	.11
959	3	S	1 1/8	x	6 3/8	3/4 x 5 1/2	.20	.19	.15	.145	.14	.135	.125
2924	10	R	1 1/8	x	7 3/8	3/4 x 6 1/2	.205	.195	.155	.15	.145	.14	.13
1880	2	R	1 1/8	x	10 1/2	3/4 x 9 5/8	.235	.225	.185	.18	.175	.17	.16
2449	10	S	1 3/16	x	2 1/2	13/16 x 1 5/8	.17	.16	.12	.115	.11	.105	.095
2451	10	S	1 3/16	x	2 7/8	13/16 x 2	.17	.16	.12	.115	.11	.105	.095
1058	2	S	1 3/16	x	4 5/16	13/16 x 3 7/16	.185	.175	.135	.13	.125	.12	.11
716	10	S	1 1/4	x	1 3/8	7/8 x 1 (LIP ONLY)	.165	.155	.115	.11	.105	.10	.09
829	10	S	1 1/4	x	1 1/2	7/8 x 1 1/8(LIP ONLY)	.165	.155	.115	.11	.105	.10	.09
719	8	S	1 1/4	x	1 3/4	7/8 x 1	.165	.155	.115	.11	.105	.10	.09
1915	4,10	S	1 1/4	x	2 1/16	7/8 x 1 3/16	.17	.16	.12	.115	.11	.105	.095
563	4	S	1 1/4	x	2 5/8	7/8 x 1 3/4	.17	.16	.12	.115	.11	.105	.095
2050	10	S-K	1 1/4	x	2 5/8	7/8 x 1 3/4	.17	.16	.12	.115	.11	.105	.095
1350	3	S	1 1/4	x	3	7/8 x 2 1/8	.175	.165	.125	.12	.115	.11	.10
2640	8	R	1 1/4	x	3 1/4	7/8 x 2 3/8	.175	.165	.125	.12	.115	.11	.10
1458	3	R	1 1/4	x	3 1/2	7/8 x 2 5/8	.175	.165	.125	.12	.115	.11	.10
3175	6	S	1 1/4	x	3 3/4	7/8 x 3	.18	.17	.13	.125	.12	.115	.105
2239	2,6	R	1 1/4	x	4	7/8 x 3 1/8	.185	.175	.135	.13	.125	.12	.11
514	4	R	1 1/4	x	4 1/4	7/8 x 3 3/8	.185	.175	.135	.13	.125	.12	.11
2890	7	R-K	1 1/4	x	4 3/4	7/8 x 4	.185	.175	.135	.13	.125	.12	.11
2647	4	R	1 1/4	x	5 5/8	7/8 x 4 3/4	.195	.185	.145	.14	.135	.13	.12
283	4	R	1 1/4	x	6 3/4	7/8 x 6	.20	.19	.15	.145	.14	.135	.125
838	10	S-K	1 3/8	x	1 3/8	1 x 1 (LIP ONLY)	.165	.155	.115	.11	.105	.10	.09
1024	3	S	1 3/8	x	1 9/16	1 x 1 1/8 (LIP ONLY)	.165	.155	.115	.11	.105	.10	.09
2849	10	S	1 3/8	x	2 1/4	1 x 1 3/8	.17	.16	.12	.115	.11	.105	.095
2585	4	R-K	1 3/8	x	3	1 x 2 1/8	.175	.165	.125	.12	.115	.11	.10
1131	4	R	1 3/8	x	3 1/8	1 x 2 1/4	.175	.165	.125	.12	.115	.11	.10
3957	8	R	1 3/8	x	3 1/4	1 x 2 3/8	.175	.165	.125	.12	.115	.11	.10
3989	10	R	1 3/8	x	3 1/4	1 x 2 3/8	.175	.165	.125	.12	.115	.11	.10
3421	6	R	1 3/8	x	3 3/8	1 x 2 1/2	.175	.165	.125	.12	.115	.11	.10
3332	6	R	1 3/8	x	3 1/2	1 x 2 5/8	.175	.165	.125	.12	.115	.11	.10
348	6	S	1 3/8	x	3 3/4	1 x 2 7/8	.18	.17	.13	.125	.12	.115	.105
465	4	R	1 3/8	x	3 3/4	1 x 2 7/8	.18	.17	.13	.125	.12	.115	.105
3541	4	R	1 3/8	x	4	1 x 3 1/8	.185	.175	.135	.13	.125	.12	.11
1425	3	R	1 3/8	x	4 3/16	1 x 3 5/16	.185	.175	.135	.13	.125	.12	.11
2939	5	R	1 3/8	x	4 3/8	1 x 3 1/2	.185	.175	.135	.13	.125	.12	.11
2241	6	S	1 3/8	x	5 3/8	1 x 4 1/2	.195	.185	.145	.14	.135	.13	.12
3325	6	S	1 3/8	x	5 3/8	1 x 4 1/2	.195	.185	.145	.14	.135	.13	.12
3278	4	R	1 3/8	x	6 1/2	1 x 5 5/8	.20	.19	.15	.145	.14	.135	.125
1886	3	R	1 3/8	x	6 3/4	1 x 6	.20	.19	.15	.145	.14	.135	.125
MOD.3266	1	R	1 3/8	x	7	1 x 6 1/8	.205	.195	.155	.15	.145	.14	.13

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2877	2	R	1 3/8	x	7 1/8	1 x 6 1/4	.205	.195	.155	.15	.145	.14	.13
3542	2	R	1 3/8	x	7 1/2	1 x 6 5/8	.205	.195	.155	.15	.145	.14	.13
1995	2	R	1 3/8	x	8 7/8	1 x 8	.215	.205	.165	.16	.155	.15	.14
3350	6	R	1 3/8	x	10 1/8	1 x 9 1/4	.235	.225	.185	.18	.175	.17	.16
MOD.3266	1	R	1 3/8	x	12 1/2	1 x 11 5/8	.255	.245	.205	.20	.195	.19	.18
MOD.3266	1	R	1 3/8	x	13	1 x 12 1/8	.26	.25	.21	.205	.20	.195	.185
MOD.3266	1	R	1 3/8	x	13 1/4	1 x 12 3/8	.26	.25	.21	.205	.20	.195	.185
MOD.3266	1	R	1 3/8	x	14	1 x 13 1/8	.27	.26	.22	.215	.21	.205	.195
2595	2	R	1 3/8	x	14 1/8	1 x 13 1/4	.27	.26	.22	.215	.21	.205	.195
2594	2	R	1 3/8	x	14 3/16	1 x 13 5/16	.27	.26	.22	.215	.21	.205	.195
2158	10	S	1 7/16	x	2 5/8	1 1/16 x 1 3/4	.17	.16	.12	.115	.11	.105	.095
3445	5	S	1 7/16	x	3 7/16	1 1/16 x 2 9/16	.175	.165	.125	.12	.115	.11	.10
2200	6	R	1 7/16	x	3 1/2	1 1/16 x 2 5/8	.175	.165	.125	.12	.115	.11	.10
934	3	S	1 7/16	x	4	1 1/16 x 3 1/8	.185	.175	.135	.13	.125	.12	.11
3081	4	R	1 7/16	x	11 1/4	1 1/16 x 10 3/8	.245	.235	.195	.19	.185	.18	.17
458	10	S	1 1/2	x	1 1/2	1 1/8 x 5/8	.165	.155	.115	.11	.105	.10	.09
3432	4	R	1 1/2	x	2 1/4	1 1/8 x 1 3/8	.17	.16	.12	.115	.11	.105	.095
2051	10	S	1 1/2	x	2 5/8	1 1/8 x 1 3/4	.17	.16	.12	.115	.11	.105	.095
2874	6	R	1 1/2	x	2 3/4	1 1/8 x 2	.17	.16	.12	.115	.11	.105	.095
3857	10	R	1 1/2	x	3	1 1/8 x 2 1/8	.175	.165	.125	.12	.115	.11	.10
1951	3	R	1 1/2	x	3 1/4	1 1/8 x 2 3/8	.175	.165	.125	.12	.115	.11	.10
1743	2	R	1 1/2	x	4 1/8	1 1/8 x 3 1/4	.185	.175	.135	.13	.125	.12	.11
2962	4	R	1 1/2	x	4 1/4	1 1/8 x 3 3/8	.185	.175	.135	.13	.125	.12	.11
843	2	R	1 1/2	x	4 3/8	1 1/8 x 3 1/2	.185	.175	.135	.13	.125	.12	.11
3449	2	R	1 1/2	x	4 3/4	1 1/8 x 3 7/8	.185	.175	.135	.13	.125	.12	.11
3634	1,8	R	1 1/2	x	5 1/4	1 1/8 x 4 3/8	.195	.185	.145	.14	.135	.13	.12
1723	4	R	1 1/2	x	5 1/2	1 1/8 x 4 5/8	.195	.185	.145	.14	.135	.13	.12
743	1	R	1 1/2	x	6	1 1/8 x 5 1/8	.20	.19	.15	.145	.14	.135	.125
1642-B	3	R	1 1/2	x	6 1/4	1 1/8 x 5 3/8	.20	.19	.15	.145	.14	.135	.125
4018	5		1 1/2	x	7 3/8	1 1/8 x 6 1/2	.21	.20	.16	.155	.15	.145	.135
3687	4	R	1 1/2	x	8 1/8	1 1/8 x 7 1/4	.215	.205	.165	.16	.155	.15	.14
2767	4	S	1 1/2	x	9	1 1/8 x 8 1/8	.225	.215	.175	.17	.165	.16	.15
581	2	S	1 1/2	x	10	1 1/8 x 9 1/8	.235	.225	.185	.18	.175	.17	.16
2329	4	R	1 1/2	x	10 1/2	1 1/8 x 9 5/8	.24	.23	.19	.185	.18	.175	.165
3850	5	R	1 1/2	x	10 1/2	1 1/8 x 9 5/8	.24	.23	.19	.185	.18	.175	.165
2168	2	S	1 1/2	x	11	1 1/8 x 10 1/8	.245	.235	.195	.19	.185	.18	.17
2295	2	R	1 1/2	x	13	1 1/8 x 12 1/8	.26	.25	.21	.205	.20	.195	.185
960	3	S	1 9/16	x	2	1 3/16 x 1 1/8	.17	.16	.12	.115	.11	.105	.095
406	8	R	1 9/16	x	2 3/8	1 3/16 x 1 1/2	.17	.16	.12	.115	.11	.105	.095
3095	1	R-K	1 9/16	x	2 3/4	1 3/16 x 2	.175	.165	.125	.12	.115	.11	.10
1867	4	R	1 9/16	x	3 1/2	1 3/16 x 2 5/8	.175	.165	.125	.12	.115	.11	.10
515	8	R	1 9/16	x	5	1 3/16 x 4 1/8	.195	.185	.145	.14	.135	.13	.12
3377	4	R-K	1 5/8	x	2 1/8	1 1/4 x 1 1/4	.17	.16	.12	.115	.11	.105	.095

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
1976	4	R	1 5/8	x	2 5/8	1 1/4 x 1 3/4	.17	.16	.12	.115	.11	.105	.095
143	6	S	1 5/8	x	2 7/8	1 1/4 x 2	.17	.16	.12	.115	.11	.105	.095
3983	5		1 5/8	x	3	1 1/4 x 2 1/8	.17	.16	.12	.115	.11	.105	.095
3114	5	R-K	1 5/8	x	3 5/8	1 1/4 x 2 3/4	.18	.17	.13	.125	.12	.115	.105
3534	8	R	1 5/8	x	4	1 1/4 x 3 1/8	.185	.175	.135	.13	.125	.12	.11
3439	4	R	1 5/8	x	4 1/2	1 1/4 x 3 5/8	.185	.175	.135	.13	.125	.12	.11
3681	5	R	1 5/8	x	5 1/8	1 1/4 x 4 1/4	.195	.185	.145	.14	.135	.13	.12
2614	5	R	1 5/8	x	5 5/16	1 1/4 x 4 7/16	.195	.185	.145	.14	.135	.13	.12
3056	10	R	1 5/8	x	6 5/8	1 1/4 x 5 3/4	.20	.19	.15	.145	.14	.135	.125
3535	4	R	1 5/8	x	7 1/2	1 1/4 x 6 5/8	.21	.20	.16	.155	.15	.145	.135
1647-B	2	R	1 5/8	x	11	1 1/4 x 10 1/8	.27	.26	.22	.215	.21	.205	.195
929	2	S	1 11/16	x	5 1/16	1 5/16 x 4 3/16	.195	.185	.145	.14	.135	.13	.12
951	4	R	1 11/16	x	5 1/4	1 5/16 x 4 3/8	.195	.185	.145	.14	.135	.13	.12
600	2	S	1 11/16	x	10	1 5/16 x 9 1/8	.24	.23	.19	.185	.18	.175	.165
2771	4	R-K	1 3/4	x	1 7/8	1 3/8 x 1	.17	.16	.12	.115	.11	.105	.095
3451	4	R	1 3/4	x	2 3/8	1 3/8 x 1 1/2	.17	.16	.12	.115	.11	.105	.095
3645	10	R	1 3/4	x	2 5/8	1 3/8 x 1 3/4	.17	.16	.12	.115	.11	.105	.095
1433	2	R	1 3/4	x	2 3/4	1 3/8 x 2	.17	.16	.12	.115	.11	.105	.095
2586	4	R-K	1 3/4	x	2 15/16	1 3/8 x 2 1/16	.175	.165	.125	.12	.115	.11	.10
933	6	S	1 3/4	x	3	1 3/8 x 2 1/8	.175	.165	.125	.12	.115	.11	.10
1960	3	R	1 3/4	x	3 1/4	1 3/8 x 2 3/8	.18	.17	.13	.125	.12	.115	.105
1372	2	R	1 3/4	x	3 3/4	1 3/8 x 2 7/8	.18	.17	.13	.125	.12	.115	.105
918	2	R	1 3/4	x	4 1/8	1 3/8 x 3 1/4	.185	.175	.135	.13	.125	.12	.11
3082	5	R	1 3/4	x	4 3/8	1 3/8 x 3 1/2	.185	.175	.135	.13	.125	.12	.11
1848	3	R	1 3/4	x	4 3/4	1 3/8 x 4	.19	.18	.14	.135	.13	.125	.115
422	1	R	1 3/4	x	5 1/16	1 3/8 x 4 3/16	.195	.185	.145	.14	.135	.13	.12
3678	5	R	1 3/4	x	5 1/8	1 3/8 x 4 1/4	.195	.185	.145	.14	.135	.13	.12
3230	8	R	1 3/4	x	5 1/2	1 3/8 x 4 5/8	.195	.185	.145	.14	.135	.13	.12
292	4	R	1 3/4	x	6 1/4	1 3/8 x 5 3/8	.205	.195	.155	.15	.145	.14	.13
689	2	R	1 3/4	x	8	1 3/8 x 7 1/8	.22	.21	.17	.165	.16	.155	.145
3684	2	R	1 3/4	x	9 3/8	1 3/8 x 8 1/2	.235	.225	.185	.18	.175	.17	.16
3381	4	R	1 3/4	x	11 1/2	1 3/8 x 10 5/8	.255	.245	.205	.20	.195	.19	.18
1727	5	R-K	1 13/16	x	2 1/2	1 7/16 x 1 5/8	.175	.165	.125	.12	.115	.11	.10
3124	5	R	1 13/16	x	2 1/2	1 7/16 x 1 5/8	.175	.165	.125	.12	.115	.11	.10
862	6	S	1 13/16	x	2 5/8	1 7/16 x 1 3/4	.175	.165	.125	.12	.115	.11	.10
248	4	S	1 13/16	x	3 1/16	1 7/16 x 2 3/16	.18	.17	.13	.125	.12	.115	.105
2228	1	S	1 13/16	x	3 5/16	17/16 x 2 7/16	.18	.17	.13	.125	.12	.115	.105
2234	4	R	1 13/16	x	3 5/16	1 7/16 x 2 7/16	.18	.17	.13	.125	.12	.115	.105
1036	4	R	1 13/16	x	3 3/4	1 7/16 x 3	.18	.17	.13	.125	.12	.115	.105
920	1	R	1 13/16	x	5 1/4	1 7/16 x 4 3/8	.195	.185	.145	.14	.135	.13	.12
1048	4	S	1 13/16	x	9 1/2	1 7/16 x 8 5/8	.235	.225	.185	.18	.175	.17	.16
2979	10	R	1 7/8	x	2 1/4	1 1/2 x 1 3/8	.175	.165	.125	.12	.115	.11	.10
3792	5	S-K	1 7/8	x	2 5/8	1 1/2 x 1 3/4	.175	.165	.125	.12	.115	.11	.10

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
1444	4	R	1 7/8	x	3 3/16	1 1/2 x 2 5/16	.18	.17	.13	.125	.12	.115	.105
791	2	S	1 7/8	x	3 1/2	1 1/2 x 2 5/8	.18	.17	.13	.125	.12	.115	.105
2610	6	S	1 7/8	x	3 3/4	1 1/2 x 2 7/8	.18	.17	.13	.125	.12	.115	.105
3440	6	R	1 7/8	x	3 7/8	1 1/2 x 3	.18	.17	.13	.125	.12	.115	.105
3450	8	R	1 7/8	x	4 3/16	1 1/2 x 3 5/16	.19	.18	.14	.135	.13	.125	.115
384	5	R	1 7/8	x	4 3/8	1 1/2 x 3 1/2	.19	.18	.14	.135	.13	.125	.115
521	4	S	1 7/8	x	4 7/8	1 1/2 x 4	.19	.18	.14	.135	.13	.125	.115
1550	4	R	1 7/8	x	5 1/8	1 1/2 x 4 1/4	.195	.185	.145	.14	.135	.13	.12
1577	1	R	1 7/8	x	6 5/8	1 1/2 x 5 3/4	.205	.195	.155	.15	.145	.14	.13
3652	5	R	1 7/8	x	6 3/4	1 1/2 x 5 7/8	.205	.195	.155	.15	.145	.14	.13
2933	5	R	1 7/8	x	7 3/8	1 1/2 x 6 1/2	.21	.20	.16	.155	.15	.145	.135
1644-B	2	R	1 7/8	x	8 1/4	1 1/2 x 7 3/8	.22	.21	.17	.165	.16	.155	.145
3975	8	R	1 7/8	x	8 7/8	1 1/2 x 8	.225	.215	.175	.17	.165	.16	.15
1710	3	R	1 15/16	x	2 3/4	1 9/16 x 2	.175	.165	.125	.12	.115	.11	.10
232	4	S	1 15/16	x	3 5/16	1 9/16 x 2 7/16	.18	.17	.13	.125	.12	.115	.105
887	4	R	1 15/16	x	3 3/4	1 9/16 x 3	.18	.17	.13	.125	.12	.115	.105
653	6	R-S	1 15/16	x	5 3/16	1 9/16 x 4 5/16	.205	.195	.155	.15	.145	.14	.13
2589	10	R	2	x	2	1 5/8 x 1 1/8	.175	.165	.125	.12	.115	.11	.10
2371	4	R	2	x	2 5/16	1 5/8 x 1 7/16	.175	.165	.125	.12	.115	.11	.10
2336	5	R	2	x	2 1/2	1 5/8 x 1 5/8	.175	.165	.125	.12	.115	.11	.10
616	4	R-K	2	x	2 9/16	1 5/8 x 1 11/16	.175	.165	.125	.12	.115	.11	.10
2156	4	S	2	x	2 11/16	1 5/8 x 1 13/16	.18	.17	.13	.125	.12	.115	.105
526	3	S	2	x	3 1/16	1 5/8 x 2 3/16	.185	.175	.135	.13	.125	.12	.11
459	6	S	2	x	3 1/16	1 5/8 x 2 3/16	.185	.175	.135	.13	.125	.12	.11
1347	2	S-K	2	x	3 1/2	1 5/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
2255	8	S-K	2	x	3 1/2	1 5/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
1864	4	R	2	x	3 11/16	1 5/8 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
880	6	R	2	x	3 3/4	1 5/8 x 3	.185	.175	.135	.13	.125	.12	.11
979	5	S	2	x	4	1 5/8 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
1608	5	R	2	x	4	1 5/8 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
361	3	R	2	x	4 1/4	1 5/8 x 3 3/8	.195	.185	.145	.14	.135	.13	.12
1971	4	R	2	x	4 5/8	1 5/8 x 3 3/4	.195	.185	.145	.14	.135	.13	.12
2646	5	R	2	x	5	1 5/8 x 4 1/8	.195	.185	.145	.14	.135	.13	.12
2231	2	R	2	x	6	1 5/8 x 5 1/8	.205	.195	.155	.15	.145	.14	.13
3679	5	R	2	x	6 3/4	1 5/8 x 5 7/8	.21	.20	.16	.155	.15	.145	.135
1100	5	R	2	x	8	1 5/8 x 7 1/8	.22	.21	.17	.165	.16	.155	.145
1615	1	R	2	x	8 3/4	1 5/8 x 7 7/8	.225	.215	.175	.17	.165	.16	.15
2997	4	S	2	x	10	1 5/8 x 9 1/8	.24	.23	.19	.185	.18	.175	.165
794	2	R	2	x	10 1/4	1 5/8 x 9 3/8	.24	.23	.19	.185	.18	.175	.165
3691	4	R	2	x	12 1/8	1 5/8 x 11 1/4	.26	.25	.21	.205	.20	.195	.185
1653-B	1	R	2	x	12 7/8	1 5/8 x 12	.265	.255	.215	.21	.205	.20	.19
448	4	R	2	x	13 1/2	1 5/8 x 12 5/8	.275	.265	.225	.22	.215	.21	.20
1803	2	R	2	x	14	1 5/8 x 13 1/8	.275	.265	.225	.22	.215	.21	.20

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
1488	5	S-K	2 1/16	x	2 3/16	1 9/16 x 1 5/16	.175	.165	.125	.12	.115	.11	.10
812	1,5	S	2 1/16	x	2 11/16	1 9/16 x 1 13/16	.175	.165	.125	.12	.115	.11	.10
3947	2	R	2 1/16	x	4 5/16	1 9/16 x 3 1/2	.19	.18	.14	.135	.13	.125	.115
3727	6	R	2 1/16	x	5 7/16	1 9/16 x 5 9/16	.20	.19	.15	.145	.14	.135	.125
2437	2	R	2 1/16	x	6	1 9/16 x 5 1/8	.205	.195	.155	.15	.145	.14	.13
3419	1	R	2 1/16	x	12 1/8	1 9/16 x 11 1/4	.23	.22	.18	.175	.17	.165	.155
978	1,3	R	2 1/16	x	12 1/8	1 9/16 x 11 1/4	.23	.22	.18	.175	.17	.165	.155
2007	4	R	2 1/8	x	2 1/4	1 3/4 x 1 3/8	.175	.165	.125	.12	.115	.11	.10
595	4	R	2 1/8	x	3	1 3/4 x 2 1/8	.185	.175	.135	.13	.125	.12	.11
744	1,3	R-K	2 1/8	x	3 3/8	1 3/4 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
1205	3	R-K	2 1/8	x	3 3/8	1 3/4 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
2380	3	R	2 1/8	x	3 1/2	1 3/4 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
855	2	R	2 1/8	x	3 5/8	1 3/4 x 2 3/4	.185	.175	.135	.13	.125	.12	.11
321	3	S	2 1/8	x	3 11/16	1 3/4 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
2351	5	S-K	2 1/8	x	3 11/16	1 3/4 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
2601	4	R-K	2 1/8	x	3 11/16	1 3/4 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
1190	2	R	2 1/8	x	4 3/8	1 3/4 x 3 1/2	.195	.185	.145	.14	.135	.13	.12
2285	2	R	2 1/8	x	4 3/8	1 3/4 x 3 1/2	.195	.185	.145	.14	.135	.13	.12
1462	1	R	2 1/8	x	5 3/4	1 3/4 x 5	.205	.195	.155	.15	.145	.14	.13
2287	2	R	2 1/8	x	6 3/8	1 3/4 x 5 1/2	.20	.19	.15	.145	.14	.135	.125
1414	2	R	2 1/8	x	7 1/2	1 3/4 x 6 5/8	.215	.205	.165	.16	.155	.15	.14
1859	3	R	2 1/8	x	7 3/4	1 3/4 x 6 7/8	.215	.205	.165	.16	.155	.15	.14
1537	4	R	2 1/8	x	8 7/8	1 3/4 x 8	.225	.215	.175	.17	.165	.16	.15
2528	2	R	2 1/8	x	12 7/16	1 3/4 x 11 9/16	.265	.255	.215	.21	.205	.20	.19
2286	2	R	2 1/8	x	13	1 3/4 x 12 1/8	.265	.255	.215	.21	.205	.20	.19
2288	2	R	2 1/8	x	13 1/8	1 3/4 x 12 1/4	.265	.255	.215	.21	.205	.20	.19
2237	4	R	2 3/16	x	2 1/2	1 13/16 x 1 5/8	.175	.165	.125	.12	.115	.11	.10
492	6	R	2 3/16	x	3 7/16	1 13/16 x 2 9/16	.185	.175	.135	.13	.125	.12	.11
3478	1	R	2 3/16	x	4 7/16	1 13/16 x 3 9/16	.195	.185	.145	.14	.135	.13	.12
2430	2	R	2 3/16	x	6 1/2	1 13/16 x 5 5/8	.21	.20	.16	.155	.15	.145	.135
3911	10	R	2 1/4	x	2 1/4	1 7/8 x 1 3/8	.18	.17	.13	.125	.12	.115	.105
3777	8	R	2 1/4	x	2 1/2	1 7/8 x 1 5/8	.185	.175	.135	.13	.125	.12	.11
3536	5	R	2 1/4	x	2 3/4	1 7/8 x 2	.185	.175	.135	.13	.125	.12	.11
3488	6	R-K	2 1/4	x	3	1 7/8 x 2 1/8	.185	.175	.135	.13	.125	.12	.11
3635	6	R	2 1/4	x	3 1/8	1 7/8 x 2 1/4	.185	.175	.135	.13	.125	.12	.11
580	4	R	2 1/4	x	3 3/16	1 7/8 x 2 5/16	.185	.175	.135	.13	.125	.12	.11
3974	4	R	2 1/4	x	3 5/16	1 7/8 x 2 3/8	.185	.175	.135	.13	.125	.12	.11
1334	1	R	2 1/4	x	3 3/8	1 7/8 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
225	4	R	2 1/4	x	3 7/16	1 7/8 x 2 9/16	.185	.175	.135	.13	.125	.12	.11
3186		R	2 1/4	x	3 1/2	1 7/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
2155	4	R-K	2 1/4	x	3 11/16	1 7/8 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
2961	4	R	2 1/4	x	3 3/4	1 7/8 x 3	.185	.175	.135	.13	.125	.12	.11
371	3,6	S-K	2 1/4	x	3 13/16	1 7/8 x 2 15/16	.185	.175	.135	.13	.125	.12	.11

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
561	4	R	2 1/4	x	3 13/16	1 7/8 x 2 15/16	.185	.175	.135	.13	.125	.12	.11
927	4	S	2 1/4	x	3 7/8	1 7/8 x 3	.185	.175	.135	.13	.125	.12	.11
1489	6	R-K	2 1/4	x	4 1/8	1 7/8 x 3 1/4	.195	.185	.145	.14	.135	.13	.12
395	5	R	2 1/4	x	4 3/16	1 7/8 x 3 5/16	.195	.185	.145	.14	.135	.13	.12
1739	4	R	2 1/4	x	4 1/4	1 7/8 x 3 3/8	.195	.185	.145	.14	.135	.13	.12
2601	4	R-K	2 1/4	x	4 1/4	1 7/8 x 3 3/8	.195	.185	.145	.14	.135	.13	.12
1674	2	R	2 1/4	x	4 1/2	1 7/8 x 3 5/8	.195	.185	.145	.14	.135	.13	.12
1040	1	S	2 1/4	x	5 1/16	1 7/8 x 4 3/16	.20	.19	.15	.145	.14	.135	.125
1004	1	S	2 1/4	x	5 1/8	1 7/8 x 4 1/4	.20	.19	.15	.145	.14	.135	.125
3178	4	R	2 1/4	x	5 1/2	1 7/8 x 4 5/8	.20	.19	.15	.145	.14	.135	.125
2691	2	R	2 1/4	x	6 1/8	1 7/8 x 5 1/4	.21	.20	.16	.155	.15	.145	.135
2039	1,3	R	2 1/4	x	6 1/4	1 7/8 x 5 3/8	.21	.20	.16	.155	.15	.145	.135
938	2	R	2 1/4	x	6 1/2	1 7/8 x 5 5/8	.21	.20	.16	.155	.15	.145	.135
1338	2,4	R	2 1/4	x	6 5/8	1 7/8 x 5 3/4	.21	.20	.16	.155	.15	.145	.135
2777	4	R	2 1/4	x	7 1/4	1 7/8 x 6 3/8	.215	.205	.165	.16	.155	.15	.14
2173	3	R	2 1/4	x	7 5/8	1 7/8 x 6 3/4	.215	.205	.165	.16	.155	.15	.14
2298	1	R	2 1/4	x	7 3/4	1 7/8 x 7	.215	.205	.165	.16	.155	.15	.14
3431	3	S	2 1/4	x	8 5/8	1 7/8 x 7 3/4	.22	.21	.17	.165	.16	.155	.145
1532	2	R	2 1/4	x	8 3/4	1 7/8 x 8	.22	.21	.17	.165	.16	.155	.145
2808	2	R	2 1/4	x	9	1 7/8 x 8 1/8	.22	.21	.17	.165	.16	.155	.145
2472	1	R	2 1/4	x	9 13/16	1 7/8 x 9	.235	.225	.185	.18	.175	.17	.16
681	1	R	2 1/4	x	10 3/4	1 7/8 x 9 7/8	.245	.235	.195	.19	.185	.18	.17
2572	2	R	2 1/4	x	10 15/16	1 7/8 x 10 1/16	.245	.235	.195	.19	.185	.18	.17
3573	4	R	2 1/4	x	14 7/8	1 7/8 x 14	.275	.265	.225	.22	.215	.21	.20
3427	8	R-K	2 9/32	x	3 5/8	1 7/8 x 2 3/4	.19	.18	.14	.135	.13	.125	.115
501	10	R	2 5/16	x	2 3/8	1 15/16 x 1 1/2	.18	.17	.13	.125	.12	.115	.105
2616	4	R	2 5/16	x	2 1/2	1 15/16 x 1 5/8	.18	.17	.13	.125	.12	.115	.105
2460	4	R-K	2 5/16	x	3 1/4	1 15/16 x 2 3/8	.19	.18	.14	.135	.13	.125	.115
647	3,5	R-K	2 5/16	x	3 7/16	1 15/16 x 2 11/16	.19	.18	.14	.135	.13	.125	.115
2792	3	R-K	2 5/16	x	3 9/16	1 15/16 x 2 11/16	.19	.18	.14	.135	.13	.125	.115
3399	2	R	2 5/16	x	3 7/8	1 15/16 x 3	.19	.18	.14	.135	.13	.125	.115
3917	6	R	2 5/16	x	4 3/16	1 15/16 x 3 1/4	.19	.18	.14	.135	.13	.125	.115
2414	2	R	2 5/16	x	6 3/8	1 15/16 x 5 1/2	.21	.20	.16	.155	.15	.145	.135
1703	3	R	2 5/16	x	7	1 15/16 x 6 1/8	.215	.205	.165	.16	.155	.15	.14
2318	2	R	2 5/16	x	8 1/4	1 15/16 x 7 3/8	.22	.21	.17	.165	.16	.155	.145
1784	2	R	2 5/16	x	8 3/4	1 15/16 x 8	.22	.21	.17	.165	.16	.155	.145
3567	6	R	2 5/16	x	11	1 15/16 x 10 1/8	.245	.235	.195	.19	.185	.18	.17
2049	8	S-K	2 3/8	x	2 11/16	2 x 1 13/16	.19	.18	.14	.135	.13	.125	.115
2540	1	R	2 3/8	x	2 13/16	2 x 2	.19	.18	.14	.135	.13	.125	.115
1438	1	R	2 3/8	x	2 15/16	2 x 2 1/16	.19	.18	.14	.135	.13	.125	.115
1142	4	R	2 3/8	x	3 1/16	2 x 2 3/16	.19	.18	.14	.135	.13	.125	.115
1481	3	R	2 3/8	x	3 5/16	2 x 2 7/16	.19	.18	.14	.135	.13	.125	.115
2254	8	S	2 3/8	x	3 1/2	2 x 2 5/8	.19	.18	.14	.135	.13	.125	.115

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3418	3	R-K	2 3/8	x	3 1/2	2 x 2 5/8	.19	.18	.14	.135	.13	.125	.115
1865	4	R	2 3/8	x	3 9/16	2 x 2 11/16	.19	.18	.14	.135	.13	.125	.115
91	3	R&S	2 3/8	x	3 11/16	2 x 2 13/16	.19	.18	.14	.135	.13	.125	.115
91	3	R	2 3/8	x	3 11/16	2 x 2 13/16	.19	.18	.14	.135	.13	.125	.115
830	3	R	2 3/8	x	3 3/4	2 x 2 7/8	.19	.18	.14	.135	.13	.125	.115
2463	10	S	2 3/8	x	3 3/4	2 x 2 7/8	.19	.18	.14	.135	.13	.125	.115
1734	4	S	2 3/8	x	3 13/16	2 x 3	.19	.18	.14	.135	.13	.125	.115
3185		R	2 3/8	x	3 7/8	2 x 3	.19	.18	.14	.135	.13	.125	.115
2229	6	R	2 3/8	x	4	2 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
2270	3	R	2 3/8	x	4 1/8	2 x 3 1/4	.195	.185	.145	.14	.135	.13	.12
2045	1,4,6	R	2 3/8	x	4 3/8	2 x 3 1/2	.195	.185	.145	.14	.135	.13	.12
1050	4	R	2 3/8	x	4 5/8	2 x 3 3/4	.195	.185	.145	.14	.135	.13	.12
3910	2	R	2 3/8	x	4 11/16	2 x 3 13/16	.195	.185	.145	.14	.135	.13	.12
2776	4	R	2 3/8	x	4 3/4	2 x 3 7/8	.195	.185	.145	.14	.135	.13	.12
2421	1,2	R	2 3/8	x	5 5/16	2 x 4 7/16	.205	.195	.155	.15	.145	.14	.13
3741	5	R	2 3/8	x	5 3/8	2 x 4 1/2	.205	.195	.155	.15	.145	.14	.13
594	4	RS	2 3/8	x	5 5/8	2 x 4 3/4	.205	.195	.155	.15	.145	.14	.13
3674	1	R	2 3/8	x	6 3/8	2 x 5 1/2	.21	.20	.16	.155	.15	.145	.135
3096	2	S	2 3/8	x	8	2 x 7 1/8	.22	.21	.17	.165	.16	.155	.145
3699	3	R	2 3/8	x	8 1/4	2 x 7 3/8	.22	.21	.17	.165	.16	.155	.145
2422	1,2	R	2 3/8	x	8 3/8	2 x 7 1/2	.22	.21	.17	.165	.16	.155	.145
2669	2	R	2 3/8	x	9 7/8	2 x 9	.235	.225	.185	.18	.175	.17	.16
2970	2	R	2 3/8	x	10	2 x 9 1/8	.23	.22	.18	.175	.17	.165	.155
2271	2	R	2 3/8	x	11 3/8	2 x 10 1/2	.235	.225	.185	.18	.175	.17	.16
2423	1,2	R	2 3/8	x	11 5/8	2 x 10 3/4	.235	.225	.185	.18	.175	.17	.16
3053	4	R	2 3/8	x	12	2 x 11 5/8	.24	.23	.19	.185	.18	.175	.165
2297	2	R	2 3/8	x	12 1/2	2 x 11 5/8	.245	.235	.195	.19	.185	.18	.17
2513	2	R	2 3/8	x	13 1/4	2 x 12 3/8	.285	.275	.235	.23	.225	.22	.21
1116	2	R	2 7/16	x	2 11/16	2 1/16 x 1 13/16	.175	.165	.125	.12	.115	.11	.10
3244	8	S	2 7/16	x	2 11/16	2 1/16 x 1 13/16	.175	.165	.125	.12	.115	.11	.10
3788	8	R	2 7/16	x	2 11/16	2 1/16 x 1 13/16	.175	.165	.125	.12	.115	.11	.10
177	3	R	2 7/16	x	2 13/16	2 1/16 x 2	.175	.165	.125	.12	.115	.11	.10
2092	2	R-K	2 7/16	x	3 3/8	2 1/16 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
363	4	R	2 7/16	x	3 11/16	2 1/16 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
1328	1,5	R	2 7/16	x	3 3/4	2 1/16 x 2 7/8	.185	.175	.135	.13	.125	.12	.11
222	2,4,5	6 R	2 7/16	x	3 13/16	2 1/16 x 3	.185	.175	.135	.13	.125	.12	.11
1975	2	R	2 7/16	x	3 13/16	2 1/16 x 3	.185	.175	.135	.13	.125	.12	.11
3847	4	S	2 7/16	x	3 13/16	2 1/16 x 3	.185	.175	.135	.13	.125	.12	.11
453	3	R-K	2 7/16	x	4 3/16	2 1/16 x 3 5/16	.195	.185	.145	.14	.135	.13	.12
3712	4	R	2 7/16	x	4 1/4	2 1/16 x 3 3/8	.195	.185	.145	.14	.135	.13	.12
2770	4	R	2 7/16	x	5	2 1/16 x 4 1/8	.195	.185	.145	.14	.135	.13	.12
2745	2	R	2 7/16	x	9 7/8	2 1/16 x 9	.25	.24	.20	.195	.19	.185	.175
1301	4	R	2 1/2	x	2 1/2	2 1/8 x 1 5/8	.20	.19	.15	.145	.14	.135	.125

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
874	1,5	S	2 1/2	x	2 11/16	2 1/8 x 1 13/16	.20	.19	.15	.145	.14	.135	.125
2136	4,10	R-K	2 1/2	x	3	2 1/8 x 2 1/8	.185	.175	.135	.13	.125	.12	.11
1152	4	R	2 1/2	x	3 1/8	2 1/8 x 2 1/4	.185	.175	.135	.13	.125	.12	.11
2873	6	R	2 1/2	x	3 1/8	2 1/8 x 2 1/4	.185	.175	.135	.13	.125	.12	.11
3294	6	R	2 1/2	x	3 1/4	2 1/8 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
2044	2	R	2 1/2	x	3 3/8	2 1/8 x 2 1/2	.185	.175	.135	.13	.125	.12	.11
307	3	R	2 1/2	x	3 7/16	2 1/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
2214	2	R-K	2 1/2	x	3 1/2	2 1/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
2254	8	S	2 1/2	x	3 1/2	2 1/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
2567	3,4	R	2 1/2	x	3 1/2	2 1/8 x 2 5/8	.185	.175	.135	.13	.125	.12	.11
875	1,3,5	S	2 1/2	x	3 5/8	2 1/8 x 2 3/4	.185	.175	.135	.13	.125	.12	.11
2755	1	R	2 1/2	x	3 5/8	2 1/8 x 2 3/4	.185	.175	.135	.13	.125	.12	.11
3585	4	R	2 1/2	x	3 5/8	2 1/8 x 2 3/4	.185	.175	.135	.13	.125	.12	.11
399	6	RS	2 1/2	x	3 11/16	2 1/8 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
3985	2	R	2 1/2	x	3 11/16	2 1/8 x 2 13/16	.185	.175	.135	.13	.125	.12	.11
1001	2,5	R-K	2 1/2	x	3 3/4	2 1/8 x 2 7/8	.185	.175	.135	.13	.125	.12	.11
3670	6	R	2 1/2	x	3 7/8	2 1/8 x 3	.185	.175	.135	.13	.125	.12	.11
833	2,5	R-K	2 1/2	x	4	2 1/8 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
3776	6	R	2 1/2	x	4 1/4	2 1/8 x 3 3/8	.195	.185	.145	.14	.135	.13	.12
205	3	R	2 1/2	x	4 3/8	2 1/8 x 3 1/2	.195	.185	.145	.14	.135	.13	.12
3389	5	R	2 1/2	x	4 1/2	2 1/8 x 3 5/8	.195	.185	.145	.14	.135	.13	.12
1406	2,4	R	2 1/2	x	4 5/8	2 1/8 x 3 3/4	.195	.185	.145	.14	.135	.13	.12
2518	2	R	2 1/2	x	4 5/8	2 1/8 x 3 3/4	.195	.185	.145	.14	.135	.13	.12
2186	2	R	2 1/2	x	4 3/4	2 1/8 x 3 7/8	.195	.185	.145	.14	.135	.13	.12
3048	4	R	2 1/2	x	4 7/8	2 1/8 x 4	.195	.185	.145	.14	.135	.13	.12
2985	4	S	2 1/2	x	5	2 1/8 x 4 1/4	.205	.195	.155	.15	.145	.14	.13
327	2	S	2 1/2	x	5 3/8	2 1/8 x 4 1/2	.205	.195	.155	.15	.145	.14	.13
3212	4	R	2 1/2	x	5 5/8	2 1/8 x 4 7/8	.205	.195	.155	.15	.145	.14	.13
1257	2	R	2 1/2	x	6	2 1/8 x 5 1/8	.205	.195	.155	.15	.145	.14	.13
2018	3	R	2 1/2	x	6 3/4	2 1/8 x 6	.215	.205	.165	.16	.155	.15	.14
566	3	R	2 1/2	x	7 1/2	2 1/8 x 6 5/8	.225	.215	.175	.17	.165	.16	.15
2599	4	R	2 1/2	x	8 1/4	2 1/8 x 7 3/8	.235	.225	.185	.18	.175	.17	.16
564	1	S	2 1/2	x	8 1/2	2 1/8 x 7 5/8	.235	.225	.185	.18	.175	.17	.16
1456	1	S	2 1/2	x	8 7/8	2 1/8 x 7 3/4	.235	.225	.185	.18	.175	.17	.16
2573	2	R	2 1/2	x	9	2 1/8 x 8 1/8	.235	.225	.185	.18	.175	.17	.16
1652-B	3	R	2 1/2	x	14	2 1/8 x 13 1/8	.285	.275	.235	.23	.225	.22	.21
2013	1	R	2 1/2	x	16 7/8	2 1/8 x 16	.31	.30	.26	.255	.25	.245	.235
447	4	R	2 1/2	x	17 1/2	2 1/8 x 16 5/8	.32	.31	.27	.265	.26	.255	.245
3021	2	R-K	2 9/16	x	3 9/16	2 3/16 x 2 11/16	.195	.185	.145	.14	.135	.13	.12
2177	2	R	2 9/16	x	3 7/8	2 3/16 x 3	.195	.185	.145	.14	.135	.13	.12
3555	6	R-SER 2 9/16	2 9/16	x	3 7/8	2 3/16 x 3	.195	.185	.145	.14	.135	.13	.12
3889	1	R	2 9/16	x	4 1/16	2 3/16 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
3738	5	R	2 9/16	x	4 1/8	2 3/16 x 3 1/4	.195	.185	.145	.14	.135	.13	.12

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1700	2	R	2 9/16	x	4 9/16	2 3/16 x 3 11/16	.195	.185	.145	.14	.135	.13	.12
868	2	R	2 9/16	x	5 5/8	2 3/16 x 4 3/4	.205	.195	.155	.15	.145	.14	.13
1475	2	S	2 9/16	x	7 5/8	2 3/16 x 6 3/4	.225	.215	.175	.17	.165	.16	.15
2060	2	R	2 9/16	x	8 3/16	2 3/16 x 7 5/16	.235	.225	.185	.18	.175	.17	.16
925	1	R	2 9/16	x	10 1/2	2 3/16 x 9 5/8	.255	.245	.205	.20	.195	.19	.18
3108	4	R	2 9/16	x	11 3/8	2 3/16 x 10 1/2	.265	.255	.215	.21	.205	.20	.19
2027	2	S	2 9/16	x	11 11/16	2 3/16 x 10 13/16	.265	.255	.215	.21	.205	.20	.19
380	2	R	2 9/16	x	12	2 3/16 x 11 1/8	.275	.265	.225	.22	.215	.21	.20
1246	2	R	2 5/8	x	2 5/8	2 1/4 x 1 3/4	.185	.175	.135	.13	.125	.12	.11
2896	5	R	2 5/8	x	3 1/4	2 1/4 x 2 3/8	.195	.185	.145	.14	.135	.13	.12
1316	4	R	2 5/8	x	3 3/8	2 1/4 x 2 1/2	.195	.185	.145	.14	.135	.13	.12
2817	5	R	2 5/8	x	3 9/16	2 1/4 x 2 11/16	.195	.185	.145	.14	.135	.13	.12
3143	5	R-K	2 5/8	x	3 13/16	2 1/4 x 3	.195	.185	.145	.14	.135	.13	.12
2479	2	R	2 5/8	x	3 15/16	2 1/4 x 3 1/16	.195	.185	.145	.14	.135	.13	.12
700	1,2	R	2 5/8	x	4	2 1/4 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
2584	5	R	2 5/8	x	4 1/4	2 1/4 x 3 3/8	.195	.185	.145	.14	.135	.13	.12
3187	5	R	2 5/8	x	4 3/8	2 1/4 x 3 1/2	.195	.185	.145	.14	.135	.13	.12
3262	6	R	2 5/8	x	4 7/16	2 1/4 x 3 9/16	.195	.185	.145	.14	.135	.13	.12
3590	6	R	2 5/8	x	4 5/8	2 1/4 x 3 3/4	.195	.185	.145	.14	.135	.13	.12
144	3	R	2 5/8	x	4 11/16	2 1/4 x 3 13/16	.205	.195	.155	.15	.145	.14	.13
365	3	R	2 5/8	x	5 1/8	2 1/4 x 4 1/4	.205	.195	.155	.15	.145	.14	.13
3707	2	R	2 5/8	x	5 3/16	2 1/4 x 4 5/16	.205	.195	.155	.15	.145	.14	.13
1416	3	R	2 5/8	x	5 1/4	2 1/4 x 4 3/8	.205	.195	.155	.15	.145	.14	.13
3079	3	R	2 5/8	x	5 5/8	2 1/4 x 4 3/4	.205	.195	.155	.15	.145	.14	.13
550	4	R	2 5/8	x	6 3/8	2 1/4 x 5 1/2	.215	.205	.165	.16	.155	.15	.14
3020	4	R	2 5/8	x	7 3/8	2 1/4 x 6 1/2	.225	.215	.175	.17	.165	.16	.15
1967	2	R	2 5/8	x	7 7/8	2 1/4 x 7	.225	.215	.175	.17	.165	.16	.15
2596	2	R	2 5/8	x	9 1/4	2 1/4 x 8 3/8	.245	.235	.195	.19	.185	.18	.17
3130	4	R	2 5/8	x	10 11/16	2 1/4 x 9 13/16	.255	.245	.205	.20	.195	.19	.18
2912	8	R	2 11/16	x	3 7/16	2 5/16 x 2 9/16	.195	.185	.145	.14	.135	.13	.12
2863	1,8	R	2 11/16	x	3 3/4	2 5/16 x 2 7/8	.195	.185	.145	.14	.135	.13	.12
98	3	R&S	2 11/16	x	3 7/8	2 5/16 x 3	.195	.185	.145	.14	.135	.13	.12
853	4	R	2 11/16	x	4 3/4	2 5/16 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
1442	2,3	R	2 11/16	x	4 3/4	2 5/16 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
2269	1,8	S	2 3/4	x	2 15/16	2 3/8 x 2 1/16	.21	.20	.16	.155	.15	.145	.135
1239	2,8	S	2 3/4	x	3	2 3/8 x 2 1/8	.21	.20	.16	.155	.15	.145	.135
3149	6	R	2 3/4	x	3 3/8	2 3/8 x 2 1/2	.195	.185	.145	.14	.135	.13	.12
2704	2	R	2 3/4	x	3 1/2	2 3/8 x 2 5/8	.195	.185	.145	.14	.135	.13	.12
2491	4	R	2 3/4	x	3 5/8	2 3/8 x 2 3/4	.195	.185	.145	.14	.135	.13	.12
1714	3	R	2 3/4	x	3 3/4	2 3/8 x 3	.195	.185	.145	.14	.135	.13	.12
99	1,2,3	R	2 3/4	x	3 3/4	2 3/8 x 3	.195	.185	.145	.14	.135	.13	.12
1172	1,2,3	R	2 3/4	x	4	2 3/8 x 3 1/8	.195	.185	.145	.14	.135	.13	.12
1939	2	R	2 3/4	x	4	2 3/8 x 3 1/8	.205	.195	.155	.15	.145	.14	.13

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2067	2	R	2 3/4	x	4 1/8	2 3/8 x 3 1/4	.205	.195	.155	.15	.145	.14	.13
3778	6	R	2 3/4	x	4 1/4	2 3/8 x 3 3/8	.205	.195	.155	.15	.145	.14	.13
233	2	S	2 3/4	x	4 3/8	2 3/8 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
1182	2	R	2 3/4	x	4 3/8	2 3/8 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
1279	2	R	2 3/4	x	4 5/8	2 3/8 x 3 3/4	.205	.195	.155	.15	.145	.14	.13
3256	6	R	2 3/4	x	4 3/4	2 3/8 x 4	.205	.195	.155	.15	.145	.14	.13
2954	2	R	2 3/4	x	4 25/32	2 3/8 x 4 1/16	.205	.195	.155	.15	.145	.14	.13
1972	4	R	2 3/4	x	5	2 3/8 x 4 1/8	.21	.20	.16	.155	.15	.145	.135
3046	4	R	2 3/4	x	5 3/8	2 3/8 x 4 1/2	.21	.20	.16	.155	.15	.145	.135
1545	2	R	2 3/4	x	5 1/2	2 3/8 x 4 5/8	.21	.20	.16	.155	.15	.145	.135
1711	3	R	2 3/4	x	5 5/8	2 3/8 x 4 3/4	.21	.20	.16	.155	.15	.145	.135
157	2	S	2 3/4	x	6	2 3/8 x 5 1/8	.215	.205	.165	.16	.155	.15	.14
3084	4	R	2 3/4	x	6 1/8	2 3/8 x 5 1/4	.215	.205	.165	.16	.155	.15	.14
3885	3	R	2 3/4	x	6 1/4	2 3/8 x 5 3/8	.215	.205	.165	.16	.155	.15	.14
2554	3	R	2 3/4	x	6 5/8	2 3/8 x 5 3/4	.215	.205	.165	.16	.155	.15	.14
1240	2	R	2 3/4	x	7 1/4	2 3/8 x 6 3/8	.225	.215	.175	.17	.165	.16	.15
260	3	R&S	2 3/4	x	7 9/16	2 3/8 x 6 11/16	.225	.215	.175	.17	.165	.16	.15
3192	4	R	2 3/4	x	8 1/8	2 3/8 x 7 1/4	.235	.225	.185	.18	.175	.17	.16
2203	2	R	2 3/4	x	8 3/8	2 3/8 x 7 1/2	.235	.225	.185	.18	.175	.17	.16
1373	1	R	2 3/4	x	8 3/4	2 3/8 x 8	.235	.225	.185	.18	.175	.17	.16
696	1	R	2 3/4	x	9	2 3/8 x 8 1/8	.235	.225	.185	.18	.175	.17	.16
2140	2	R	2 3/4	x	9 1/2	2 3/8 x 8 5/8	.245	.235	.195	.19	.185	.18	.17
980	2	R	2 3/4	x	9 15/16	2 3/8 x 9 1/16	.255	.245	.205	.20	.195	.19	.18
273	2	R	2 3/4	x	10	2 3/8 x 9 1/8	.255	.245	.205	.20	.195	.19	.18
3923	5	R	2 3/4	x	10 3/8	2 3/8 x 9 1/2	.255	.245	.205	.20	.195	.19	.18
3167	2	R	2 3/4	x	11 1/4	2 3/8 x 10 3/8	.265	.255	.215	.21	.205	.20	.19
2881	2	R	2 13/16	x	3 1/8	2 7/16 x 2 1/4	.195	.185	.145	.14	.135	.13	.12
1698	2	R	2 13/16	x	3 11/16	2 7/16 x 2 13/16	.195	.185	.145	.14	.135	.13	.12
586	2	R	2 13/16	x	18 1/2	2 7/16 x 17 5/8	.345	.335	.295	.29	.285	.28	.27
2751	4	R-K	2 7/8	x	2 7/8	2 1/2 x 2	.185	.175	.135	.13	.125	.12	.11
2587	4	R	2 7/8	x	3	2 1/2 x 2 1/8	.195	.185	.145	.14	.135	.13	.12
2022	2	R	2 7/8	x	3 3/8	2 1/2 x 2 1/2	.195	.185	.145	.14	.135	.13	.12
3124	5	R	2 7/8	x	3 1/2	2 1/2 x 2 5/8	.195	.185	.145	.14	.135	.13	.12
2794	5	R	2 7/8	x	3 5/8	2 1/2 x 2 3/4	.195	.185	.145	.14	.135	.13	.12
2889	3	R	2 7/8	x	3 5/8	2 1/2 x 2 3/4	.195	.185	.145	.14	.135	.13	.12
3268	5	R	2 7/8	x	3 13/16	2 1/2 x 3	.195	.185	.145	.14	.135	.13	.12
863	2,6,8	R	2 7/8	x	3 7/8	2 1/2 x 3	.195	.185	.145	.14	.135	.13	.12
212	2,4	R	2 7/8	x	4 1/4	2 1/2 x 3 3/8	.205	.195	.155	.15	.145	.14	.13
2750	1	R-K	2 7/8	x	4 5/16	2 1/2 x 3 7/16	.205	.195	.155	.15	.145	.14	.13
3743	4	R	2 7/8	x	4 3/8	2 1/2 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
1277	1,3	R	2 7/8	x	4 11/16	2 1/2 x 3 13/16	.205	.195	.155	.15	.145	.14	.13
3472	4	R	2 7/8	x	4 7/8	2 1/2 x 4	.205	.195	.155	.15	.145	.14	.13
3455	4	R	2 7/8	x	5 1/8	2 1/2 x 4 1/4	.21	.20	.16	.155	.15	.145	.135

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3578	6	R	2 7/8	x	5 3/8	2 1/2 x 4 1/2	.21	.20	.16	.155	.15	.145	.135
3457	1	R	2 7/8	x	5 1/2	2 1/2 x 4 5/8	.21	.20	.16	.155	.15	.145	.135
1230	3	R	2 7/8	x	5 7/8	2 1/2 x 5	.21	.20	.16	.155	.15	.145	.135
1030	2	R	2 7/8	x	6 1/2	2 1/2 x 5 5/8	.215	.205	.165	.16	.155	.15	.14
2690	2	R	2 7/8	x	7 3/8	2 1/2 x 6 1/2	.225	.215	.175	.17	.165	.16	.15
2713	4	S	2 7/8	x	8	2 1/2 x 7 1/8	.23	.22	.18	.175	.17	.165	.155
3040	5	R	2 7/8	x	9 1/4	2 1/2 x 8 3/8	.24	.23	.19	.185	.18	.175	.165
3424	1,2	R	2 15/16	x	3 13/16	2 9/16 x 3	.195	.185	.145	.14	.135	.13	.12
2411	3	R	2 15/16	x	4 3/4	2 9/16 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
223	3	R	2 15/16	x	4 15/16	2 9/16 x 4 1/16	.205	.195	.155	.15	.145	.14	.13
3576	4	R	2 15/16	x	5 3/4	2 9/16 x 4 7/8	.21	.20	.16	.155	.15	.145	.135
2695	3	R	2 15/16	x	6 3/4	2 9/16 x 6	.215	.205	.165	.16	.155	.15	.14
2470	1	S-K	2 15/16	x	11 5/8	2 9/16 x 10 3/4	.265	.255	.215	.21	.205	.20	.19
1938	3	R	2 15/16	x	13 13/16	2 9/16 x 13	.285	.275	.235	.23	.225	.22	.21
986	4	R	3	x	3 1/16	2 5/8 x 2 3/16	.195	.185	.145	.14	.135	.13	.12
3532	4	R	3	x	3 1/2	2 5/8 x 2 5/8	.195	.185	.145	.14	.135	.13	.12
346	6	R	3	x	3 9/16	2 5/8 x 2 11/16	.195	.185	.145	.14	.135	.13	.12
1478	3	R	3	x	3 3/4	2 5/8 x 2 7/8	.195	.185	.145	.14	.135	.13	.12
1857	4	R	3	x	3 3/4	2 5/8 x 2 7/8	.195	.185	.145	.14	.135	.13	.12
1045	6	R&S	3	x	4	2 5/8 x 3 1/8	.205	.195	.155	.15	.145	.14	.13
1473	3	R	3	x	4	2 5/8 x 3 1/8	.205	.195	.155	.15	.145	.14	.13
245	3	R&S	3	x	4 1/16	2 5/8 x 3 3/16	.205	.195	.155	.15	.145	.14	.13
1189	2	R	3	x	4 3/8	2 5/8 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
961	6	S	3	x	4 1/2	2 5/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
1934	1	R-K	3	x	4 1/2	2 5/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
2566	3	R	3	x	4 1/2	2 5/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
287	2	R	3	x	4 3/4	2 5/8 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
1081	4	R	3	x	4 3/4	2 5/8 x 4	.205	.195	.155	.15	.145	.14	.13
105	3	R	3	x	5	2 5/8 x 4 1/8	.21	.20	.16	.155	.15	.145	.135
977	3	R	3	x	5	2 5/8 x 4 1/8	.21	.20	.16	.155	.15	.145	.135
519	3,4	R	3	x	5 5/16	2 5/8 x 4 7/16	.21	.20	.16	.155	.15	.145	.135
584	4	R	3	x	5 1/2	2 5/8 x 4 5/8	.21	.20	.16	.155	.15	.145	.135
1275	2	R	3	x	6	2 5/8 x 5 1/8	.215	.205	.165	.16	.155	.15	.14
699	2	R	3	x	6 3/8	2 5/8 x 5 1/2	.215	.205	.165	.16	.155	.15	.14
3454	4		3	x	6 1/2	2 5/8 x 5 5/8	.215	.205	.165	.16	.155	.15	.14
3387	4		3	x	6 3/4	2 5/8 x 5 7/8	.22	.21	.17	.165	.16	.155	.145
1640	2	R	3	x	7	2 5/8 x 6 1/8	.225	.215	.175	.17	.165	.16	.15
877	1,2	1-R	3	x	7 3/4	2 5/8 x 7	.235	.225	.185	.18	.175	.17	.16
2568	3	R	3	x	8	2 5/8 x 7 1/8	.235	.225	.185	.18	.175	.17	.16
1999	3	R	3	x	8 5/8	2 5/8 x 7 3/4	.235	.225	.185	.18	.175	.17	.16
1125	2	R-K	3	x	9	2 5/8 x 8 1/8	.24	.23	.19	.185	.18	.175	.165
1654	3	R	3	x	9 3/4	2 5/8 x 9	.245	.235	.195	.19	.185	.18	.17
1606	1	R	3	x	10 5/8	2 5/8 x 9 3/4	.255	.245	.205	.20	.195	.19	.18

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2170	2	R	3	x	11 1/8	2 5/8 x 10 1/4	.26	.25	.21	.205	.20	.195	.185
3447	2	R	3	x	14	2 5/8 x 13 1/8	.29	.28	.24	.235	.23	.225	.215
1530	3	R	3	x	29 3/4	2 5/8 x 29	.655	.645	.635	.625	.615	.605	.59
2178	4	S	3 1/32	x	3 23/32	2 5/8 x 2 7/8	.20	.19	.15	.145	.14	.135	.125
2384	2	R	3 1/16	x	3 5/16	2 11/16 x 2 7/16	.20	.19	.15	.145	.14	.135	.125
3154	3	R	3 1/16	x	3 15/16	2 11/16 x 3 1/16	.20	.19	.15	.145	.14	.135	.125
888	1	R	3 1/16	x	4 3/8	2 11/16 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
1909	2	R	3 1/16	x	4 3/8	2 11/16 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
2656	2	R	3 1/16	x	4 3/4	2 11/16 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
475		R	3 1/16	x	5	2 11/16 x 4 1/8	.205	.195	.155	.15	.145	.14	.13
2486	1	R-K	3 1/16	x	6 1/8	2 11/16 x 5 1/4	.215	.205	.165	.16	.155	.15	.14
2248	2	R	3 1/16	x	9 3/16	2 11/16 x 8 5/16	.245	.235	.195	.19	.185	.18	.17
329	1	R	3 1/16	x	12	2 11/16 x 11 1/8	.27	.26	.22	.215	.21	.205	.195
1847	2,4-K	R	3 1/8	x	3 7/8	2 3/4 x 3	.20	.19	.15	.145	.14	.135	.125
3089	2	R-K	3 1/8	x	3 7/8	2 3/4 x 3	.20	.19	.15	.145	.14	.135	.125
3017	2	R	3 1/8	x	4 1/8	2 3/4 x 3 1/4	.205	.195	.155	.15	.145	.14	.13
236	1,3	S	3 1/8	x	4 3/8	2 3/4 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
2791	4	R	3 1/8	x	4 3/8	2 3/4 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
3164	4	R	3 1/8	x	4 3/4	2 3/4 x 4	.205	.195	.155	.15	.145	.14	.13
3270	3	R	3 1/8	x	4 3/4	2 3/4 x 4	.205	.195	.155	.15	.145	.14	.13
3039	3	R	3 1/8	x	5 1/4	2 3/4 x 4 3/8	.21	.20	.16	.155	.15	.145	.135
3732	2	R	3 1/8	x	5 3/8	2 3/4 x 4 1/2(serrated)	.21	.20	.16	.155	.15	.145	.135
1602	5	R-3 DIE	3 1/8	x	5 1/2	2 3/4 x 4 5/8	.21	.20	.16	.155	.15	.145	.135
2413	4	R	3 1/8	x	5 7/8	2 3/4 x 5	.21	.20	.16	.155	.15	.145	.135
1112	2	R	3 1/8	x	6 7/16	2 3/4 x 5 9/16	.215	.205	.165	.16	.155	.15	.14
1440	2	R	3 1/8	x	6 11/16	2 3/4 x 5 13/16	.215	.205	.165	.16	.155	.15	.14
1417	1,3	R	3 1/8	x	6 7/8	2 3/4 x 6	.215	.205	.165	.16	.155	.15	.14
3031	4	R	3 1/8	x	7 1/4	2 3/4 x 6 3/8	.225	.215	.175	.17	.165	.16	.15
1439	1	R	3 1/8	x	7 1/2	2 3/4 x 6 5/8	.225	.215	.175	.17	.165	.16	.15
440	4	R&S	3 1/8	x	7 9/16	2 3/4 x 6 11/16	.225	.215	.175	.17	.165	.16	.15
758	3	R	3 1/8	x	7 5/8	2 3/4 x 6 3/4	.225	.215	.175	.17	.165	.16	.15
1064	1	S	3 1/8	x	7 15/16	2 3/4 x 7 1/16	.23	.22	.18	.175	.17	.165	.155
1929	3	R	3 1/8	x	8 1/8	2 3/4 x 7 1/4	.235	.225	.185	.18	.175	.17	.16
2191	2	R	3 1/8	x	9 1/4	2 3/4 x 8 3/8	.245	.235	.195	.19	.185	.18	.17
2764	4	R	3 1/8	x	10 1/4	2 3/4 x 9 3/8	.255	.245	.205	.20	.195	.19	.18
2114	3	R	3 3/16	x	3 1/2	2 13/16 x 2 5/8	.20	.19	.15	.145	.14	.135	.125
3322	4	R	3 3/16	x	3 13/16	2 13/16 x 3	.20	.19	.15	.145	.14	.135	.125
881	4	R	3 3/16	x	4 1/2	2 13/16 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
1329	2	R	3 3/16	x	4 5/8	2 13/16 x 3 3/4	.205	.195	.155	.15	.145	.14	.13
3568	2	R	3 3/16	x	4 11/16	2 13/16 x 3 13/16	.205	.195	.155	.15	.145	.14	.13
439	8	R&S	3 3/16	x	4 3/4	2 13/16 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
1322	3	R	3 3/16	x	5 11/16	2 13/16 x 4 13/16	.21	.20	.16	.155	.15	.145	.135
188	2	R	3 3/16	x	6 3/16	2 13/16 x 5 5/16	.215	.205	.165	.16	.155	.15	.14

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1485	2	R	3 3/16	x	6 3/8	2 13/16 x 5 1/2	.215	.205	.165	.16	.155	.15	.14
593	3	R	3 3/16	x	6 3/4	2 13/16 x 5 7/8	.215	.205	.165	.16	.155	.15	.14
1940	3	R	3 3/16	x	8	2 13/16 x 7 1/8	.235	.225	.185	.18	.175	.17	.16
477	3	R	3 3/16	x	8 15/16	2 13/16 x 8 1/16	.24	.23	.19	.185	.18	.175	.165
179	2	R	3 3/16	x	9 3/16	2 13/16 x 8 5/16	.245	.235	.195	.19	.185	.18	.17
1789	2	R	3 1/4	x	3 1/4	2 7/8 x 2 3/8	.20	.19	.15	.145	.14	.135	.125
1923	4	R	3 1/4	x	3 3/8	2 7/8 x 2 1/2	.20	.19	.15	.145	.14	.135	.125
3252	4	R	3 1/4	x	3 7/16	2 7/8 x 2 9/16	.20	.19	.15	.145	.14	.135	.125
2582	2	R	3 1/4	x	3 1/2	2 7/8 x 2 5/8	.20	.19	.15	.145	.14	.135	.125
1303	2,3	R	3 1/4	x	3 5/8	2 7/8 x 2 3/4	.20	.19	.15	.145	.14	.135	.125
3098	2	R	3 1/4	x	4	2 7/8 x 3 1/8	.205	.195	.155	.15	.145	.14	.13
2754	4	R-K	3 1/4	x	4 1/8	2 7/8 x 3 1/4	.205	.195	.155	.15	.145	.14	.13
2756	1,3	R-K	3 1/4	x	4 1/8	2 7/8 x 3 1/4	.205	.195	.155	.15	.145	.14	.13
178	3	S	3 1/4	x	4 1/4	2 7/8 x 3 3/8	.205	.195	.155	.15	.145	.14	.13
2498	3	R	3 1/4	x	4 3/8	2 7/8 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
2612	4	R	3 1/4	x	4 1/2	2 7/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
1949-2	2	R	3 1/4	x	4 9/16	2 7/8 x 3 11/16	.205	.195	.155	.15	.145	.14	.13
1229	2	R	3 1/4	x	4 7/8	2 7/8 x 4	.205	.195	.155	.15	.145	.14	.13
1123	2	S	3 1/4	x	5 1/4	2 7/8 x 4 3/8	.215	.205	.165	.16	.155	.15	.14
1134	2	R	3 1/4	x	5 1/4	3 1/8 x 4 3/8	.215	.205	.165	.16	.155	.15	.14
1254	3	R	3 1/4	x	5 3/8	2 7/8 x 4 1/2	.215	.205	.165	.16	.155	.15	.14
1364	2	R	3 1/4	x	5 1/2	2 7/8 x 4 5/8	.215	.205	.165	.16	.155	.15	.14
2533	4	R-K	3 1/4	x	5 1/2	2 7/8 x 4 5/8	.215	.205	.165	.16	.155	.15	.14
2361	3	R-K	3 1/4	x	5 3/4	2 7/8 x 5	.215	.205	.165	.16	.155	.15	.14
2090	3	R	3 1/4	x	6 1/8	2 7/8 x 5 1/4	.22	.21	.17	.165	.16	.155	.145
3562	4	R	3 1/4	x	6 3/16	2 7/8 x 5 5/16	.22	.21	.17	.165	.16	.155	.145
2085	2	R-K	3 1/4	x	6 1/2	2 7/8 x 5 5/8	.22	.21	.17	.165	.16	.155	.145
3879	4	R	3 1/4	x	7	2 7/8 x 6 1/8	.23	.22	.18	.175	.17	.165	.155
3128	3	R	3 1/4	x	7 1/4	2 7/8 x 6 3/8	.23	.22	.18	.175	.17	.165	.155
3413	4	R	3 1/4	x	7 1/2	2 7/8 x 6 5/8	.23	.22	.18	.175	.17	.165	.155
2578	3	R	3 1/4	x	8 5/8	2 7/8 x 7 3/4	.24	.23	.19	.185	.18	.175	.165
2283	2	R	3 1/4	x	8 7/8	2 7/8 x 8	.24	.23	.19	.185	.18	.175	.165
3666	3	R	3 1/4	x	9	2 7/8 x 8 18	.24	.23	.19	.185	.18	.175	.165
2398	1	R	3 1/4	x	10 1/2	2 7/8 x 9 5/8	.265	.255	.215	.21	.205	.20	.19
1646	2	R	3 1/4	x	11 3/4	2 7/8 x 11	.275	.265	.225	.22	.215	.21	.20
3145	2	R	3 1/4	x	13 3/8	2 7/8 x 12 1/2	.295	.285	.245	.24	.235	.23	.22
2391	1	R	3 1/4	x	15	2 7/8 x 14 1/8	.315	.305	.265	.26	.255	.25	.24
1317	1	R	3 1/4	x	22 3/8	2 7/8 x 21 1/2	.585	.575	.565	.555	.545	.535	.52
889	1,3	R	3 5/16	x	5 1/16	2 15/16 x 4 3/16	.215	.205	.165	.16	.155	.15	.14
915	1,2	R	3 5/16	x	5 3/16	2 15/16 x 4 5/16	.215	.205	.165	.16	.155	.15	.14
612	3	R	3 5/16	x	5 1/4	2 15/16 x 4 3/8	.215	.205	.165	.16	.155	.15	.14
487	4	S	3 5/16	x	5 3/8	2 15/16 x 4 1/2	.215	.205	.165	.16	.155	.15	.14
3362	4		3 5/16	x	6 3/8	2 15/16 x 5 1/2	.22	.21	.17	.165	.16	.155	.145

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1474	2	R	3 5/16	x	10 3/8	2 15/16 x 9 1/2	.265	.255	.215	.21	.205	.20	.19
3996	6	R	3 3/8	x	3 3/8	3 x 2 1/2	.20	.19	.15	.145	.14	.135	.125
266	2	S	3 3/8	x	3 1/2	3 x 2 5/8	.20	.19	.15	.145	.14	.135	.125
3314	2	R	3 3/8	x	3 5/8	3 x 2 3/4	.20	.19	.15	.145	.14	.135	.125
1750	4	R	3 3/8	x	3 7/8	3 x 3	.20	.19	.15	.145	.14	.135	.125
1679	4	R	3 3/8	x	4 1/4	3 x 3 3/8	.205	.195	.155	.15	.145	.14	.13
2169	4	R	3 3/8	x	4 3/8	3 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
1811	3	R	3 3/8	x	4 5/8	3 x 3 3/4	.205	.195	.155	.15	.145	.14	.13
3234		S	3 3/8	x	4 3/4	3 x 4	.205	.195	.155	.15	.145	.14	.13
2036	3	R	3 3/8	x	5	3 x 4 1/8	.215	.205	.165	.16	.155	.15	.14
3593	1	R-K	3 3/8	x	5 3/16	3 x 4 5/16	.215	.205	.165	.16	.155	.15	.14
1684	1	R	3 3/8	x	5 1/4	3 x 4 3/8	.215	.205	.165	.16	.155	.15	.14
967	2	S	3 3/8	x	5 5/16	3 x 4 7/16	.215	.205	.165	.16	.155	.15	.14
164	2,3,4	S	3 3/8	x	5 3/8	3 x 4 1/2	.215	.205	.165	.16	.155	.15	.14
859	3	R	3 3/8	x	5 5/8	3 x 4 3/4	.215	.205	.165	.16	.155	.15	.14
106	2,3	R	3 3/8	x	5 3/4	3 x 5	.215	.205	.165	.16	.155	.15	.14
3676	4	R	3 3/8	x	6 1/16	3 x 5 3/16	.225	.215	.175	.17	.165	.16	.15
3564	4	R	3 3/8	x	6 1/4	3 x 5 3/8	.225	.215	.175	.17	.165	.16	.15
2015	4	R	3 3/8	x	6 1/2	3 x 5 5/8	.225	.215	.175	.17	.165	.16	.15
202	2	S	3 3/8	x	6 11/16	3 x 5 13/16	.225	.215	.175	.17	.165	.16	.15
567	3	R	3 3/8	x	7 1/16	3 x 6 3/16	.23	.22	.18	.175	.17	.165	.155
1344	2,3	R	3 3/8	x	7 1/4	3 x 6 3/8	.23	.22	.18	.175	.17	.165	.155
2485	3	R-K	3 3/8	x	7 9/16	3 x 6 11/16	.23	.22	.18	.175	.17	.165	.155
2973	4	R-K	3 3/8	x	7 13/16	3 x 7	.235	.225	.185	.18	.175	.17	.16
1174	2	R	3 3/8	x	8 1/2	3 x 7 5/8	.24	.23	.19	.185	.18	.175	.165
1499	1	R	3 3/8	x	8 1/2	3 x 7 5/8	.24	.23	.19	.185	.18	.175	.165
3019	3	R	3 3/8	x	8 7/8	3 x 8	.245	.235	.195	.19	.185	.18	.17
2880	2	R	3 3/8	x	9 3/8	3 8 1/2	.255	.245	.205	.20	.195	.19	.18
1211	2	R	3 3/8	x	9 7/8	3 x 9	.255	.245	.205	.20	.195	.19	.18
495	2	R	3 3/8	x	14	3 x 13 1/8	.305	.295	.255	.25	.245	.24	.23
1361	1	S	3 3/8	x	18 1/2	3 x 17 5/8	.35	.34	.30	.295	.29	.285	.275
2749	1	R	3 13/32	x	6 5/16	3 x 5 7/16	.225	.215	.175	.17	.165	.16	.15
2932	6	R	3 7/16	x	3 7/16	3 1/16 x 2 9/16	.20	.19	.15	.145	.14	.135	.125
1426	2	R-2DIE	3 7/16	x	4 3/16	3 1/16 x 3 5/16	.20	.19	.15	.145	.14	.135	.125
2825	2	R	3 7/16	x	4 5/16	3 1/16 x 3 7/16	.205	.195	.155	.15	.145	.14	.13
360	2	R	3 7/16	x	4 7/8	3 1/16 x 4	.205	.195	.155	.15	.145	.14	.13
722	4	R	3 7/16	x	6 3/16	3 1/16 x 5 5/16	.225	.215	.175	.17	.165	.16	.15
3375	2	S-K	3 7/16	x	6 3/16	3 1/16 x 5 5/16	.225	.215	.175	.17	.165	.16	.15
684	3	R	3 7/16	x	6 1/4	3 1/16 x 5 3/8	.225	.215	.175	.17	.165	.16	.15
2043	3	R	3 7/16	x	8	3 1/16 x 7 1/8	.245	.235	.195	.19	.185	.18	.17
4009	3	R	3 7/16	x	8 7/16	3 1/16 x 7 5/8	.25	.24	.20	.195	.19	.185	.175
3493	4	R	3 7/16	x	8 11/16	3 1/16 x 7 13/16	.25	.24	.20	.195	.19	.185	.175
90	2	R	3 7/16	x	9 3/16	3 1/16 x 8 5/16	.255	.245	.205	.20	.195	.19	.18

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1764	2	R	3 7/16	x	9 5/8	3 1/16 x 8 3/4	.25	.24	.20	.195	.19	.185	.175
2212	2	R	3 1/2	x	3 1/2	3 1/8 x 2 5/8	.20	.19	.15	.145	.14	.135	.125
2264	4	R	3 1/2	x	3 1/2	3 1/8 x 2 5/8	.20	.19	.15	.145	.14	.135	.125
1955	4	R	3 1/2	x	3 3/4	3 1/8 x 3	.20	.19	.15	.145	.14	.135	.125
1634	2	R	3 1/2	x	4	3 1/8 x 3 1/8	.205	.195	.155	.15	.145	.14	.13
2555	2	R	3 1/2	x	4 1/8	3 1/8 x 3 1/4	.205	.195	.155	.15	.145	.14	.13
2703	4	R	3 1/2	x	4 1/4	3 1/8 x 3 3/8	.205	.195	.155	.15	.145	.14	.13
3804	4	R	3 1/2	x	4 3/8	3 1/8 x 3 1/2	.205	.195	.155	.15	.145	.14	.13
155	2	S	3 1/2	x	4 1/2	3 1/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
1029	2	R	3 1/2	x	4 1/2	3 1/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
1035	1	S	3 1/2	x	4 1/2	3 1/8 x 3 5/8	.205	.195	.155	.15	.145	.14	.13
2763	4	R	3 1/2	x	4 3/4	3 1/8 x 3 7/8	.205	.195	.155	.15	.145	.14	.13
243	2	R	3 1/2	x	5	3 1/8 x 4 1/8	.215	.205	.165	.16	.155	.15	.14
524	4	R&S	3 1/2	x	5	3 1/8 x 4 1/8	.215	.205	.165	.16	.155	.15	.14
2218	4	R	3 1/2	x	5	3 1/8 x 4 1/8	.215	.205	.165	.16	.155	.15	.14
2436	4	S	3 1/2	x	5 1/8	3 1/8 x 4 1/4	.215	.205	.165	.16	.155	.15	.14
2837	3	R	3 1/2	x	5 1/4	3 1/8 x 4 3/8	.215	.205	.165	.16	.155	.15	.14
2252	3	R	3 1/2	x	5 1/2	3 1/8 x 4 5/8	.215	.205	.165	.16	.155	.15	.14
679	4	R	3 1/2	x	5 5/8	3 1/8 x 4 3/4	.215	.205	.165	.16	.155	.15	.14
494	3	R	3 1/2	x	5 15/16	3 1/8 x 5 1/16	.225	.215	.175	.17	.165	.16	.15
211	2	R	3 1/2	x	6 1/16	3 1/8 x 5 3/16	.225	.215	.175	.17	.165	.16	.15
2482	3	R	3 1/2	x	6 1/4	3 1/8 x 5 3/8	.225	.215	.175	.17	.165	.16	.15
478	2,3,4	R	3 1/2	x	6 1/2	3 1/8 x 5 5/8	.225	.215	.175	.17	.165	.16	.15
2224	2	R	3 1/2	x	6 3/4	3 1/8 x 6	.225	.215	.175	.17	.165	.16	.15
3509	4	R	3 1/2	x	6 7/8	3 1/8 x 6	.23	.22	.18	.175	.17	.165	.155
2570	3	R-K	3 1/2	x	7 9/16	3 1/8 x 6 11/16	.235	.225	.185	.18	.175	.17	.16
2070	2	R	3 1/2	x	7 3/4	3 1/8 x 6 7/8	.235	.225	.185	.18	.175	.17	.16
1160	1	R	3 1/2	x	7 7/8	3 1/8 x 7	.235	.225	.185	.18	.175	.17	.16
276	3	R	3 1/2	x	8 1/16	3 1/8 x 7 3/16	.245	.235	.195	.19	.185	.18	.17
1717	3	R	3 1/2	x	8 5/16	3 1/8 x 7 7/16	.245	.235	.195	.19	.185	.18	.17
2798	3	R	3 1/2	x	8 1/2	3 1/8 x 7 5/8	.245	.235	.195	.19	.185	.18	.17
MOD.2517	1	R-K	3 1/2	x	8 5/8	3 1/8 x 7 3/4	.245	.235	.195	.19	.185	.18	.17
884	2	R	3 1/2	x	8 3/4	8 1/8 x 7 7/8	.245	.235	.195	.19	.185	.18	.17
2628	3	R	3 1/2	x	8 7/8	3 1/8 x 8	.245	.235	.195	.19	.185	.18	.17
373	2	R	3 1/2	x	9 1/2	3 1/8 x 8 5/8	.255	.245	.205	.20	.195	.19	.18
2326	2	R	3 1/2	x	9 7/8	3 1/8 x 9	.255	.245	.205	.20	.195	.19	.18
708	1,3	R	3 1/2	x	11	3 1/8 x 10 1/8	.265	.255	.215	.21	.205	.20	.19
1937	3	S	3 1/2	x	11 1/2	3 1/8 x 10 5/8	.275	.265	.225	.22	.215	.21	.20
2920	4	R	3 1/2	x	11 1/2	3 1/8 x 10 5/8	.275	.265	.225	.22	.215	.21	.20
1962	2	R	3 1/2	x	14 3/4	3 1/8 x 14	.305	.295	.255	.25	.245	.24	.23
1822	1	R	3 1/2	x	23 1/2	3 1/8 x 22 5/8	.585	.575	.565	.555	.545	.535	.52
218	3	R	3 9/16	x	7 5/16	3 3/16 x 6 7/16	.235	.225	.185	.18	.175	.17	.16
1104	2	S	3 9/16	x	7 5/8	3 3/16 x 6 3/4	.235	.225	.185	.18	.175	.17	.16

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
242	2	R	3 9/16	x	8 1/2	3 3/16 x 7 5/8	.245	.235	.195	.19	.185	.18	.17
1441	2	R	3 9/16	x	9	3 3/16 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
434	3	R	3 9/16	x	9 7/8	3 3/16 x 9	.255	.245	.205	.20	.195	.19	.18
146	2	R	3 9/16	x	10 11/16	3 3/16 x 9 13/16	.265	.255	.215	.21	.205	.20	.19
190	2	R	3 9/16	x	12 7/16	3 3/16 x 11 9/16	.285	.275	.235	.23	.225	.22	.21
419	3	R	3 5/8	x	3 3/4	3 1/4 x 2 7/8	.21	.20	.16	.155	.15	.145	.135
490	6	S	3 5/8	x	3 3/4	3 1/4 x 3	.21	.20	.16	.155	.15	.145	.135
3552	1,4	R	3 5/8	x	3 7/8	3 1/4 x 3	.21	.20	.16	.155	.15	.145	.135
2243	2	R	3 5/8	x	4	3 1/4 x 3 1/8	.21	.20	.16	.155	.15	.145	.135
1920	2	R	3 5/8	x	4 3/16	3 1/4 x 3 5/16	.21	.20	.16	.155	.15	.145	.135
2558	2	R	3 5/8	x	4 1/4	3 1/4 x 3 3/8	.21	.20	.16	.155	.15	.145	.135
592	2,3	R	3 5/8	x	4 5/8	3 1/4 x 3 3/4	.21	.20	.16	.155	.15	.145	.135
235	2	S	3 5/8	x	4 11/16	3 1/4 x 3 13/16	.21	.20	.16	.155	.15	.145	.135
3007	3	R	3 5/8	x	5 1/4	3 1/4 x 4 1/2	.22	.21	.17	.165	.16	.155	.145
1831	2	R	3 5/8	x	5 1/2	3 1/4 x 4 5/8	.22	.21	.17	.165	.16	.155	.145
606	1,2,4	R	3 5/8	x	5 5/8	3 1/4 x 4 3/4	.22	.21	.17	.165	.16	.155	.145
306	2	S	3 5/8	x	5 13/16	3 1/4 x 5	.22	.21	.17	.165	.16	.155	.145
1672	2	R	3 5/8	x	5 7/8	3 1/4 x 5	.22	.21	.17	.165	.16	.155	.145
3372	3	R	3 5/8	x	6 1/8	3 1/4 x 5 1/4	.215	.205	.165	.16	.155	.15	.14
1725	2	S-K	3 5/8	x	6 3/8	3 1/4 x 5 1/2	.225	.215	.175	.17	.165	.16	.15
1738	2	R	3 5/8	x	6 5/8	3 1/4 x 5 3/4	.225	.215	.175	.17	.165	.16	.15
2048	2	R	3 5/8	x	6 5/8	3 1/4 x 5 3/4	.225	.215	.175	.17	.165	.16	.15
1912	1	R	3 5/8	x	7 3/4	3 1/4 x 7	.235	.225	.185	.18	.175	.17	.16
332	3	S	3 5/8	x	8 5/8	3 1/4 x 7 3/4	.245	.235	.195	.19	.185	.18	.17
1320	2	R	3 5/8	x	9	3 1/4 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
707	1,2	R	3 5/8	x	9 1/8	3 1/4 x 8 1/4	.255	.245	.205	.20	.195	.19	.18
3597	4	R	3 5/8	x	9 1/8	3 1/4 x 8 1/4	.255	.245	.205	.20	.195	.19	.18
691	2	R	3 5/8	x	9 1/4	3 1/4 x 8 3/8	.255	.245	.205	.20	.195	.19	.18
337	2	R	3 5/8	x	9 5/16	3 1/4 x 8 7/16	.255	.245	.205	.20	.195	.19	.18
538	2	R	3 5/8	x	9 1/2	3 1/4 x 8 5/8	.255	.245	.205	.20	.195	.19	.18
671	2	R	3 5/8	x	9 5/8	3 1/4 x 8 3/4	.255	.245	.205	.20	.195	.19	.18
548	2	R	3 5/8	x	12 13/16	3 1/4 x 12	.285	.275	.235	.23	.225	.22	.21
1651-B	1	R	3 5/8	x	15 3/4	3 1/4 x 15	.315	.305	.265	.26	.255	.25	.24
1588	2	S	3 11/16	x	4 1/4	3 5/16 x 3 3/8	.215	.205	.165	.16	.155	.15	.14
2296	1	R	3 11/16	x	4 15/16	3 5/16 x 4 1/16	.215	.205	.165	.16	.155	.15	.14
3460	2	R	3 11/16	x	6 1/8	3 5/16 x 5 1/4	.225	.215	.175	.17	.165	.16	.15
1523	2	R	3 11/16	x	10 3/8	3 5/16 x 9 1/2	.265	.255	.215	.21	.205	.20	.19
728	2	R-K	3 11/16	x	11 3/16	3 5/16 x 10 5/16	.275	.265	.225	.22	.215	.21	.20
1429	2	R	3 3/4	x	3 3/4	3 3/8 x 3	.21	.20	.16	.155	.15	.145	.135
1947	2	R	3 3/4	x	4 1/4	3 3/8 x 3 3/8	.215	.205	.165	.16	.155	.15	.14
2348	2	R	3 3/4	x	4 3/8	3 3/8 x 3 1/2	.215	.205	.165	.16	.155	.15	.14
2913	1	R	3 3/4	x	4 1/2	3 3/8 x 3 5/8	.215	.205	.165	.16	.155	.15	.14
1521	3	R	3 3/4	x	4 3/4	3 3/8 x 4	.215	.205	.165	.16	.155	.15	.14

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1549	3	R	3 3/4	x	4 3/4	3 3/8 x 4	.215	.205	.165	.16	.155	.15	.14
2739	2,4	R-K	3 3/4	x	5	3 3/8 x 4 1/8	.22	.21	.17	.165	.16	.155	.145
3405	2	R	3 3/4	x	5 1/8	3 3/8 x 4 1/4	.22	.21	.17	.165	.16	.155	.145
873	2,3	R	3 3/4	x	5 1/4	3 3/8 x 4 3/8	.22	.21	.17	.165	.16	.155	.145
3444	4	R-K	3 3/4	x	5 1/4	3 3/8 x 4 3/8	.22	.21	.17	.165	.16	.155	.145
1206	2	R	3 3/4	x	5 7/16	3 3/8 x 4 9/16	.22	.21	.17	.165	.16	.155	.145
533	4	R	3 3/4	x	5 1/2	3 3/8 x 4 5/8	.22	.21	.17	.165	.16	.155	.145
650	1,2	R	3 3/4	x	5 5/8	3 3/8 x 4 3/4	.22	.21	.17	.165	.16	.155	.145
314	3	R	3 3/4	x	5 3/4	3 3/8 x 4 7/8	.22	.21	.17	.165	.16	.155	.145
473	3	R	3 3/4	x	5 7/8	3 3/8 x 5	.22	.21	.17	.165	.16	.155	.145
1894-MOD	1	R	3 3/4	x	5 7/8	3 3/8 x 5	.22	.21	.17	.165	.16	.155	.145
2698	3	R	3 3/4	x	6	3 3/8 x 5 1/8	.225	.215	.175	.17	.165	.16	.15
3468	3	R-K	3 3/4	x	6	3 3/8 x 5 1/8	.225	.215	.175	.17	.165	.16	.15
1625	1	R	3 3/4	x	6 1/4	3 3/8 x 5 3/8	.225	.215	.175	.17	.165	.16	.15
1990	3	R	3 3/4	x	6 3/8	3 3/8 x 5 1/2	.225	.215	.175	.17	.165	.16	.15
2280	2	R	3 3/4	x	6 3/4	3 3/8 x 5 7/8	.225	.215	.175	.17	.165	.16	.15
2823		R	3 3/4	x	6 3/4	3 3/8 x 5 7/8	.225	.215	.175	.17	.165	.16	.15
3697	2	R	3 3/4	x	6 7/8	3 3/8 x 6	.235	.225	.185	.18	.175	.17	.16
2686	2	R-K	3 3/4	x	7 1/4	3 3/8 x 6 3/8	.235	.225	.185	.18	.175	.17	.16
289	3	R	3 3/4	x	7 3/8	3 3/8 x 6 1/2	.235	.225	.185	.18	.175	.17	.16
615	2	R	3 3/4	x	7 3/4	3 3/8 x 6 7/8	.235	.225	.185	.18	.175	.17	.16
2333	1	R	3 3/4	x	7 3/4	3 3/8 x 6 7/8	.235	.225	.185	.18	.175	.17	.16
2332	1	R	3 3/4	x	7 13/16	3 3/8 x 7	.235	.225	.185	.18	.175	.17	.16
2982	4	R	3 3/4	x	7 7/8	3 3/8 x 7	.235	.225	.185	.18	.175	.17	.16
262	2	R	3 3/4	x	8	3 3/8 x 7 1/8	.245	.235	.195	.19	.185	.18	.17
2700	3	R	3 3/4	x	8 1/16	3 3/8 x 7 3/16	.245	.235	.195	.19	.185	.18	.17
1342	1	R	3 3/4	x	8 7/16	3 3/8 x 7 9/16	.245	.235	.195	.19	.185	.18	.17
2577	1	R	3 3/4	x	8 1/2	3 3/8 x 7 5/8	.245	.235	.195	.19	.185	.18	.17
1657	2	R	3 3/4	x	8 3/4	3 3/8 x 7 7/8	.245	.235	.195	.19	.185	.18	.17
1369	1	R	3 3/4	x	8 7/8	3 3/8 x 8	.245	.235	.195	.19	.185	.18	.17
196	2	R	3 3/4	x	9 1/16	3 3/8 x 8 3/16	.255	.245	.205	.20	.195	.19	.18
2696	3	R	3 3/4	x	9 3/8	3 3/8 x 8 1/2	.255	.245	.205	.20	.195	.19	.18
3837-MOD	1	R	3 3/4	x	9 3/8	3 3/8 x 8 1/2	.255	.245	.205	.20	.195	.19	.18
1327	2	R	3 3/4	x	10 1/8	3 3/8 x 9 1/4	.265	.255	.215	.21	.205	.20	.19
3180	2	R	3 3/4	x	10 7/16	3 3/8 x 9 9/16	.265	.255	.215	.21	.205	.20	.19
4005	2	R	3 3/4	x	11	3 3/8 x 10 1/8	.275	.265	.225	.22	.215	.21	.20
2258	2	R	3 3/4	x	11 3/8	3 3/8 x 10 1/2	.275	.265	.225	.22	.215	.21	.20
1622	1	R	3 3/4	x	11 5/8	3 3/8 x 10 3/4	.275	.265	.225	.22	.215	.21	.20
952	1	S	3 3/4	x	13 3/4	3 3/8 x 13	.295	.285	.245	.24	.235	.23	.22
1572	1	R	3 3/4	x	14 7/8	3 3/8 x 14	.305	.295	.255	.25	.245	.24	.23
498	3	R	3 3/4	x	17	3 3/8 x 16 1/8	.335	.325	.285	.28	.275	.27	.26
3531	1	R	3 3/4	x	20	3 3/8 x 19 1/8	.365	.355	.315	.31	.305	.30	.29
2339	3	S-K	3 13/16	x	4	3 7/16 x 3 1/8	.215	.205	.165	.16	.155	.15	.14

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3499	2		3 13/16	x	4 1/16	3 7/16 x 3 3/16	.215	.205	.165	.16	.155	.15	.14
1412	1,2,4	R	3 13/16	x	4 1/8	3 7/16 x 3 1/4	.215	.205	.165	.16	.155	.15	.14
2281	2	R	3 13/16	x	4 5/8	3 7/16 x 3 3/4	.215	.205	.165	.16	.155	.15	.14
1616	2	R	3 13/16	x	5 5/16	3 7/16 x 4 7/16	.22	.21	.17	.165	.16	.155	.145
3591	3	R-K	3 13/16	x	6	3 7/16 x 5 1/8	.225	.215	.175	.17	.165	.16	.15
1619	2	R	3 13/16	x	8 15/16	3 7/16 x 8 1/16	.245	.235	.195	.19	.185	.18	.17
3602	3	R	3 13/16	x	9	3 7/16 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
3267	3	R	3 13/16	x	9 7/8	3 7/16 x 9	.255	.245	.205	.20	.195	.19	.18
1882	3	R	3 13/16	x	10 1/2	3 7/16 x 9 5/8	.265	.255	.215	.21	.205	.20	.19
2524	2	R	3 13/16	x	13 3/4	3 7/16 x 13	.295	.285	.245	.24	.235	.23	.22
414	2	R	3 7/8	x	3 7/8	3 1/2 x 3	.21	.20	.16	.155	.15	.145	.135
3498	1,3	R	3 7/8	x	4	3 1/2 x 3 1/8	.215	.205	.165	.16	.155	.15	.14
1887	3	R	3 7/8	x	4 3/8	3 1/2 x 3 1/2	.215	.205	.165	.16	.155	.15	.14
1454	2	R	3 7/8	x	4 5/8	3 1/2 x 3 3/4	.215	.205	.165	.16	.155	.15	.14
259	3	R	3 7/8	x	4 7/8	3 1/2 x 4	.215	.205	.165	.16	.155	.15	.14
3571	3	R	3 7/8	x	5 1/8	3 1/2 x 4 1/4	.22	.21	.17	.165	.16	.155	.145
3060	3	R	3 7/8	x	5 1/4	3 1/2 x 4 3/8	.22	.21	.17	.165	.16	.155	.145
2900	4	R	3 7/8	x	5 3/8	3 1/2 x 4 1/2	.22	.21	.17	.165	.16	.155	.145
2024	2	R	3 7/8	x	5 1/2	3 1/2 x 4 5/8	.22	.21	.17	.165	.16	.155	.145
2545	3	R	3 7/8	x	5 7/8	3 1/2 x 5	.22	.21	.17	.165	.16	.155	.145
3756	4	R-K	3 7/8	x	5 7/8	3 1/2 x 5	.22	.21	.17	.165	.16	.155	.145
2624	2	R	3 7/8	x	5 15/16	3 1/2 x 5 1/16	.22	.21	.17	.165	.16	.155	.145
97	2,3	R	3 7/8	x	6 1/2	3 1/2 x 5 5/8	.225	.215	.175	.17	.165	.16	.15
4008	6	R	3 7/8	x	6 5/8	3 1/2 x 5 3/4	.225	.215	.175	.17	.165	.16	.15
2521	2	S	3 7/8	x	6 3/4	3 1/2 x 5 7/8	.225	.215	.175	.17	.165	.16	.15
3155	3	R	3 7/8	x	6 3/4	3 1/2 x 5 7/8	.265	.255	.215	.21	.205	.16	.15
2484	2	R	3 7/8	x	7 3/8	3 1/2 x 6 1/2	.235	.225	.185	.18	.175	.17	.16
3176	3	R	3 7/8	x	7 7/8	3 1/2 x 7	.235	.225	.185	.18	.175	.17	.16
3905	2	R	3 7/8	x	8	3 1/2 x 7 1/8	.245	.235	.195	.19	.185	.18	.17
1913	3	R	3 7/8	x	8 1/4	3 1/2 x 7 3/8	.245	.235	.195	.19	.185	.18	.17
3682	2	R	3 7/8	x	8 1/2	3 1/2 x 7 5/8	.245	.235	.195	.19	.185	.18	.17
215	2	R&S	3 7/8	x	8 9/16	3 1/2 x 7 11/16	.25	.24	.20	.195	.19	.185	.175
1401	2	R	3 7/8	x	8 5/8	3 1/2 x 7 3/4	.245	.235	.195	.19	.185	.18	.17
3243	2	R	3 7/8	x	8 7/8	3 1/2 x 8	.245	.235	.195	.19	.185	.18	.17
2078	2	R-K	3 7/8	x	9	3 1/2 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
378	1,3-K	r & S	3 7/8	x	9 1/16	3 1/2 x 8 3/16	.255	.245	.205	.20	.195	.19	.18
3213	2	R	3 7/8	x	9 1/8	3 1/2 x 8 1/4	.255	.245	.205	.20	.195	.19	.18
379	3	R&S	3 7/8	x	9 1/2	3 1/2 x 8 5/8	.255	.245	.205	.20	.195	.19	.18
1507	2	R	3 7/8	x	9 7/8	3 1/2 x 9	.255	.245	.205	.20	.195	.19	.18
320	2	R	3 7/8	x	10 9/16	3 1/2 x 9 11/16	.265	.255	.215	.21	.205	.20	.19
3042	3	R	3 7/8	x	12	3 1/2 x 11 1/8	.285	.275	.235	.23	.225	.22	.21
2142	2	R	3 7/8	x	12 3/8	3 1/2 x 11 1/2	.285	.275	.235	.23	.225	.22	.21
3999	2	R	3 7/8	x	23	2 1/2 x 22 1/8	.59	.58	.54	.535	.53	.525	.515

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1135	3	R	3 15/16	x	5 3/16	3 9/16 x 4 5/16	.22	.21	.17	.165	.16	.155	.145
955	2	R	3 15/16	x	7	3 9/16 x 6 1/8	.235	.225	.185	.18	.175	.17	.16
270	2,3	R	3 15/16	x	7 1/2	3 9/16 x 6 5/8	.235	.225	.185	.18	.175	.17	.16
3077	1	R	3 15/16	x	8 3/16	3 9/16 x 7 5/16	.245	.235	.195	.19	.185	.18	.17
2845	1	R	3 15/16	x	8 5/32	3 9/16 x 7 7 /16	.245	.235	.195	.19	.185	.18	.17
1443	1	R	3 15/16	x	8 3/8	3 9/16 x 7 1/2	.245	.235	.195	.19	.185	.18	.17
2834	2	R	3 15/16	x	8 5/8	3 9/16 x 7 3/4	.245	.235	.195	.19	.185	.18	.17
1379	1	R	3 15/16	x	9 7/8	3 9/16 x 9	.255	.245	.205	.20	.195	.19	.18
2012	3	R	4	x	4	3 5/8 x 3 1/8	.22	.21	.17	.165	.16	.155	.145
2250	2	R	4	x	4 1/4	3 5/8 x 3 3/8	.22	.21	.17	.165	.16	.155	.145
813	2	R	4	x	4 1/2	3 5/8 x 3 5/8	.22	.21	.17	.165	.16	.155	.145
2386	1	R	4	x	4 9/16	3 5/8 x 3 11/16	.22	.21	.17	.165	.16	.155	.145
3753	4	R	4	x	4 5/8	3 5/8 x 3 3/4	.22	.21	.17	.165	.16	.155	.145
1763	3	R	4	x	4 3/4	3 5/8 x 3 7/8	.22	.21	.17	.165	.16	.155	.145
2150	2	R	4	x	4 3/4	3 5/8 x 3 7/8	.22	.21	.17	.165	.16	.155	.145
2693	2	R	4	x	4 3/4	3 5/8 x 3 7/8	.22	.21	.17	.165	.16	.155	.145
3324	4	R	4	x	4 15/16	3 5/8 x 4 1/16	.22	.21	.17	.165	.16	.155	.145
1477	3	R	4	x	5	3 5/8 x 4 1/8	.22	.21	.17	.165	.16	.155	.145
2841	3	R	4	x	5 1/8	3 5/8 x 4 1/4	.22	.21	.17	.165	.16	.155	.145
3025	4	R	4	x	5 1/8	3 5/8 x 4 1/4	.22	.21	.17	.165	.16	.155	.145
1136	3	R	4	x	5 1/4	3 5/8 x 4 3/8	.22	.21	.17	.165	.16	.155	.145
281	2	R	4	x	5 5/16	3 5/8 x 4 7/16	.22	.21	.17	.165	.16	.155	.145
471	3	R	4	x	5 3/8	3 5/8 x 4 1/2	.22	.21	.17	.165	.16	.155	.145
3997	4	R	4	x	5 ½	3 5/8 x 4 5/8	.22	.21	.17	.165	.16	.155	.145
288	3	R	4	x	5 5/8	3 5/8 x 4 3/4	.22	.21	.17	.165	.16	.155	.145
1287	1,3	R	4	x	5 3/4	3 5/8 x 4 7/8	.22	.21	.17	.165	.16	.155	.145
2813	2	R	4	x	5 3/4	3 5/8 x 4 7/8	.22	.21	.17	.165	.16	.155	.145
781	2	R	4	x	5 7/8	3 5/8 x 7	.22	.21	.17	.165	.16	.155	.145
335	4	S	4	x	6	3 5/8 x 5 1/8	.225	.215	.175	.17	.165	.16	.15
757	3	R	4	x	6	3 5/8 x 5 1/8	.225	.215	.175	.17	.165	.16	.15
2615	1	S	4	x	6	3 5/8 x 5 1/8	.225	.215	.175	.17	.165	.16	.15
142	2	R	4	x	6 1/4	3 5/8 x 5 3/8	.225	.215	.175	.17	.165	.16	.15
1598	3	R-K	4	x	6 3/8	3 5/8 x 5 1/2	.225	.215	.175	.17	.165	.16	.15
3044	1	R	4	x	6 3/8	3 5/8 x 5 1/2	.225	.215	.175	.17	.165	.16	.15
2840	2	R	4	x	6 1/2	3 5/8 x 5 5/8	.225	.215	.175	.17	.165	.16	.15
632	2	R	4	x	6 11/16	3 5/8 x 5 13/16	.225	.215	.175	.17	.165	.16	.15
2907	2	R	4	x	6 3/4	3 5/8 x 5 7/8	.225	.215	.175	.17	.165	.16	.15
2705	3	R	4	x	7	3 5/8 x 6 1/8	.235	.225	.185	.18	.175	.17	.16
631	2	R	4	x	7 1/4	3 5/8 x 6 3/8	.235	.225	.185	.18	.175	.17	.16
803	2	R	4	x	7 3/8	3 5/8 x 6 1/2	.235	.225	.185	.18	.175	.17	.16
1087	2	S	4	x	7 5/8	3 5/8 x 6 3/4	.235	.225	.185	.18	.175	.17	.16
3222	2	R	4	x	7 11/16	3 5/8 x 6 13/16	.235	.225	.185	.18	.175	.17	.16
1034	3	R	4	x	7 7/8	3 5/8 x 7	.235	.225	.185	.18	.175	.17	.16

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
197	3	R	4	x	7 15/16	3 5/8 x 7 1/16	.235	.225	.185	.18	.175	.17	.16
531	2	R	4	x	8	3 5/8 x 7 1/8	.245	.235	.195	.19	.185	.18	.17
1199	2	R-K	4	x	8	3 5/8 x 7 1/8	.245	.235	.195	.19	.185	.18	.17
2663	1,3	R-K	4	x	8	3 5/8 x 7 1/8	.245	.235	.195	.19	.185	.18	.17
209	3	R&S	4	x	8 1/8	3 5/8 x 7 1/4	.245	.235	.195	.19	.185	.18	.17
2729	3	R	4	x	8 1/4	3 5/8 x 7 3/8	.245	.235	.195	.19	.185	.18	.17
1895-MOD	1,3	R	4	x	8 1/2	3 5/8 x 7 5/8	.25	.24	.20	.195	.19	.185	.175
2517-MOD	1	R	4	x	8 5/8	3 5/8 x 7 3/4	.25	.24	.20	.195	.19	.185	.175
857	3	R	4	x	8 13/16	3 5/8 x 8	.25	.24	.20	.195	.19	.185	.175
1840	1	R	4	x	8 7/8	3 5/8 x 8	.25	.24	.20	.195	.19	.185	.175
2014-A	1	R	4	x	8 7/8	3 5/8 x 8	.25	.24	.20	.195	.19	.185	.175
2736	4	S	4	x	8 7/8	3 5/8 x 8	.25	.24	.20	.195	.19	.185	.175
2196	3	R	4	x	9	3 5/8 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
2814	2	R	4	x	9	3 5/8 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
842	2	R	4	x	9 1/4	3 5/8 x 8 3/8	.26	.25	.21	.205	.20	.195	.185
2471	1	R	4	x	9 1/2	3 5/8 x 8 5/8	.26	.25	.21	.205	.20	.195	.185
640	2	R	4	x	9 5/8	3 5/8 x 8 3/4	.26	.25	.21	.205	.20	.195	.185
2658	2	R	4	x	9 7/8	3 5/8 x 9	.26	.25	.21	.205	.20	.195	.185
1055	3	R&S	4	x	10 3/8	3 5/8 x 9 1/2	.265	.255	.215	.21	.205	.20	.19
2097	1,2	R	4	x	10 1/2	3 5/8 x 9 5/8	.265	.255	.215	.21	.205	.20	.19
645	2	R	4	x	11	3 5/8 x 10 1/8	.255	.245	.205	.20	.195	.19	.18
1503	2	R	4	x	11 1/4	3 5/8 x 10 3/8	.255	.245	.205	.20	.195	.19	.18
3501	1		4	x	11 1/2	3 5/8 x 10 5/8	.255	.245	.205	.20	.195	.19	.18
1399	1	R	4	x	11 7/8	3 5/8 x 11	.255	.245	.205	.20	.195	.19	.18
2571	2		4	x	12 1/2	3 5/8 x 11 5/8	.285	.275	.235	.23	.225	.22	.21
166	2	R	4	x	13	3 5/8 x 12 1/8	.29	.28	.24	.235	.23	.225	.215
1921	1	R	4	x	38	3 5/8 x 37 1/8	.815	.805	.795	.785	.775	.765	.75
788	2,3,4	R	4 1/16	x	4 1/4	3 11/16 x 3 3/8	.22	.21	.17	.165	.16	.155	.145
1368	3	R	4 1/16	x	4 1/4	3 11/16 x 3 3/8	.22	.21	.17	.165	.16	.155	.145
1752	4	R	4 1/16	x	4 1/4	3 11/16 x 3 3/8	.22	.21	.17	.165	.16	.155	.145
139	2	R	4 1/16	x	4 9/16	3 11/16 x 3 11/16	.22	.21	.17	.165	.16	.155	.145
204	2	R&S	4 1/16	x	5 1/16	3 11/16 x 4 3/16	.22	.21	.17	.165	.16	.155	.145
3161	2	R	4 1/16	x	5 1/4	3 11/16 x 4 3/8	.22	.21	.17	.165	.16	.155	.145
2995	3	R	4 1/16	x	6 1/8	3 11/16 x 5 1/4	.225	.215	.175	.17	.165	.16	.15
2374	2	R	4 1/16	x	8 3/8	3 11/16 x 7 1/2	.245	.235	.195	.19	.185	.18	.17
3716	2	R	4 1/16	x	9 1/2	3 11/16 x 8 5/8	.26	.25	.21	.205	.20	.195	.185
2433	1	R	4 1/16	x	10 3/4	3 11/16 x 9 7/8	.27	.26	.22	.215	.21	.205	.195
727	2	R	4 1/16	x	11 5/8	3 11/16 x 10 3/4	.275	.265	.225	.22	.215	.21	.20
3566	2	R	4 1/16	x	12 1/8	3 11/16 x 11 1/4	.285	.275	.235	.23	.225	.22	.21
2408	1	R	4 1/16	x	25	3 11/16 x 24 1/8	.395	.385	.375	.365	.355	.345	.33
1203	1	R	4 1/8	x	4 1/4	3 3/4 x 3 3/8	.22	.21	.17	.165	.16	.155	.145
3473	4	R	4 1/8	x	4 3/8	3 3/4 x 3 1/2	.22	.21	.17	.165	.16	.155	.145
622	2	R	4 1/8	x	5	3 3/4 x 4 1/8	.22	.21	.17	.165	.16	.155	.145

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3987	4	R	4 1/8	x	5 5/8	3 3/4 x 4 3/4	.22	.21	.17	.165	.16	.155	.145
1894-B	1	R	4 1/8	x	5 7/8	3 3/4 x 5	.22	.21	.17	.165	.16	.155	.145
3843	1	R	4 1/8	x	5 7/8	3 3/4 x 5	.22	.21	.17	.165	.16	.155	.145
3992	2	R	4 1/8	x	6 1/4	3 3/4 x 5 3/8	.225	.215	.175	.17	.165	.16	.15
1718	1,3	R	4 1/8	x	6 5/8	3 3/4 x 5 3/4	.225	.215	.175	.17	.165	.16	.15
238	2	R	4 1/8	x	7	3 3/4 x 6 1/8	.235	.225	.185	.18	.175	.17	.16
1611	1	R	4 1/8	x	7	3 3/4 x 6 1/8	.235	.225	.185	.18	.175	.17	.16
156	4	S	4 1/8	x	7 1/8	3 3/4 x 6 1/4	.235	.225	.185	.18	.175	.17	.16
3933	3	R	4 1/8	x	7 5/16	3 3/4 x 6 1/2	.235	.225	.185	.18	.175	.17	.16
3279	2	R	4 1/8	x	8 3/16	3 3/4 x 7 3/16	.245	.235	.195	.19	.185	.18	.17
96	2,3	R	4 1/8	x	8 9/16	3 3/4 x 7 11/16	.245	.235	.195	.19	.185	.18	.17
331	2	S	4 1/8	x	8 5/8	3 3/4 x 7 3/4	.245	.235	.195	.19	.185	.18	.17
1977	3	R	4 1/8	x	8 15/16	3 3/4 x 8 1/16	.25	.24	.20	.195	.19	.185	.175
2718	3	R	4 1/8	x	9	3 3/4 x 8 1/8	.255	.245	.205	.20	.195	.19	.18
367	2	R	4 1/8	x	9 1/8	3 3/4 x 8 1/4	.255	.245	.205	.20	.195	.19	.18
2279	2	R	4 1/8	x	9 1/4	3 3/4 x 8 3/8	.255	.245	.205	.20	.195	.19	.18
2403	2	R	4 1/8	x	9 3/8	3 3/4 x 8 1/2	.255	.245	.205	.20	.195	.19	.18
207	2	R	4 1/8	x	9 5/8	3 3/4 x 8 3/4	.255	.245	.205	.20	.195	.19	.18
3829	2	R	4 1/8	x	12 5/8	3 3/4 x 11 3/4	.295	.285	.245	.24	.235	.23	.22
1309	1	R	4 1/8	x	13 7/8	3 3/4 x 13	.305	.295	.255	.25	.245	.24	.23
3875	2	R	4 1/8	x	14 3/4	3 3/4 x 13 7/8	.315	.305	.265	.26	.255	.25	.24
3269	1	R	4 1/8	x	22 3/4	3 3/4 x 22	.655	.645	.635	.625	.615	.605	.59
2025	1	R	4 5/32	x	7 3/4	3 3/4 x 7	.24	.23	.19	.185	.18	.175	.165
1781	2	S	4 3/16	x	4 1/2	3 13/16 x 3 5/8	.225	.215	.175	.17	.165	.16	.15
999	2	R	4 3/16	x	4 9/16	3 13/16 x 3 11/16	.225	.215	.175	.17	.165	.16	.15
745	3	R	4 3/16	x	5 1/4	3 13/16 x 4 3/8	.225	.215	.175	.17	.165	.16	.15
3887	6	R	4 3/16	x	5 1/2	3 13/16 x 4 5/8	.225	.215	.175	.17	.165	.16	.15
264	2	S	4 3/16	x	5 7/8	3 13/16 x 5	.225	.215	.175	.17	.165	.16	.15
2551	3	R	4 3/16	x	6 3/8	3 13/16 x 5 1/2	.235	.225	.185	.18	.175	.17	.16
291	2	R	4 3/16	x	7 3/4	3 13/16 x 6 7/8	.245	.235	.195	.19	.185	.18	.17
429	1,2	R	4 3/16	x	8 13/16	3 13/16 x 8	.255	.245	.205	.20	.195	.19	.18
3409	3	R	4 3/16	x	9 3/4	3 13/16 x 9	.265	.255	.215	.21	.205	.20	.19
759	2	R	4 3/16	x	11 7/8	3 13/16 x 11	.285	.275	.235	.23	.225	.22	.21
2259	2	R	4 1/4	x	4 1/2	3 7/8 x 3 5/8	.22	.21	.17	.165	.16	.155	.145
2525	1	R	4 1/4	x	4 5/8	3 7/8 x 3 3/4	.22	.21	.17	.165	.16	.155	.145
352	4	R	4 1/4	x	4 3/4	3 7/8 x 4	.22	.21	.17	.165	.16	.155	.145
1712	1	R	4 1/4	x	5	3 7/8 x 4 1/8	.225	.215	.175	.17	.165	.16	.15
1418	1,2,3	R	4 1/4	x	5 1/4	3 7/8 x 4 3/8	.225	.215	.175	.17	.165	.16	.15
3725	1	R	4 1/4	x	5 7/16	3 7/8 x 4 9/16	.225	.215	.175	.17	.165	.16	.15
4013	4	R	4 1/4	x	5 1/2	3 7/8 x 4 5/8	.225	.215	.175	.17	.165	.16	.15
1643	2	S-long	4 1/4	x	5 9/16	3 7/8 x 4 11/16	.225	.215	.175	.17	.165	.16	.15
1587	2	R	4 1/4	x	5 5/8	3 7/8 x 4 3/4	.225	.215	.175	.17	.165	.16	.15
3725	1	R	4 1/4	x	5 11/16	3 7/8 x 4 3/4	.225	.215	.175	.17	.165	.16	.15

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
317	1,2	R	4 1/4	x	6 1/4	3 7/8 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
340	1,3	R	4 1/4	x	6 1/4	3 7/8 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
924	1	S	4 1/4	x	6 1/4	3 7/8 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
1330	1	R	4 1/4	x	6 3/4	3 7/8 x 5 7/8	.235	.225	.185	.18	.175	.17	.16
2334	1	R-K	4 1/4	x	6 3/4	3 7/8 x 6	.235	.225	.185	.18	.175	.17	.16
546	2	S	4 1/4	x	6 15/16	3 7/8 x 6 1/16	.235	.225	.185	.18	.175	.17	.16
2282	2	R	4 1/4	x	7	3 7/8 x 6 1/8	.245	.235	.195	.19	.185	.18	.17
704	1	R	4 1/4	x	7 1/8	3 7/8 x 6 1/4	.245	.235	.195	.19	.185	.18	.17
2302	1	R	4 1/4	x	7 1/4	3 7/8 x 6 3/8	.245	.235	.195	.19	.185	.18	.17
2634	2	R	4 1/4	x	7 1/4	3 7/8 x 6 3/8	.245	.235	.195	.19	.185	.18	.17
1670	1	R	4 1/4	x	7 7/16	3 7/8 x 6 9/16	.245	.235	.195	.19	.185	.18	.17
3664	3	R	4 1/4	x	7 7/8	3 7/8 x 7	.245	.235	.195	.19	.185	.18	.17
2810	3	R	4 1/4	x	8	3 7/8 x 7 1/8	.255	.245	.205	.20	.195	.19	.18
3271	3	R	4 1/4	x	8 1/4	3 7/8 x 7 3/8	.255	.245	.205	.20	.195	.19	.18
3763	2,1-K	R-K	4 ¼	x	8 ¼	3 7/8 x 7 3/8	.255	.245	.205	.20	.195	.19	.18
2941	1	R	4 1/4	x	8 1/2	3 7/8 x 7 5/8	.255	.245	.205	.20	.195	.19	.18
2353	2	R	4 1/4	x	8 3/4	3 7/8 x 7 7/8	.255	.245	.205	.20	.195	.19	.18
1533	4	R	4 1/4	x	8 7/8	3 7/8 x 8	.255	.245	.205	.20	.195	.19	.18
3677	2	R	4 1/4	x	9 1/4	3 7/8 x 8 3/8	.265	.255	.215	.21	.205	.20	.19
8837-MOD	1	R	4 1/4	x	9 3/8	3 7/8 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
629	3	R	4 1/4	x	9 1/2	3 7/8 x 8 5/8	.265	.255	.215	.21	.205	.20	.19
3981	2	R	4 ¼	x	9 ¾	3 7/8 x 9	.265	.255	.215	.21	.205	.20	.19
2910	1	R	4 1/4	x	11	3 7/8 x 10 1/8	.285	.275	.235	.23	.225	.22	.21
3203	2	R	4 1/4	x	11 1/2	3 7/8 x 10 5/8	.285	.275	.235	.23	.225	.22	.21
3726	1	R	4 1/4	x	12 3/16	3 7/8 x 11 5/16	.295	.285	.245	.24	.235	.23	.22
3963	3	R	4 ¼	x	12¼	3 7/8 x 11 3/8	.295	.285	.245	.24	.235	.23	.22
3842	2	R	4 ¼	x	12 5/8	3 7/8 x 11 ¾	.295	.285	.245	.24	.235	.23	.22
706	1	R-K	4 1/4	x	13 3/16	3 7/8 x 12 5/16	.305	.295	.255	.25	.245	.24	.23
673	2	R	4 1/4	x	17 13/16	3 7/8 x 17	.345	.335	.295	.29	.285	.28	.27
470	4	S	4 5/16	x	4 5/16	3 15/16 x 3 7/16	.22	.21	.17	.165	.16	.155	.145
2273	2	S	4 5/16	x	6 5/16	3 15/16 x 5 7/16	.235	.225	.185	.18	.175	.17	.16
1088	2	R	4 5/16	x	6 5/8	3 15/16 x 5 3/4	.235	.225	.185	.18	.175	.17	.16
1471	2	R	4 5/16	x	6 3/4	3 15/16 x 5 7/8	.235	.225	.185	.18	.175	.17	.16
3113	3	R	4 5/16	x	7	3 15/16 x 6 1/8	.245	.235	.195	.19	.185	.18	.17
541	1,3	R	4 5/16	x	7 1/2	3 15/16 x 6 11/16	.245	.235	.195	.19	.185	.18	.17
92	2	R	4 5/16	x	9	3 15/16 x 8 1/8	.265	.255	.215	.21	.205	.20	.19
92	3	R	4 5/16	x	9 1/4	3 15/16 x 8 3/8	.265	.255	.215	.21	.205	.20	.19
2943	2	R	4 5/16	x	9 1/2	3 15/16 x 8 5/8	.265	.255	.215	.21	.205	.20	.19
1833	4	R	4 3/8	x	4 3/8	4 x 3 1/2	.22	.21	.17	.165	.16	.155	.145
2858	2	R	4 3/8	x	4 1/2	4 x 3 5/8	.22	.21	.17	.165	.16	.155	.145
234	2	S	4 3/8	x	4 5/8	4 x 3 3/4	.22	.21	.17	.165	.16	.155	.145
1780	4	R	4 3/8	x	4 5/8	4 x 3 3/4	.22	.21	.17	.165	.16	.155	.145
2167	3	R	4 3/8	x	4 7/8	4 x 4	.22	.21	.17	.165	.16	.155	.145

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
418	3	R	4 3/8	x	5 3/8	4 x 4 1/2	.225	.215	.175	.17	.165	.16	.15
1227	2,4	R	4 3/8	x	5 7/8	4 x 5	.225	.215	.175	.17	.165	.16	.15
1343	1,2,3	R	4 3/8	x	6	4 x 5 1/8	.235	.225	.185	.18	.175	.17	.16
255	3	R	4 3/8	x	6 1/4	4 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
1888	2,3,4	R	4 3/8	x	6 3/8	4 x 5 1/2	.235	.225	.185	.18	.175	.17	.16
2815	2	R	4 3/8	x	6 1/2	4 x 5 5/8	.235	.225	.185	.18	.175	.17	.16
213	2	S	4 3/8	x	6 5/8	4 x 5 3/4	.235	.225	.185	.18	.175	.17	.16
2093	1,2,4	R	4 3/8	x	6 11/16	4 x 5 13/16	.235	.225	.185	.18	.175	.17	.16
3002	2	S	4 3/8	x	6 11/16	4 x 5 13/16	.235	.225	.185	.18	.175	.17	.16
1596	2	R	4 3/8	x	6 7/8	4 x 6	.235	.225	.185	.18	.175	.17	.16
1600	2	R	4 3/8	x	6 7/8	4 x 6	.235	.225	.185	.18	.175	.17	.16
1832	2	R	4 3/8	x	7	4 x 6 1/8	.245	.235	.195	.19	.185	.18	.17
1238	1,2	S	4 3/8	x	7 1/8	4 x 6 1/4	.245	.235	.195	.19	.185	.18	.17
308	2	R	4 3/8	x	7 3/16	4 x 6 5/16	.245	.235	.195	.19	.185	.18	.17
308	1	R&S	4 3/8	x	7 3/16	4 x 6 5/16	.245	.235	.195	.19	.185	.18	.17
3606	4	R	4 3/8	x	7 3/16	4 x 6 5/16	.245	.235	.195	.19	.185	.18	.17
2824	2	R	4 3/8	x	7 1/4	4 x 6 3/8	.245	.235	.195	.19	.185	.18	.17
1851	2	R	4 3/8	x	7 1/2	4 x 6 5/8	.245	.235	.195	.19	.185	.18	.17
2265	3	R	4 3/8	x	7 1/2	4 x 6 5/8	.245	.235	.195	.19	.185	.18	.17
2304	2	R	4 3/8	x	7 5/8	4 x 6 3/4	.245	.235	.195	.19	.185	.18	.17
1889	3	R	4 3/8	x	7 7/8	4 x 7	.245	.235	.195	.19	.185	.18	.17
3731	3	R	4 3/8	x	8 3/8	4 x 7 1/2	.255	.245	.205	.20	.195	.19	.18
258	2	R	4 3/8	x	8 7/16	4 x 7 9/16	.255	.245	.205	.20	.195	.19	.18
1569	1,2	R	4 3/8	x	8 3/4	4 x 7 7/8	.255	.245	.205	.20	.195	.19	.18
1504	2,3	R	4 3/8	x	8 7/8	4 x 8	.255	.245	.205	.20	.195	.19	.18
2216	3	R	4 3/8	x	9	4 x 8 1/8	.265	.255	.215	.21	.205	.20	.19
614	1	R	4 3/8	x	9 1/4	4 x 8 3/8	.265	.255	.215	.21	.205	.20	.19
2940	3	R	4 3/8	x	9 3/8	4 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
793	3	R	4 3/8	x	9 9/16	4 x 8 11/16	.265	.255	.215	.21	.205	.20	.19
149	2,3	R	4 3/8	x	9 15/16	4 x 9 1/16	.265	.255	.215	.21	.205	.20	.19
3064	2	R	4 3/8	x	10 15/16	4 x 10 1/16	.27	.26	.22	.215	.21	.205	.195
1085	2	R	4 3/8	x	11 1/8	4 x 10 1/4	.285	.275	.235	.23	.225	.22	.21
1707	1	R	4 3/8	x	11 3/4	4 x 11	.285	.275	.235	.23	.225	.22	.21
2966	2	R	4 3/8	x	12 1/4	4 x 11 3/8	.295	.285	.245	.24	.235	.23	.22
1778	1,3	R-K	4 3/8	x	12 1/2	4 x 11 5/8	.295	.285	.245	.24	.235	.23	.22
1610	1	R	4 3/8	x	14 3/16	4 x 13 5/16	.315	.305	.265	.26	.255	.25	.24
1790	1	R	4 3/8	x	17 1/4	4 x 16 3/8	.345	.335	.295	.29	.285	.28	.27
2561	2	R	4 3/8	x	18 3/8	4 x 17 1/2	.355	.345	.305	.30	.295	.29	.28
556	2	R	4 7/16	x	6 3/4	4 1/16 x 5 7/8	.235	.225	.185	.18	.175	.17	.16
505	2	S-K	4 7/16	x	8 5/16	4 1/16 x 7 7/16	.255	.245	.205	.20	.195	.19	.18
1660-A	1	R	4 7/16	x	8 15/16	4 1/16 x 8 1/16	.255	.245	.205	.20	.195	.19	.18
3426	3	R	4 7/16	x	8 15/16	4 1/16 x 8 1/16	.255	.245	.205	.20	.195	.19	.18
2153	2	R	4 7/16	x	10 3/8	4 1/16 x 9 1/2	.265	.255	.215	.21	.205	.20	.19

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1661-B	1	R	4 7/16	x	11 7/16	4 1/16 x 10 9/16	.285	.275	.235	.23	.225	.22	.21
2826	4	R	4 1/2	x	4 1/2	4 1/8 x 3 5/8	.22	.21	.17	.165	.16	.155	.145
2862	1	R	4 1/2	x	4 9/16	4 1/8 x 3 11/16	.22	.21	.17	.165	.16	.155	.145
3583	4	R	4 1/2	x	4 3/4	4 1/8 x 4	.22	.21	.17	.165	.16	.155	.145
3315	4	R	4 1/2	x	5 1/4	4 1/8 x 4 3/8	.225	.215	.175	.17	.165	.16	.15
3263	2	R	4 1/2	x	5 1/2	4 1/8 x 4 5/8	.225	.215	.175	.17	.165	.16	.15
2068	1	R	4 1/2	x	5 5/8	4 1/8 x 4 3/4	.225	.215	.175	.17	.165	.16	.15
2743	3	R	4 1/2	x	5 3/4	4 1/8 x 4 7/8	.225	.215	.175	.17	.165	.16	.15
MOD.1894	1	R	4 1/2	x	5 7/8	4 1/8 x 5	.225	.215	.175	.17	.165	.16	.15
1664	2,3	R	4 1/2	x	6	4 1/8 x 5 1/8	.235	.225	.185	.18	.175	.17	.16
1639	1,2	R-K	4 1/2	x	6 1/4	4 1/8 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
2439	3	R	4 1/2	x	6 1/4	4 1/8 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
2204	2	R	4 1/2	x	6 3/8	4 1/8 x 5 1/2	.235	.225	.185	.18	.175	.17	.16
1013	2	R	4 1/2	x	6 1/2	4 1/8 x 5 5/8	.235	.225	.185	.18	.175	.17	.16
3148	4	R	4 1/2	x	6 1/2	4 1/8 x 5 5/8	.235	.225	.185	.18	.175	.17	.16
296	2	R	4 1/2	x	6 5/8	4 1/8 x 5 3/4	.235	.225	.185	.18	.175	.17	.16
560	2	R	4 1/2	x	6 13/16	4 1/8 x 6	.235	.225	.185	.18	.175	.17	.16
1283	2	R	4 1/2	x	7	4 1/8 x 6 1/8	.245	.235	.195	.19	.185	.18	.17
3298	2	R	4 1/2	x	7 1/4	4 1/8 x 6 3/8	.245	.235	.195	.19	.185	.18	.17
2822	2	R	4 1/2	x	7 1/2	4 1/8 x 6 5/8	.245	.235	.195	.19	.185	.18	.17
3054	3	R	4 1/2	x	7 1/2	4 1/8 x 6 5/8	.245	.235	.195	.19	.185	.18	.17
1023	2	R	4 1/2	x	7 3/4	4 1/8 x 6 7/8	.245	.235	.195	.19	.185	.18	.17
3156	2	R	4 1/2	x	7 3/4	4 1/8 x 6 7/8	.245	.235	.195	.19	.185	.18	.17
568	2	S	4 1/2	x	7 7/8	4 1/8 x 7	.245	.235	.195	.19	.185	.18	.17
3343	2	R	4 1/2	x	7 7/8	4 1/8 x 7	.245	.235	.195	.19	.185	.18	.17
3173	1	R	4 1/2	x	8	4 1/8 x 7	.255	.245	.205	.20	.195	.19	.18
607	2,1-K	R	4 1/2	x	8 5/16	4 1/8 x 7 1/4	.255	.245	.205	.20	.195	.19	.18
1720	1	R	4 1/2	x	8 1/2	4 1/8 x 7 5/8	.255	.245	.205	.20	.195	.19	.18
2968	2	R-K	4 1/2	x	8 9/16	4 1/8 x 7 11/16	.255	.245	.205	.20	.195	.19	.18
MOD.2517	1	R-K	4 1/2	x	8 5/8	4 1/8 x 7 3/4	.255	.245	.205	.20	.195	.19	.18
417	2	R	4 1/2	x	8 15/16	4 1/8 x 8 1/16	.255	.245	.205	.20	.195	.19	.18
502	2	R	4 1/2	x	9 1/16	4 1/8 x 8 3/16	.265	.255	.215	.21	.205	.20	.19
3059	2	R	4 1/2	x	9 3/8	4 1/8 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
3400	2	R	4 1/2	x	9 3/8	4 1/8 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
666	1	R	4 1/2	x	9 1/2	4 1/8 x 8 5/8	.265	.255	.215	.21	.205	.20	.19
3816	3	R	4 1/2	x	9 5/8	4 1/8 x 8 3/4	.265	.255	.215	.21	.205	.20	.19
377	2,3	R	4 1/2	x	9 3/4	4 1/8 x 9	.265	.255	.215	.21	.205	.20	.19
3551	2	R	4 1/2	x	10	4 1/8 x 9 1/8	.27	.26	.22	.215	.21	.205	.195
158	1,2	R	4 1/2	x	10 1/2	4 1/8 x 9 5/8	.275	.265	.225	.22	.215	.21	.20
1772	3	R	4 1/2	x	10 1/2	4 1/8 x 9 5/8	.275	.265	.225	.22	.215	.21	.20
3272	2	R	4 1/2	x	10 3/4	4 1/8 x 9 7/8	.275	.265	.225	.22	.215	.21	.20
1061	2	S	4 1/2	x	11 1/2	4 1/8 x 10 5/8	.285	.275	.235	.23	.225	.22	.21
3751	2	R	4 1/2	x	11 9/16	4 1/8 x 10 11/16	.285	.275	.235	.23	.225	.22	.21

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
715	2	R	4 1/2	x	12	4 1/8 x 11 1/8	.295	.285	.245	.24	.235	.23	.22
3789	2	R	4 1/2	x	12 5/8	4 1/8 x 11 3/4	.295	.285	.245	.24	.235	.23	.22
668	1	R	4 1/2	x	13 1/2	4 1/8 x 12 5/8	.305	.295	.255	.25	.245	.24	.23
2069	2	R	4 1/2	x	14 1/4	4 1/8 x 13 3/8	.315	.305	.265	.26	.255	.25	.24
3174	1	R	4 1/2	x	15	4 1/8 x 14 1/8	.325	.315	.275	.27	.265	.26	.25
2074	1	R	4 1/2	x	15 3/8	4 1/8 x 14 1/2	.325	.315	.275	.27	.265	.26	.25
2958	1	R	4 1/2	x	19 1/2	4 1/8 x 18 5/8	.365	.355	.315	.31	.305	.30	.29
1827	2	R	4 9/16	x	6 3/16	4 3/16 x 5 5/16	.24	.23	.19	.185	.18	.175	.165
319	2	S	4 9/16	x	7 7/8	4 3/16 x 7	.245	.235	.195	.19	.185	.18	.17
103	2	R	4 9/16	x	9 3/8	4 3/16 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
1090	1	R	4 9/16	x	10 1/2	4 3/16 x 9 5/8	.275	.265	.225	.22	.215	.21	.20
1984	1	S	4 9/16	x	12 9/16	4 3/16 x 11 11/16	.295	.285	.245	.24	.235	.23	.22
3196	1	R	4 9/16	x	12 13/16	4 3/16 x 11 15/16	.295	.285	.245	.24	.235	.23	.22
1836	2	R	4 5/8	x	4 3/4	4 1/4 x 4	.225	.215	.175	.17	.165	.16	.15
1535	1,2	R	4 5/8	x	5 1/8	4 1/4 x 4 1/4	.225	.215	.175	.17	.165	.16	.15
2438	3	R	4 5/8	x	5 1/4	4 1/4 x 4 3/8	.225	.215	.175	.17	.165	.16	.15
206	2	R	4 5/8	x	5 7/8	4 1/4 x 5	.23	.22	.18	.175	.17	.165	.155
1645	2	R	4 5/8	x	5 7/8	4 1/4 x 5	.23	.22	.18	.175	.17	.165	.155
493	2	R	4 5/8	x	6 1/8	4 1/4 x 5 1/4	.235	.225	.185	.18	.175	.17	.16
1253	2	R	4 5/8	x	6 7/16	4 1/4 x 5 9/16	.235	.225	.185	.18	.175	.17	.16
756	3	R	4 5/8	x	6 3/4	4 1/4 x 5 7/8	.235	.225	.185	.18	.175	.17	.16
145	2	S	4 5/8	x	6 7/8	4 1/4 x 6	.235	.225	.185	.18	.175	.17	.16
338	3	R&S	4 5/8	x	7 3/16	4 1/4 x 6 5/16	.245	.235	.195	.19	.185	.18	.17
107	2,3	R	4 5/8	x	7 3/16	4 1/4 x 6 5/16	.245	.235	.195	.19	.185	.18	.17
2934	2	R	4 5/8	x	7 3/8	4 1/4 x 6 1/2	.245	.235	.195	.19	.185	.18	.17
1875	2	R	4 5/8	x	7 5/8	4 1/4 x 6 3/4	.245	.235	.195	.19	.185	.18	.17
3876	1	R	4 5/8	x	7 7/8	4 1/4 x 7	.255	.245	.205	.20	.195	.19	.18
2052	1	R	4 5/8	x	8	4 1/4 x 7 1/8	.255	.245	.205	.20	.195	.19	.18
2400	2	R	4 5/8	x	8 1/16	4 1/4 x 7 3/16	.255	.245	.205	.20	.195	.19	.18
1895-B	1	R	4 5/8	x	8 1/2	4 1/4 x 7 5/8	.255	.245	.205	.20	.195	.19	.18
2299-A	1	R	4 5/8	x	8 5/8	4 1/4 x 7 3/4	.255	.245	.205	.20	.195	.19	.18
3326	2	R	4 5/8	x	8 3/4	4 1/4 x 7 7/8	.255	.245	.205	.20	.195	.19	.18
2014-B	1	R	4 5/8	x	8 7/8	4 1/4 x 8	.255	.245	.205	.20	.195	.19	.18
2918	2	R	4 5/8	x	9	4 1/4 x 8 1/8	.265	.255	.215	.21	.205	.20	.19
103-E	2	R	4 5/8	x	9 3/8	4 1/4 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
2643	2	R	4 5/8	x	9 3/8	4 1/4 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
323	2	S	4 5/8	x	9 11/16	4 1/4 x 8 13/16	.265	.255	.215	.21	.205	.20	.19
171	2	S	4 5/8	x	10	4 1/4 x 9 1/8	.275	.265	.225	.22	.215	.21	.20
1487	2	R	4 5/8	x	10 5/16	4 1/4 x 9 7/16	.275	.265	.225	.22	.215	.21	.20
585	2	S	4 5/8	x	11	4 1/4 x 10 1/8	.285	.275	.235	.23	.225	.22	.21
325	2	R	4 5/8	x	11 1/16	4 1/4 x 10 3/16	.285	.275	.235	.23	.225	.22	.21
2786	2	R	4 5/8	x	11 1/4	4 1/4 x 10 3/8	.285	.275	.235	.23	.225	.22	.21
3061	1	R	4 5/8	x	11 3/8	4 1/4 x 10 1/2	.285	.275	.235	.23	.225	.22	.21

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1713	1	R	4 5/8	x	11 7/8	4 1/4 x 11	.285	.275	.235	.23	.225	.22	.21
1312	2	R-K	4 5/8	x	13 3/4	4 1/4 x 13	.305	.295	.255	.25	.245	.24	.23
575	2	R	4 5/8	x	14 1/4	4 1/4 x 13 3/8	.315	.305	.265	.26	.255	.25	.24
493	2	R	4 11/16	x	6 3/16	4 5/16 x 5 5/16	.235	.225	.185	.18	.175	.17	.16
3785	2	R	4 11/16	x	6 1/4	4 5/16 x 5 3/8	.235	.225	.185	.18	.175	.17	.16
3049	3	R	4 11/16	x	7 3/4	4 5/16 x 6 7/8	.245	.235	.195	.19	.185	.18	.17
1448	1	R	4 11/16	x	9 1/4	4 5/16 x 8 3/8	.265	.255	.215	.21	.205	.20	.19
1582	1	R	4 11/16	x	9 15/16	4 5/16 x 9 1/16	.275	.265	.225	.22	.215	.21	.20
3300	2	R	4 3/4	x	5	4 3/8 x 4 1/8	.23	.22	.18	.175	.17	.165	.155
2157	1	R	4 3/4	x	5 1/4	4 3/8 x 4 3/8	.23	.22	.18	.175	.17	.165	.155
3297	2	R	4 3/4	x	5 3/8	4 3/8 x 4 1/2	.23	.22	.18	.175	.17	.165	.155
3456	2	R	4 3/4	x	5 3/8	4 3/8 x 4 1/2	.23	.22	.18	.175	.17	.165	.155
1335	2	R	4 3/4	x	5 1/2	4 3/8 x 4 5/8	.23	.22	.18	.175	.17	.165	.155
3845	4	R	4 3/4	x	5 5/8	4 3/8 x 4 3/4	.23	.22	.18	.175	.17	.165	.155
3587	4	R	4 3/4	x	5 3/4	4 3/8 x 5	.235	.225	.185	.18	.175	.17	.16
1702	2	R	4 3/4	x	6	4 3/8 x 5 1/8	.235	.225	.185	.18	.175	.17	.16
2378	2	R	4 3/4	x	6 3/8	4 3/8 x 6 1/2	.235	.225	.185	.18	.175	.17	.16
2701	1	R	4 3/4	x	6 3/4	4 3/8 x 5 7/8	.235	.225	.185	.18	.175	.17	.16
3730	3	R	4 3/4	x	6 3/4	4 3/8 x 5 7/8	.235	.225	.185	.18	.175	.17	.16
4004	4	R	4 3/4	x	7	4 3/8 x 6 1/8	.245	.235	.195	.19	.185	.18	.17
1158	2	R	4 3/4	x	7 1/16	4 3/8 x 6 3/16	.245	.235	.195	.19	.185	.18	.17
2821	3	R	4 3/4	x	7 5/8	4 3/8 x 6 3/4	.245	.235	.195	.19	.185	.18	.17
1047	2	R	4 3/4	x	7 3/4	4 3/8 x 6 7/8	.245	.235	.195	.19	.185	.18	.17
940	1	R-BEA	4 3/4	x	8	4 3/8 x 7 1/8	.255	.245	.205	.20	.195	.19	.18
1026	1	R-BEA	4 3/4	x	8	4 3/8 x 7 1/8	.255	.245	.205	.20	.195	.19	.18
2534	2	R	4 3/4	x	8 1/8	4 3/8 x 7 1/4	.255	.245	.205	.20	.195	.19	.18
1630	2	R	4 3/4	x	8 1/4	4 3/8 x 7 3/8	.255	.245	.205	.20	.195	.19	.18
726	2	R-K	4 3/4	x	8 3/8	4 3/8 x 7 1/2	.255	.245	.205	.20	.195	.19	.18
1496	2,3	R	4 3/4	x	8 7/16	4 3/8 x 7 9/16	.255	.245	.205	.20	.195	.19	.18
2563	3	R	4 3/4	x	8 3/4	4 3/8 x 7 7/8	.255	.245	.205	.20	.195	.19	.18
3494	3	R	4 3/4	x	9 1/8	4 3/8 x 8 1/4	.265	.255	.215	.21	.205	.20	.19
290	2	R	4 3/4	x	9 1/4	4 3/8 x 8 3/8	.265	.255	.215	.21	.205	.20	.19
451	1	R	4 3/4	x	9 3/8	4 3/8 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
3837-MOD	1	R	4 3/4	x	9 3/8	4 3/8 x 8 1/2	.265	.255	.215	.21	.205	.20	.19
1719	3	R	4 3/4	x	9 1/2	4 3/8 x 8 5/8	.265	.255	.215	.21	.205	.20	.19
787	2	R	4 3/4	x	9 3/4	4 3/8 x 9	.265	.255	.215	.21	.205	.20	.19
269	2	R	4 3/4	x	10	4 3/8 x 9 1/8	.275	.265	.225	.22	.215	.21	.20
1006	2	S	4 3/4	x	10 3/4	4 3/8 x 9 7/8	.275	.265	.225	.22	.215	.21	.20
2978	1	R	4 3/4	x	10 3/4	4 3/8 x 10	.275	.265	.225	.22	.215	.21	.20
3132	1	R	4 3/4	x	11	4 3/8 x 10 1/8	.285	.275	.235	.23	.225	.22	.21
1564	2	R	4 3/4	x	11 1/4	4 3/8 x 10 3/8	.285	.275	.235	.23	.225	.22	.21
2927		R	4 3/4	x	11 1/2	4 3/8 x 10 5/8	.285	.275	.235	.23	.225	.22	.21
1565	2	R	4 3/4	x	13 1/4	4 3/8 x 12 3/8	.305	.295	.255	.25	.245	.24	.23

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3496	3	R	4 3/4	x	14	4 3/8 x 13 1/8	.315	.305	.265	.26	.255	.25	.24
2312	2	R	4 3/4	x	14 1/4	4 3/8 x 13 3/8	.315	.305	.265	.26	.255	.25	.24
2925	1	R	4 3/4	x	14 3/8	4 3/8 x 13 1/2	.315	.305	.265	.26	.255	.25	.24
2942	1	R	4 3/4	x	15	4 3/8 x 14 1/8	.325	.315	.275	.27	.265	.26	.25
536	2	R	4 3/4	x	15 3/4	4 3/8 x 14 7/8	.325	.315	.275	.27	.265	.26	.25
1583-A	1	R	4 3/4	x	16 3/4	4 3/8 x 16	.335	.325	.285	.28	.275	.27	.26
3556	2	R	4 3/4	x	23 5/16	4 3/8 x 22 7/16	.62	.61	.57	.565	.56	.555	.545
3198	1	R	4 3/4	x	23 5/8	4 3/8 x 22 3/4	.62	.61	.57	.565	.56	.555	.545
3199	1	R	4 3/4	x	27 5/8	4 3/8 x 26 3/4	.66	.65	.61	.605	.60	.595	.585
3158	1	R	4 3/4	x	30	4 3/8 x 29 1/8	.69	.68	.64	.635	.63	.625	.615
1793	2	R	4 13/16	x	6 5/8	4 7/16 x 5 3/4	.235	.225	.185	.18	.175	.17	.16
1252	1	R	4 13/16	x	7 1/8	4 7/16 x 6 1/4	.245	.235	.195	.19	.185	.18	.17
476	2	R	4 13/16	x	7 3/4	4 7/16 x 6 7/8	.245	.235	.195	.19	.185	.18	.17
558	2	R	4 13/16	x	9 1/2	4 7/16 x 8 5/8	.265	.255	.215	.21	.205	.20	.19
2904	3	R	4 13/16	x	11 1/8	4 7/16 x 10 1/4	.285	.275	.235	.23	.225	.22	.21
2109	1	R	4 13/16	x	15 3/4	4 7/16 x 14 7/8	.325	.315	.275	.27	.265	.26	.25
822	2	R	4 7/8	x	5	4 1/2 x 4 1/8	.225	.215	.175	.17	.165	.16	.15
2236	2	R	4 7/8	x	5 3/8	4 1/2 x 4 1/2	.225	.215	.175	.17	.165	.16	.15
1894-F	1	R	4 7/8	x	5 7/8	4 1/2 x 5	.225	.215	.175	.17	.165	.16	.15
3334	3	R	4 7/8	x	5 7/8	4 1/2 x 5	.225	.215	.175	.17	.165	.16	.15
1989	3	R	4 7/8	x	6 1/2	4 1/2 x 5 5/8	.235	.225	.185	.18	.175	.17	.16
2343	1,3	R	4 7/8	x	6 5/8	4 1/2 x 5 3/4	.235	.225	.185	.18	.175	.17	.16
3111-MOD	1	R	4 7/8	x	6 7/8	4 1/2 x 6	.235	.225	.185	.18	.175	.17	.16
3744	3	R	4 7/8	x	6 7/8	4 1/2 x 6	.235	.225	.185	.18	.175	.17	.16
3500	3	R	4 7/8	x	7 3/8	4 1/2 x 6 1/2	.245	.235	.195	.19	.185	.18	.17
3111-MOD	1	R	4 7/8	x	7 5/8	4 1/2 x 6 3/4	.245	.235	.195	.19	.185	.18	.17
237	2	R	4 7/8	x	7 11/16	4 1/2 x 6 13/16	.245	.235	.195	.19	.185	.18	.17
1377	2	R	4 7/8	x	8 3/8	4 1/2 x 7 1/2	.255	.245	.205	.20	.195	.19	.18
1395	2	S	4 7/8	x	8 3/8	4 1/2 x 7 1/2	.255	.245	.205	.20	.195	.19	.18
3111-MOD	1	R	4 7/8	x	8 3/8	4 1/2 x 7 1/2	.255	.245	.205	.20	.195	.19	.18
3165	1	R	4 7/8	x	8 1/2	4 1/2 x 7 5/8	.255	.245	.205	.20	.195	.19	.18
508	2	R	4 7/8	x	8 5/8	4 1/2 x 7 3/4	.255	.245	.205	.20	.195	.19	.18
3925	2	S	4 7/8	x	8 13/16	4 1/2 x 7 7/8	.255	.245	.205	.20	.195	.19	.18
2108	2	R	4 7/8	x	9	4 1/2 x 8 1/8	.265	.255	.215	.21	.205	.20	.19
MOD.3111	1	R	4 7/8	x	9 1/8	4 1/2 x 8 1/4	.265	.255	.215	.21	.205	.20	.19
MOD.3111	1	R	4 7/8	x	9 7/8	4 1/2 x 9	.265	.255	.215	.21	.205	.20	.19
3665	2	R	4 7/8	x	10 3/8	4 1/2 x 9 1/2	.275	.265	.225	.22	.215	.21	.20
148	2	S	4 7/8	x	10 7/16	4 1/2 x 9 9/16	.275	.265	.225	.22	.215	.21	.20
3001	1	R	4 7/8	x	10 7/8	4 1/2 x 10	.275	.265	.225	.22	.215	.21	.20
642	2	R-K	4 7/8	x	11	4 1/2 x 10 1/8	.285	.275	.235	.23	.225	.22	.21
1102	2	R	4 7/8	x	11 5/8	4 1/2 x 10 3/4	.285	.275	.235	.23	.225	.22	.21
2562	1	R	4 7/8	x	11 7/8	4 1/2 x 11	.285	.275	.235	.23	.225	.22	.21
3433	2	R	4 7/8	x	12 1/8	4 1/2 x 11 1/4	.295	.285	.245	.24	.235	.23	.22

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1541	1	R	4 7/8	x	14 1/4	4 1/2 x 13 3/8	.315	.305	.265	.26	.255	.25	.24
1775	2	R	4 7/8	x	14 1/2	4 1/2 x 13 5/8	.315	.305	.265	.26	.255	.25	.24
1801-A	1	R	4 7/8	x	16 9/16	4 1/2 x 15 11/16	.335	.325	.285	.28	.275	.27	.26
3258	1	R	4 7/8	x	20	4 1/2 x 19 1/8	.425	.415	.375	.37	.365	.36	.35
2483	2	R-K	4 29/32	x	5 3/4	4 1/2 x 4 7/8	.23	.22	.18	.175	.17	.165	.155
921	4	R	4 15/16	x	5 15/16	4 9/16 x 5 1/16	.23	.22	.18	.175	.17	.165	.155
446	2	R	4 15/16	x	7 1/4	4 9/16 x 6 3/8	.245	.235	.195	.19	.185	.18	.17
3672	3	R	4 15/16	x	8 1/4	4 9/16 x 7 3/8	.255	.245	.205	.20	.195	.19	.18
219	2	R	4 15/16	x	9	4 9/16 x 8 1/8	.265	.255	.215	.21	.205	.20	.19
856	2	R	4 15/16	x	10	4 9/16 x 9 1/8	.275	.265	.225	.22	.215	.21	.20
2559	3	R	4 15/16	x	14 5/8	4 9/16 x 13 3/4	.315	.305	.265	.26	.255	.25	.24
2011	1,2	S	5	x	5	4 5/8 x 4 1/8	.235	.225	.185	.18	.175	.17	.16
3119	4	R	5	x	5	4 5/8 x 4 1/8	.235	.225	.185	.18	.175	.17	.16
1430	1	R	5	x	5 1/2	4 5/8 x 4 5/8	.24	.23	.19	.185	.18	.175	.165
1842-A	1	R	5	x	5 5/8	4 5/8 x 4 3/4	.24	.23	.19	.185	.18	.175	.165
2552	4		5	x	5 3/4	4 5/8 x 4 7/8	.24	.23	.19	.185	.18	.175	.165
167	2	R&S	5	x	5 13/16	4 5/8 x 5	.24	.23	.19	.185	.18	.175	.165
866	2	R	5	x	6	4 5/8 x 5 1/8	.25	.24	.20	.195	.19	.185	.175
775	2	R	5	x	6 3/8	4 5/8 x 5 1/2	.25	.24	.20	.195	.19	.185	.175
3043	1	R	5	x	6 5/8	4 5/8 x 5 3/4	.25	.24	.20	.195	.19	.185	.175
545	2	S	5	x	6 3/4	4 5/8 x 5 7/8	.25	.24	.20	.195	.19	.185	.175
807	2	R	5	x	7	4 5/8 x 6 1/8	.25	.24	.20	.195	.19	.185	.175
1902	2	R	5	x	7 1/8	4 5/8 x 6 1/4	.25	.24	.20	.195	.19	.185	.175
2185	1	R	5	x	7 1/2	4 5/8 x 6 5/8	.25	.24	.20	.195	.19	.185	.175
2253	1,2,3	R	5	x	8	4 5/8 x 7 1/8	.26	.25	.21	.205	.20	.195	.185
4014	2	R	5	x	8 1/4	4 5/8 x 7 3/8	.26	.25	.21	.205	.20	.195	.185
244	1,2	R	5	x	8 5/16	4 5/8 x 7 7/16	.26	.25	.21	.205	.20	.195	.185
1012	1	R	5	x	8 1/2	4 5/8 x 7 5/8	.26	.25	.21	.205	.20	.195	.185
MOD.2517	1	R-K	5	x	8 5/8	4 5/8 x 7 3/4	.26	.25	.21	.205	.20	.195	.185
1816	2	R	5	x	9	4 5/8 x 8 1/8	.27	.26	.22	.215	.21	.205	.195
169	2	R	5	x	9 1/4	4 5/8 x 8 3/8	.27	.26	.22	.215	.21	.205	.195
310	2	S	5	x	9 5/8	4 5/8 x 8 3/4	.27	.26	.22	.215	.21	.205	.195
192	2	R	5	x	10	4 5/8 x 9 1/8	.28	.27	.23	.225	.22	.215	.205
789	2	R	5	x	10	4 5/8 x 9 1/8	.28	.27	.23	.225	.22	.215	.205
3151	2	R	5	x	10 3/8	4 5/8 x 9 1/2	.28	.27	.23	.225	.22	.215	.205
1424	1	R	5	x	10 3/4	4 5/8 x 10	.28	.27	.23	.225	.22	.215	.205
1075	1	R	5	x	11	4 5/8 x 10 1/8	.285	.275	.235	.23	.225	.22	.21
2523	2	R	5	x	11 1/4	4 5/8 x 10 3/8	.285	.275	.235	.23	.225	.22	.21
2710	1	R	5	x	13	4 5/8 x 12 1/8	.32	.31	.27	.265	.26	.255	.245
3570	2	R	5	x	14 1/2	4 5/8 x 13 5/8	.33	.32	.28	.275	.27	.265	.255
1168	1	R	5	x	14 7/8	4 5/8 x 14	.33	.32	.28	.275	.27	.265	.255
2665	1	R	5	x	15 3/4	4 5/8 x 14 7/8	.34	.33	.29	.285	.28	.275	.265
1903	2	R	5	x	17 1/4	4 5/8 x 16 3/8	.36	.35	.31	.305	.30	.295	.285

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
489	1	R	5	x	28 1/8	4 5/8 x 27 1/4	.62	.61	.60	.595	.59	.585	.575
3722	1	R	5	x	38	4 5/8 x 37 1/8	.72	.71	.705	.70	.695	.685	.685
1267	2	R	5 1/16	x	5 1/4	4 11/16 x 4 3/8	.24	.23	.19	.185	.18	.175	.165
1994	2	R-K	5 1/16	x	8 1/6	4 11/16 x 7 3/16	.26	.25	.21	.205	.20	.195	.185
928	1,2	S	5 1/16	x	9 1/16	4 11/16 x 8 3/16	.275	.265	.225	.22	.215	.21	.20
2882	2	R	5 1/16	x	9 1/2	4 11/16 x 8 5/8	.275	.265	.225	.22	.215	.21	.20
3008	2	R	5 1/16	x	11 1/2	4 11/16 x 10 5/8	.29	.28	.24	.235	.23	.225	.215
2137	3	R	5 3/32	x	5 1/4	4 11/16 x 4 3/8	.24	.23	.19	.185	.18	.175	.165
1620	4	R	5 1/8	x	5 3/8	4 3/4 x 4 1/2	.24	.23	.19	.185	.18	.175	.165
3526	4	R	5 1/8	x	5 5/8	4 3/4 x 4 3/4	.24	.23	.19	.185	.18	.175	.165
3210	4	R	5 1/8	x	5 3/4	4 3/8 x 4 7/8	.24	.23	.19	.185	.18	.175	.165
3172	4	R	5 1/8	x	5 7/8	4 3/4 x 5	.24	.23	.19	.185	.18	.175	.165
1248	1,2	R	5 1/8	x	6 1/4	4 3/4 x 5 3/8	.25	.24	.20	.195	.19	.185	.175
729	2	R	5 1/8	x	6 1/2	4 3/4 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
2197	2	R	5 1/8	x	6 1/2	4 3/4 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
1421	2	R	5 1/8	x	7 7/16	4 3/4 x 6 9/16	.26	.25	.21	.205	.20	.195	.185
2230	2	R	5 1/8	x	7 1/2	4 3/4 x 6 5/8	.26	.25	.21	.205	.20	.195	.185
315	3	R	5 1/8	x	7 7/8	4 3/4 x 7	.26	.25	.21	.205	.20	.195	.185
2706-MOD	1	R	5 1/8	x	7 7/8	4 3/4 x 7	.26	.25	.21	.205	.20	.195	.185
2617	2	R	5 1/8	x	8 1/4	4 3/4 x 7 3/8	.27	.26	.22	.215	.21	.205	.195
897	2	R	5 1/8	x	8 1/2	4 3/4 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
MOD.2706	1	R	5 1/8	x	9 11/16	4 3/4 x 8 13/16	.28	.27	.23	.225	.22	.215	.205
1497	2	R	5 1/8	x	10 1/4	4 3/4 x 9 3/8	.29	.28	.24	.235	.23	.225	.215
3126	3	R	5 1/8	x	10 3/8	4 3/4 x 9 1/2	.29	.28	.24	.235	.23	.225	.215
3728	2	R	5 1/8	x	10 15/16	4 3/4 x 10 1/16	.295	.285	.245	.24	.235	.23	.22
165	1	S	5 1/8	x	11 1/8	4 3/4 x 10 1/4	.30	.29	.25	.245	.24	.235	.225
MOD.2706	1	R	5 1/8	x	11 1/2	4 3/4 x 10 5/8	.30	.29	.25	.245	.24	.235	.225
468	2	R	5 1/8	x	13	4 3/4 x 12 1/8	.32	.31	.27	.265	.26	.255	.245
MOD.2706	1	R	5 1/8	x	13 5/8	4 3/4 x 12 3/4	.32	.31	.27	.265	.26	.255	.245
MOD.2706	1	R	5 1/8	x	14	4 3/4 x 13 1/8	.33	.32	.28	.275	.27	.265	.255
3239	1	R	5 1/8	x	14 3/8	4 3/4 x 13 1/2	.33	.32	.28	.275	.27	.265	.255
3275	1	R	5 1/8	x	14 7/8	4 3/4 x 14	.33	.32	.28	.275	.27	.265	.255
MOD.2706	1	R	5 1/8	x	15 1/8	4 3/4 x 14 1/4	.34	.33	.29	.285	.28	.275	.265
968	2	R	5 3/16	x	6 3/16	4 13/16 x 5 5/16	.25	.24	.20	.195	.19	.185	.175
3779	2	R	5 3/16	x	7 1/2	4 13/16 x 6 5/8	.26	.25	.21	.205	.20	.195	.185
3841	3	R	5 3/16	x	7 1/2	4 13/16 x 6 5/8	.26	.25	.21	.205	.20	.195	.185
102	2	R	5 3/16	x	10 1/16	4 13/16 x 9 3/16	.29	.28	.24	.235	.23	.225	.215
3713	2	R	5 3/16	x	12	4 13/16 x 11 1/8	.31	.30	.26	.255	.25	.245	.235
133	2	S	5 3/16	x	12 1/8	4 13/16 x 11 1/4	.31	.30	.26	.255	.25	.245	.235
680	2	R	5 3/16	x	12 7/8	4 13/16 x 12	.31	.30	.26	.255	.25	.245	.235
2443	1	R	5 1/4	x	5 1/4	4 7/8 x 4 3/8	.24	.23	.19	.185	.18	.175	.165
3127	2	R	5 1/4	x	5 1/2	4 7/8 x 4 5/8	.24	.23	.19	.185	.18	.175	.165
2249	1	R	5 1/4	x	5 9/16	4 7/8 x 4 11/16	.24	.23	.19	.185	.18	.175	.165

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1884-E	1	R	5 1/4	x	5 7/8	4 7/8 x 5	.24	.23	.19	.185	.18	.175	.165
1194	2	R	5 1/4	x	6 1/2	4 7/8 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
1033	2	S	5 1/4	x	6 9/16	4 7/8 x 5 11/16	.24	.23	.19	.185	.18	.175	.165
2788	2,4	R	5 1/4	x	6 5/8	4 7/8 x 5 3/4	.24	.23	.19	.185	.18	.175	.165
3784	2	R	5 1/4	x	6 3/4	4 7/8 x 5 7/8	.24	.23	.19	.185	.18	.175	.165
1554	1,3	R	5 1/4	x	7	4 7/8 x 6 1/8	.26	.25	.21	.205	.20	.195	.185
2955	2	R	5 1/4	x	7 5/16	4 7/8 x 6 7/16	.26	.25	.21	.205	.20	.195	.185
2431	2	R	5 1/4	x	7 3/8	4 7/8 x 6 1/2	.26	.25	.21	.205	.20	.195	.185
1423	2	R	5 1/4	x	7 3/4	4 7/8 x 6 7/8	.26	.25	.21	.205	.20	.195	.185
2335	1	R-K	5 1/4	x	7 3/4	4 7/8 x 7	.26	.25	.21	.205	.20	.195	.185
126	2	R	5 1/4	x	8 3/8	4 7/8 x 7 1/2	.27	.26	.22	.215	.21	.205	.195
147	2	S	5 1/4	x	8 7/16	4 7/8 x 7 9/16	.27	.26	.22	.215	.21	.205	.195
1895-C	1	R	5 1/4	x	8 1/2	4 7/8 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
3844	1	R	5 1/4	x	8 1/2	4 7/8 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
2299-B	1	R	5 1/4	x	8 5/8	4 7/8 x 7 3/4	.27	.26	.22	.215	.21	.205	.195
2676	1	R	5 1/4	x	8 5/8	4 7/8 x 7 3/4	.27	.26	.22	.215	.21	.205	.195
2014-C	1	R	5 1/4	x	8 7/8	4 7/8 x 8	.27	.26	.22	.215	.21	.205	.195
657	2	R	5 1/4	x	9 1/4	4 7/8 x 8 3/8	.28	.27	.23	.225	.22	.215	.205
3837-MOD	1	R	5 ¼	x	9 3/8	4 7/8 x 8 ½	.28	.27	.23	.225	.22	.215	.205
3937	2	R	5 ¼	x	9 ½	4 7/8 x 8 5/8	.28	.27	.23	.225	.22	.215	.205
712	3	R	5 1/4	x	9 15/16	4 7/8 x 9 1/16	.28	.27	.23	.225	.22	.215	.205
2372	1,2	R	5 1/4	x	11 1/8	4 7/8 x 10 1/4	.29	.28	.24	.235	.23	.225	.215
324	2	S	5 1/4	x	11 1/4	4 7/8 x 10 3/8	.29	.28	.24	.235	.23	.225	.215
2516	1	R	5 1/4	x	13 1/2	4 7/8 x 12 5/8	.32	.31	.27	.265	.26	.255	.245
3522	2	R	5 1/4	x	14	4 7/8 x 13 1/8	.33	.32	.28	.275	.27	.265	.255
3430	1		5 1/4	x	16 5/8	4 7/8 x 15 3/4	.35	.34	.30	.295	.29	.285	.275
2233	1	R	5 5/16	x	5 15/16	4 15/16 x 5 1/16	.24	.23	.19	.185	.18	.175	.165
1451	3	R	5 5/16	x	7 1/8	4 15/16 x 6 1/4	.26	.25	.21	.205	.20	.195	.185
1359	2	R	5 5/16	x	7 5/8	4 15/16 x 6 3/4	.26	.25	.21	.205	.20	.195	.185
805	2	R	5 5/16	x	9 1/4	4 15/16 x 8 3/8	.27	.26	.22	.215	.21	.205	.195
1187	2	R	5 5/16	x	9 1/2	4 15/16 x 8 1/2	.27	.26	.22	.215	.21	.205	.195
137	2	S	5 5/16	x	10 3/16	4 15/16 x 9 5/16	.29	.28	.24	.235	.23	.225	.215
1358	2	R	5 3/8	x	5 3/8	5 x 4 1/2	.24	.23	.19	.185	.18	.175	.165
1926	2	R	5 3/8	x	6 1/16	5 x 6 3/16	.25	.24	.20	.195	.19	.185	.175
1982	1,2	R	5 3/8	x	6 7/8	5 x 6	.25	.24	.20	.195	.19	.185	.175
1204	1	R	5 3/8	x	7 1/4	5 x 6 3/8	.26	.25	.21	.205	.20	.195	.185
3968	2	R	5 3/8	x	7 3/8	5 x 6 ½	.26	.25	.21	.205	.20	.195	.185
1178	2,3	R	5 3/8	x	7 1/2	5 x 6 5/8	.26	.25	.21	.205	.20	.195	.185
3890		R	5 3/8	x	7 13/16	5 x 6 7/8	.26	.25	.21	.205	.20	.195	.185
1419	1,2	R	5 3/8	x	7 7/8	5 x 7	.26	.25	.21	.205	.20	.195	.185
1636	1	R	5 3/8	x	8 1/4	5 x 7 3/8	.27	.26	.22	.215	.21	.205	.195
3292	2	R	5 3/8	x	9 1/2	5 x 8 5/8	.28	.27	.23	.225	.22	.215	.205
2202	2	R	5 3/8	x	9 3/4	5 x 8 7/8	.28	.27	.23	.225	.22	.215	.205

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2953	3	R	5 3/8	x	10	5 x 9 1/8	.29	.28	.24	.235	.23	.225	.215
208	1	R	5 3/8	x	10 11/16	5 x 9 13/16	.29	.28	.24	.235	.23	.225	.215
3170	2	R	5 3/8	x	10 7/8	5 x 10	.29	.28	.24	.235	.23	.225	.215
1812	2	R	5 3/8	x	11 3/8	5 x 10 1/2	.30	.29	.25	.245	.24	.235	.225
1824	1	R	5 3/8	x	11 7/8	5 x 11	.30	.29	.25	.245	.24	.235	.225
2974	2	R	5 3/8	x	12 1/4	5 x 11 3/8	.31	.30	.26	.255	.25	.245	.235
3379	2	R	5 3/8	x	14	5 x 13 1/8	.33	.32	.28	.275	.27	.265	.255
2783	2	R	5 7/16	x	5 7/16	5 1/16 x 4 9/16	.24	.23	.19	.185	.18	.175	.165
1570	2	R	5 7/16	x	8 1/2	5 1/16 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
432	2	R	5 7/16	x	9 5/16	5 1/16 x 8 7/16	.27	.26	.22	.215	.21	.205	.195
271	2	R	5 7/16	x	10	5 1/16 x 9 1/8	.29	.28	.24	.235	.23	.225	.215
2104	2	R	5 1/2	x	5 1/2	5 1/8 x 4 5/8	.24	.23	.19	.185	.18	.175	.165
1842-B	1	R	5 1/2	x	5 5/8	5 1/8 x 4 3/4	.24	.23	.19	.185	.18	.175	.165
776	2	R	5 1/2	x	6	5 1/8 x 5 1/8	.25	.24	.20	.195	.19	.185	.175
809	2	R	5 1/2	x	6	5 1/8 x 5 1/8	.25	.24	.20	.195	.19	.185	.175
2588	1	S-BEADED	5 1/2	x	6	5 1/8 x 5 1/8	.25	.24	.20	.195	.19	.185	.175
1590	2	R	5 1/2	x	6 1/4	5 1/8 x 5 3/8	.25	.24	.20	.195	.19	.185	.175
1932	2	R	5 1/2	x	6 1/2	5 1/8 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
2714	2	R	5 1/2	x	6 3/4	5 1/8 x 5 7/8	.25	.24	.20	.195	.19	.185	.175
1120	2	R	5 1/2	x	7	5 1/8 x 6 1/8	.26	.25	.21	.205	.20	.195	.185
201	2	R	5 1/2	x	7 1/8	5 1/8 x 6 1/4	.26	.25	.21	.205	.20	.195	.185
4036	3	R	5 1/2	x	7 3/4	5 1/8 x 6 7/8	.265	.255	.215	.21	.205	.20	.19
2010	1	R	5 1/2	x	8	5 1/8 x 7 1/8	.27	.26	.22	.215	.21	.205	.195
217	1	S	5 1/2	x	8 1/4	5 1/8 x 7 3/8	.27	.26	.22	.215	.21	.205	.195
1124	2	R	5 1/2	x	8 3/8	5 1/8 x 7 1/2	.27	.26	.22	.215	.21	.205	.195
751	2	S	5 1/2	x	8 1/2	5 1/8 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
922	1	S	5 1/2	x	8 1/2	5 1/8 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
2113	1,2	R	5 1/2	x	8 1/2	5 1/8 x 7 5/8	.27	.26	.22	.215	.21	.205	.195
MOD.2517	1	R-K	5 1/2	x	8 5/8	5 1/8 x 7 3/4	.27	.26	.22	.215	.21	.205	.195
3870	2	R	5 1/2	x	8 5/8	5 1/8 x 7 3/4	.27	.26	.22	.215	.21	.205	.195
272	1,2	R	5 1/2	x	8 3/4	5 1/8 x 7 7/8	.27	.26	.22	.215	.21	.205	.195
2621	2	R11	5 1/2	x	8 7/8	5 1/8 x 8	.27	.26	.22	.215	.21	.205	.195
899	2	R-K	5 1/2	x	9	5 1/8 x 8 1/8	.28	.27	.23	.225	.22	.215	.205
2772	2	R	5 1/2	x	9 11/16	5 1/8 x 8 13/16	.28	.27	.23	.225	.22	.215	.205
3364	2	R	5 1/2	x	10	5 1/8 x 9 1/8	.29	.28	.24	.235	.23	.225	.215
3978	2	R	5 1/2	x	10 1/4	5 1/8 x 9 3/8	.29	.28	.24	.235	.23	.225	.215
2128	2	R	5 1/2	x	10 1/2	5 1/8 x 9 5/8	.29	.28	.24	.235	.23	.225	.215
1898	1,3	R	5 1/2	x	10 3/4	5 1/8 x 9 7/8	.29	.28	.24	.235	.23	.225	.215
2473	2	R	5 1/2	x	11 1/8	5 1/8 x 10 1/4	.30	.29	.25	.245	.24	.235	.225
1118	1	R	5 1/2	x	11 3/8	5 1/8 x 10 1/2	.30	.29	.25	.245	.24	.235	.225
1289	1	R	5 1/2	x	11 5/8	5 1/8 x 10 3/4	.30	.29	.25	.245	.24	.235	.225
2410	1	R	5 1/2	x	12 7/8	5 1/8 x 12	.31	.30	.26	.255	.25	.245	.235
94	1	R	5 1/2	x	13 15/16	5 1/8 x 13 1/16	.33	.32	.28	.275	.27	.265	.255

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3406	2	R	5 1/2	x	14 1/4	5 1/8 x 13 3/8	.33	.32	.28	.275	.27	.265	.255
3120	1	R	5 1/2	x	15 1/4	5 1/8 x 14 3/8	.34	.33	.29	.285	.28	.275	.265
1583-B	1	R	5 1/2	x	16 3/4	5 1/8 x 15 7/8	.35	.34	.30	.295	.29	.285	.275
3750	2	R	5 1/2	x	18 5/8	5 1/8 x 17 3/4	.37	.36	.32	.315	.31	.305	.295
2496	1	S	5 9/16	x	6 1/2	5 3/16 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
2679	1	R	5 9/16	x	8 3/8	5 3/16 x 7 1/2	.26	.25	.21	.205	.20	.195	.185
796	2	R	5 9/16	x	9 9/16	5 3/16 x 8 11/16	.28	.27	.23	.225	.22	.215	.205
326	2	S	5 9/16	x	10 1/16	5 3/16 x 9 3/16	.29	.28	.24	.235	.23	.225	.215
2879	2	R	5 9/16	x	14	5 3/16 x 13 1/8	.33	.32	.28	.275	.27	.265	.255
3141	2	R	5 5/8	x	5 5/8	5 1/4 x 4 3/4	.24	.23	.19	.185	.18	.175	.165
1884-F	1	R	5 5/8	x	5 7/8	5 1/4 x 5	.24	.23	.19	.185	.18	.175	.165
1842-C	1	R	5 5/8	x	6	5 1/4 x 5 1/8	.25	.24	.20	.195	.19	.185	.175
1820	1	R	5 5/8	x	6 1/8	5 1/4 x 5 1/4	.25	.24	.20	.195	.19	.185	.175
3033	2	R	5 5/8	x	6 3/8	5 1/4 x 5 1/2	.25	.24	.20	.195	.19	.185	.175
1842-D	1	R	5 5/8	x	6 1/2	5 1/4 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
1842-E	1	R	5 5/8	x	7	5 1/4 x 6 1/8	.26	.25	.21	.205	.20	.195	.185
1842-F	1	R	5 5/8	x	7 1/2	5 1/4 x 6 5/8	.25	.24	.20	.195	.19	.185	.175
3938	3	R	5 5/8	x	7 9/16	5 1/4 x 6 11/16	.25	.24	.20	.195	.19	.185	.175
180	2	R	5 5/8	x	7 3/4	5 1/4 x 6 7/8	.25	.24	.20	.195	.19	.185	.175
1842-G	1	R	5 5/8	x	8	5 1/4 x 7 1/8	.27	.26	.22	.215	.21	.205	.195
2793	2	R	5 5/8	x	8 3/16	5 1/4 x 7 5/16	.275	.265	.225	.22	.215	.21	.20
2625	2	R	5 5/8	x	8 3/8	5 1/4 x 7 1/2	.275	.265	.225	.22	.215	.21	.20
108-A	2	BIG-R	5 5/8	x	8 1/2	5 1/4 x 7 5/8	.275	.265	.225	.22	.215	.21	.20
108	2	R	5 5/8	x	8 3/4	5 1/4 x 8	.275	.265	.225	.22	.215	.21	.20
772	2	R	5 5/8	x	9	5 1/4 x 8 1/8	.28	.27	.23	.225	.22	.215	.205
3897	2	R	5 5/8	x	9 1/4	5 1/4 x 8 3/8	.28	.27	.23	.225	.22	.215	.205
1676	2	R	5 5/8	x	9 1/2	5 1/4 x 8 5/8	.28	.27	.23	.225	.22	.215	.205
2370	2	R	5 5/8	x	9 15/16	5 1/4 x 9 1/16	.28	.27	.23	.225	.22	.215	.205
2531	2	R	5 5/8	x	10 1/8	5 1/4 x 9 1/4	.29	.28	.24	.235	.23	.225	.215
3086	2	S	5 5/8	x	10 5/8	5 1/4 x 9 3/4	.29	.28	.24	.235	.23	.225	.215
2650	1	R	5 5/8	x	11	5 1/4 x 10 1/8	.30	.29	.25	.245	.24	.235	.225
3671	2	R	5 5/8	x	11 1/4	5 1/4 x 10 3/8	.30	.29	.25	.245	.24	.235	.225
199	2	R	5 5/8	x	11 1/2	5 1/4 x 10 5/8	.30	.29	.25	.245	.24	.235	.225
3530-MOD	1	R	5 5/8	x	11 7/8	5 1/4 x 11	.30	.29	.25	.245	.24	.235	.225
1584	2	R	5 5/8	x	12	5 1/4 x 11 1/8	.31	.30	.26	.255	.25	.245	.235
4035			5 5/8	x	13	5 1/4 x 12 1/8	.32	.31	.27	.265	.26	.255	.245
1801-B	1	R	5 5/8	x	16 9/16	5 1/4 x 15 11/16	.355	.345	.305	.30	.295	.29	.28
2633	1	R	5 5/8	x	22 5/16	5 1/4 x 21 7/16	.475	.465	.425	.42	.415	.41	.40
2550	1	R	5 11/16	x	6 1/4	5 5/16 x 5 3/8	.25	.24	.20	.195	.19	.185	.175
504	2	R	5 11/16	x	7 5/16	5 5/16 x 6 7/16	.26	.25	.21	.205	.20	.195	.185
3554	2	R	5 11/16	x	9 1/16	5 5/16 x 8 3/16	.28	.27	.23	.225	.22	.215	.205
392	1	R-K	5 11/16	x	9 7/8	5 5/16 x 9	.28	.27	.23	.225	.22	.215	.205
3201	3	R	5 11/16	x	12 5/16	5 5/16 x 11 7/16	.31	.30	.26	.255	.25	.245	.235

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1916	1	R	5 11/16	x	13 1/2	5 5/16 x 11 5/8	.32	.31	.27	.265	.26	.255	.245
1944	1	R	5 3/4	x	6	5 3/8 x 5 1/8	.25	.24	.20	.195	.19	.185	.175
1704	2	S-K	5 3/4	x	6 1/2	5 3/8 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
3846	1	R	5 3/4	x	6 1/2	5 3/8 x 5 5/8	.25	.24	.20	.195	.19	.185	.175
3893	2	R	5 3/4	x	6 5/8	5 3/8 x 5 3/4	.25	.24	.20	.195	.19	.185	.175
1890	2	R	5 3/4	x	6 11/16	5 3/8 x 5 13/16	.25	.24	.20	.195	.19	.185	.175
1799	2	R	5 3/4	x	7 1/8	5 3/8 x 6 1/4	.26	.25	.21	.205	.20	.195	.185
664	2	R	5 3/4	x	7 1/4	5 3/8 x 6 3/8	.26	.25	.21	.205	.20	.195	.185
3000	3	S	5 3/4	x	7 5/8	5 3/8 x 6 3/4	.26	.25	.21	.205	.20	.195	.185
2869	2	R	5 3/4	x	8	5 3/8 x 7 1/8	.27	.26	.22	.215	.21	.205	.195
2766	1	R	5 3/4	x	8 1/8	5 3/8 x 7 1/4	.27	.26	.22	.215	.21	.205	.195
3419	1	R	5 3/4	x	8 1/4	5 3/8 x 7 3/8	.27	.26	.22	.215	.21	.205	.195
3878	2	R	5 3/4	x	8 3/8	5 3/8 x 7 1/2	.27	.26	.22	.215	.21	.205	.195
3313	2	R	5 3/4	x	8 5/8	5 3/8 x 7 3/4	.27	.26	.22	.215	.21	.205	.195
1901	2	R	5 3/4	x	8 7/8	5 3/8 x 8	.27	.26	.22	.215	.21	.205	.195
3233	2	R	5 3/4	x	9 1/4	5 3/8 x 8 3/8	.28	.27	.23	.225	.22	.215	.205
3553	2	R	5 3/4	x	9 3/8	5 3/8 x 8 1/2	.29	.28	.24	.235	.23	.225	.215
2761	2	R-2 DIE	5 3/4	x	9 1/2	5 3/8 x 8 5/8	.29	.28	.24	.235	.23	.225	.215
2759	2	R	5 3/4	x	9 3/4	5 3/8 x 8 7/8	.29	.28	.24	.235	.23	.225	.215
2096	2	R	5 3/4	x	10 1/4	5 3/8 x 9 3/8	.295	.285	.245	.24	.235	.23	.22
3749	2	R	5 3/4	x	10 3/8	5 3/8 x 9 1/2	.295	.285	.245	.24	.235	.23	.22
2870	2	R-K	5 3/4	x	10 1/2	5 3/8 x 9 5/8	.295	.285	.245	.24	.235	.23	.22
3984	2	R-BEADED	5 3/4	x	10 1/2	5 3/8 x 9 5/8	.295	.285	.245	.24	.235	.23	.22
3105	2	R	5 3/4	x	10 3/4	5 3/8 x 9 7/8	.295	.285	.245	.24	.235	.23	.22
3537	2	R	5 3/4	x	11 1/4	5 3/8 x 10 3/8	.31	.30	.26	.255	.25	.245	.235
3219	3	R	5 3/4	x	12	5 3/8 x 11 1/8	.31	.30	.26	.255	.25	.245	.235
1498	1	R	5 3/4	x	14 5/8	5 3/8 x 13 3/4	.34	.33	.29	.285	.28	.275	.265
2030	1	R	5 3/4	x	17 1/4	5 3/8 x 16 3/8	.365	.355	.315	.31	.305	.30	.29
247	2	S	5 13/16	x	5 13/16	5 7/16 x 5	.245	.235	.195	.19	.185	.18	.17
2235	2	R	5 13/16	x	6 13/16	5 7/16 x 6	.255	.245	.205	.20	.195	.19	.18
2242	2	R	5 13/16	x	6 15/16	5 7/16 x 6 1/16	.255	.245	.205	.20	.195	.19	.18
975	1	R	5 13/16	x	7 1/8	5 7/16 x 6 1/4	.265	.255	.215	.21	.205	.20	.19
869	2	R	5 13/16	x	7 3/8	5 7/16 x 6 1/2	.265	.255	.215	.21	.205	.20	.19
2274	2	R	5 13/16	x	8 5/16	5 7/16 x 7 7/16	.275	.265	.225	.22	.215	.21	.20
3312	2	R	5 13/16	x	8 7/8	5 7/16 x 8	.275	.265	.225	.22	.215	.21	.20
275	2	S	5 13/16	x	9 3/16	5 7/16 x 8 5/16	.285	.275	.235	.23	.225	.22	.21
2747	2	R	5 13/16	x	9 7/8	5 7/16 x 9	.285	.275	.235	.23	.225	.22	.21
3015	2	R	5 13/16	x	10 1/4	5 7/16 x 9 3/8	.295	.285	.245	.24	.235	.23	.22
1894-G	1	R	5 7/8	x	5 7/8	5 1/2 x 5	.26	.25	.21	.205	.20	.195	.185
1447	2	R	5 7/8	x	6	5 1/2 x 5 1/8	.26	.25	.21	.205	.20	.195	.185
1894-H	1	R	5 7/8	x	6	5 1/2 x 5 1/8	.26	.25	.21	.205	.20	.195	.185
663	3	R	5 7/8	x	6 5/16	5 1/2 x 5 7/16	.26	.25	.21	.205	.20	.195	.185
1894-I	1	R	5 7/8	x	6 3/8	5 1/2 x 5 1/2	.26	.25	.21	.205	.20	.195	.185

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
214	1	S	5 7/8	x	6 1/2	5 1/2 x 5 5/8	.26	.25	.21	.205	.20	.195	.185
1894-J	1	R	5 7/8	x	6 3/4	5 1/2 x 5 7/8	.26	.25	.21	.205	.20	.195	.185
1894-K	1	R	5 7/8	x	7 1/8	5 1/2 x 6 1/4	.265	.255	.215	.21	.205	.20	.19
1928	2	R	5 7/8	x	7 3/8	5 1/2 x 6 1/2	.265	.255	.215	.21	.205	.20	.19
1294	1	R	5 7/8	x	7 1/2	5 1/2 x 6 5/8	.265	.255	.215	.21	.205	.20	.19
3692	2	R	5 7/8	x	7 5/8	5 1/2 x 6 3/4	.265	.255	.215	.21	.205	.20	.19
1308	2	R	5 7/8	x	7 13/16	5 1/2 x 7	.265	.255	.215	.21	.205	.20	.19
1392	1	R	5 7/8	x	7 15/16	5 1/2 x 7 1/16	.265	.255	.215	.21	.205	.20	.19
3050	1	R	5 7/8	x	8	5 1/2 x 7 1/8	.275	.265	.225	.22	.215	.21	.20
2359	2	R	5 7/8	x	8 3/8	5 1/2 x 7 1/2	.275	.265	.225	.22	.215	.21	.20
939	1,2	S	5 7/8	x	8 1/2	5 1/2 x 7 5/8	.275	.265	.225	.22	.215	.21	.20
1895-D	1	R	5 7/8	x	8 1/2	5 1/2 x 7 5/8	.275	.265	.225	.22	.215	.21	.20
2299-C	1	R	5 7/8	x	8 5/8	5 1/2 x 7 3/4	.275	.265	.225	.22	.215	.21	.20
2014-D	1	R	5 7/8	x	8 7/8	5 1/2 x 8	.275	.265	.225	.22	.215	.21	.20
3569	3	R	5 7/8	x	8 7/8	5 1/2 x 8	.275	.265	.225	.22	.215	.21	.20
189	1,2	R	5 7/8	x	9	5 1/2 x 8 1/8	.29	.28	.24	.235	.23	.225	.215
3897	2	R	5 7/8	x	9 1/4	5 1/2 x 8 3/8	.29	.28	.24	.235	.23	.225	.215
3783	2	R	5 7/8	x	9 3/8	5 1/2 x 8 1/2	.29	.28	.24	.235	.23	.225	.215
879	2	R	5 7/8	x	9 1/2	5 1/2 x 8 5/8	.29	.28	.24	.235	.23	.225	.215
1446	1	S-K	5 7/8	x	9 1/2	5 1/2 x 8 5/8	.29	.28	.24	.235	.23	.225	.215
2649	1	R	5 7/8	x	9 11/16	5 1/2 x 8 13/16	.29	.28	.24	.235	.23	.225	.215
3066	1	R	5 7/8	x	9 7/8	5 1/2 x 9	.29	.28	.24	.235	.23	.225	.215
2838	1	R	5 7/8	x	10 1/2	5 1/2 x 9 5/8	.295	.285	.245	.24	.235	.23	.22
2847	2	R	5 7/8	x	12 7/8	5 1/2 x 12	.325	.315	.275	.27	.265	.26	.25
3250	1	R	5 7/8	x	14 3/8	5 1/2 x 13 1/2	.34	.33	.29	.285	.28	.275	.265
1626	1	R	5 7/8	x	14 1/2	5 1/2 x 13 5/8	.34	.33	.29	.285	.28	.275	.265
3782	1	R	5 7/8	x	17 3/8	5 1/2 x 16 1/2	.37	.36	.30	.295	.29	.285	.275
95	1	R	5 7/8	x	18 3/16	5 1/2 x 17 5/16	.375	.365	.355	.35	.345	.34	.33
2553	4	R	5 15/16	x	6 1/4	5 9/16 x 5 3/8	.26	.25	.21	.205	.20	.195	.185
2502	1	BIG-R5 15/16	5 15/16	x	7 3/4	5 9/16 x 6 7/8	.27	.26	.22	.215	.21	.205	.195
2033	2	R	5 15/16	x	8 1/4	5 9/16 x 7 3/8	.28	.27	.23	.225	.22	.215	.205
841	1,2	R	5 15/16	x	8 3/4	5 9/16 x 7 7/8	.28	.27	.23	.225	.22	.215	.205
1472	1	R	5 15/16	x	9	5 9/16 x 8 1/8	.29	.28	.24	.235	.23	.225	.215
2148	2	R	5 15/16	x	9	5 9/16 x 8 1/8	.29	.28	.24	.235	.23	.225	.215
736	2	R	5 15/16	x	11 1/2	5 9/16 x 10 5/8	.315	.305	.265	.26	.255	.25	.24
2291	2	R	6	x	6	5 5/8 x 5 1/8	.26	.25	.21	.205	.20	.195	.185
638	2	S	6	x	6 1/8	5 5/8 x 5 1/4	.26	.25	.21	.205	.20	.195	.185
1624	2	R	6	x	6 1/2	5 5/8 x 5 5/8	.26	.25	.21	.205	.20	.195	.185
571	2	R	6	x	7	5 5/8 x 6 1/8	.27	.26	.22	.215	.21	.205	.195
2135	2	R	6	x	7	5 5/8 x 6 1/8	.27	.26	.22	.215	.21	.205	.195
1319	1	R	6	x	7 1/4	5 5/8 x 6 3/8	.275	.265	.225	.22	.215	.21	.20
1807	2	R	6	x	7 3/8	5 5/8 x 6 1/2	.275	.265	.225	.22	.215	.21	.20
2445	2	R	6	x	7 3/4	5 5/8 x 6 7/8	.275	.265	.225	.22	.215	.21	.20

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
596	4	R	6	x	8	5 5/8 x 7 1/8	.285	.275	.235	.23	.225	.22	.21
2938	2	R	6	x	8 1/8	5 5/8 x 7 1/4	.285	.275	.235	.23	.225	.22	.21
4015	2	R	6	x	8 ¼	5 5/8 x 7 3/8	.285	.275	.235	.23	.225	.22	.21
3235	1	R	6	x	8 3/8	5 5/8 x 7 1/2	.285	.275	.235	.23	.225	.22	.21
1325	1	R	6	x	8 1/2	5 5/8 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
MOD.2517	1	R-K	6	x	8 5/8	5 5/8 x 7 3/4	.285	.275	.235	.23	.225	.22	.21
2368	2	R	6	x	8 5/8	5 5/8 x 7 3/4	.285	.275	.235	.23	.225	.22	.21
2779	1	S-K	6	x	8 13/16	5 5/8 x 7 15/16	.285	.275	.235	.23	.225	.22	.21
2002	1,2,3	R	6	x	9	5 5/8 x 8 1/8	.295	.285	.245	.24	.235	.23	.22
2086	1	R-K	6	x	9 1/8	5 5/8 x 8 1/4	.295	.285	.245	.24	.235	.23	.22
630	1,2	R	6	x	9 1/4	5 5/8 x 8 3/8	.295	.285	.245	.24	.235	.23	.22
412	2	R	6	x	9 5/16	5 5/8 x 8 7/16	.295	.285	.245	.24	.235	.23	.22
2465	1	R	6	x	9 1/2	5 5/8 x 8 5/8	.295	.285	.245	.24	.235	.23	.22
3420	1	R	6	x	10 3/8	5 5/8 x 9 1/2	.305	.295	.255	.25	.245	.24	.23
3335	2	R	6	x	10 5/8	5 5/8 x 9 3/4	.305	.295	.255	.25	.245	.24	.23
739	2	R	6	x	11	5 5/8 x 10 1/8	.315	.305	.265	.26	.255	.25	.24
1815	1	R	6	x	11 1/4	5 5/8 x 10 3/8	.315	.305	.265	.26	.255	.25	.24
3468	1	S	6	x	11 1/4	5 5/8 x 10 3/8	.315	.305	.265	.26	.255	.25	.24
1661-B	1	R	6	x	11 7/16	5 5/8 x 10 9/16	.315	.305	.265	.26	.255	.25	.24
1383	1	R	6	x	11 1/2	5 5/8 x 10 5/8	.315	.305	.265	.26	.255	.25	.24
2902	2	R	6	x	12	5 5/8 x 11 1/8	.325	.315	.275	.27	.265	.26	.25
1633	2	R	6	x	12 1/8	5 5/8 x 11 1/4	.325	.315	.275	.27	.265	.26	.25
1509	2	R	6	x	12 1/2	5 5/8 x 11 5/8	.325	.315	.275	.27	.265	.26	.25
1250	1	R	6	x	14	5 5/8 x 13 1/8	.345	.335	.295	.29	.285	.28	.27
1759	1	R	6	x	14 13/16	5 5/8 x 14	.345	.335	.295	.29	.285	.28	.27
3052	2	R	6	x	15 3/4	5 5/8 x 14 7/8	.355	.345	.305	.30	.295	.29	.28
3737	1	R	6	x	22 5/16	5 5/8 x 21 7/16	.43	.42	.38	.375	.37	.365	.355
2878	2	R	6 1/16	x	8 11/16	5 11/16 x 7 13/16	.285	.275	.235	.23	.225	.22	.21
974	2	R	6 1/16	x	10	5 11/16 x 9 1/8	.305	.295	.255	.25	.245	.24	.23
823	2	R	6 1/8	x	6 1/8	5 3/4 x 5 1/4	.265	.255	.215	.21	.205	.20	.19
343	1,3	R	6 1/8	x	6 5/16	5 3/4 x 5 7/16	.265	.255	.215	.21	.205	.20	.19
3505	3	R	6 1/8	x	7 1/8	5 3/4 x 6 1/4	.275	.265	.225	.22	.215	.21	.20
2806	3	R	6 1/8	x	7 3/8	5 3/4 x 6 1/2	.275	.265	.225	.22	.215	.21	.20
3385	1		6 1/8	x	7 7/16	5 3/4 x 6 9/16	.275	.265	.225	.22	.215	.21	.20
1614	1	R	6 1/8	x	8	5 3/4 x 7 1/8	.285	.275	.235	.23	.225	.22	.21
293	2	R	6 1/8	x	8 5/8	5 3/4 x 7 3/4	.285	.275	.235	.23	.225	.22	.21
1212	1	R	6 1/8	x	8 11/16	5 3/4 x 7 13/16	.285	.275	.235	.23	.225	.22	.21
318	1	S	6 1/8	x	8 7/8	5 3/4 x 8	.285	.275	.235	.23	.225	.22	.21
895	1	R	6 1/8	x	8 7/8	5 3/4 x 8	.285	.275	.235	.23	.225	.22	.21
1409	1	R	6 1/8	x	9 1/8	5 3/4 x 8 1/4	.295	.285	.245	.24	.235	.23	.22
765	1	R	6 1/8	x	9 5/8	5 3/4 x 8 3/4	.295	.285	.245	.24	.235	.23	.22
754	2	R	6 1/8	x	10 1/2	5 3/4 x 9 5/8	.305	.295	.255	.25	.245	.24	.23
128	1	R	6 1/8	x	10 5/8	5 3/4 x 9 3/4	.305	.295	.255	.25	.245	.24	.23

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2084	2	R	6 1/8	x	10 7/8	5 3/4 x 10	.305	.295	.255	.25	.245	.24	.23
1970	1	R	6 1/8	x	11 1/2	5 3/4 x 10 5/8	.315	.305	.265	.26	.255	.25	.24
3814	2	R	6 1/8	x	11 7/8	5 3/4 x 11 1/2	.315	.305	.265	.26	.255	.25	.24
1511	2	R	6 1/8	x	12 3/8	5 3/4 x 11 1/2	.325	.315	.275	.27	.265	.26	.25
481	1	R	6 1/8	x	13 3/8	5 3/4 x 12 1/2	.335	.325	.285	.28	.275	.27	.26
2768	3	R	6 1/8	x	13 1/2	5 3/4 x 12 5/8	.335	.325	.285	.28	.275	.27	.26
1983-A	1	R	6 1/8	x	15	5 3/4 x 14 1/8	.36	.35	.31	.305	.30	.295	.285
956	1	R	6 3/16	x	9 1/8	5 13/16 x 8 1/4	.295	.285	.245	.24	.235	.23	.22
562	2	R	6 3/16	x	9 3/16	5 13/16 x 8 5/16	.295	.285	.245	.24	.235	.23	.22
782	2	R	6 3/16	x	9 1/2	5 13/16 x 8 5/8	.295	.285	.245	.24	.235	.23	.22
2622	4	R	6 1/4	x	6 1/4	5 7/8 x 5 3/8	.27	.26	.22	.215	.21	.205	.195
717	2	R	6 1/4	x	6 3/8	5 7/8 x 5 1/2	.27	.26	.22	.215	.21	.205	.195
2194	1	S	6 1/4	x	6 1/2	5 7/8 x 5 5/8	.27	.26	.22	.215	.21	.205	.195
407	2	R	6 1/4	x	6 5/8	5 7/8 x 5 3/4	.27	.26	.22	.215	.21	.205	.195
3898	2	R	6 ¼	x	6 11/16	5 7/8 x 5 13/16	.27	.26	.22	.215	.21	.205	.195
1924	2	R-K	6 1/4	x	6 3/4	5 7/8 x 5 7/8	.27	.26	.22	.215	.21	.205	.195
443	2	R	6 1/4	x	6 15/16	5 7/8 x 6 1/16	.27	.26	.22	.215	.21	.205	.195
2362	1	S	6 1/4	x	6 15/16	5 7/8 x 6 1/16	.27	.26	.22	.215	.21	.205	.195
3259	1	R	6 1/4	x	7	5 7/8 x 6 1/8	.27	.26	.22	.215	.21	.205	.195
2206	2	R	6 1/4	x	7 1/2	5 7/8 x 6 5/8	.28	.27	.23	.225	.22	.215	.205
3032	3	R-K	6 1/4	x	7 11/16	5 7/8 x 6 13/16	.28	.27	.23	.225	.22	.215	.205
385	2	R	6 1/4	x	7 3/4	5 7/8 x 6 7/8	.28	.27	.23	.225	.22	.215	.205
2394	1	R	6 1/4	x	7 13/16	5 7/8 x 7	.28	.27	.23	.225	.22	.215	.205
2435	2	R	6 1/4	x	7 7/8	5 7/8 x 7	.28	.27	.23	.225	.22	.215	.205
2144	2	R	6 1/4	x	8	5 7/8 x 7 1/8	.28	.27	.23	.225	.22	.215	.205
3050	1	R	6 1/4	x	8	5 7/8 x 7 1/8	.28	.27	.23	.225	.22	.215	.205
3142	2	R	6 1/4	x	8 1/8	5 7/8 x 7 1/4	.28	.27	.23	.225	.22	.215	.205
3563	2	R	6 1/4	x	8 5/8	5 7/8 x 7 3/4	.29	.28	.24	.235	.23	.225	.215
3475	2	R	6 1/4	x	8 3/4	5 7/8 x 7 7/8	.29	.28	.24	.235	.23	.225	.215
2475	2	R	6 1/4	x	8 7/8	5 7/8 x 8	.29	.28	.24	.235	.23	.225	.215
93	1	R	6 1/4	x	9	5 7/8 x 8 1/8	.30	.29	.25	.245	.24	.235	.225
3342	3	R	6 1/4	x	9 1/8	5 7/8 x 8 1/4	.30	.29	.25	.245	.24	.235	.225
542	2	R	6 1/4	x	9 3/8	5 7/8 x 8 1/2	.30	.29	.25	.245	.24	.235	.225
3837-MOD	1	R	6 1/4	x	9 3/8	5 7/8 x 8 1/2	.30	.29	.25	.245	.24	.235	.225
3614	1	R	6 ¼	x	9 7/8	5 7/8 x 9	.30	.29	.25	.245	.24	.235	.225
3080	1	R	6 1/4	x	10	5 7/8 x 9 1/8	.31	.30	.26	.255	.25	.245	.235
3912	2	R	6 1/4	x	11 1/4	5 7/8 x 10 3/8	.32	.31	.27	.265	.26	.255	.245
3993-MOD	1	R	6 ¼	x	11 ¼	5 7/8 x 10 3/8	.32	.31	.27	.265	.26	.255	.245
3009	1	R	6 1/4	x	12	5 7/8 x 11 1/8	.33	.32	.28	.275	.27	.265	.255
1595	1	R	6 1/4	x	12 1/2	5 7/8 x 11 5/8	.33	.32	.28	.275	.27	.265	.255
3913	2	R	6 ¼	x	12 15/16	5 7/8 x 12	.33	.32	.28	.275	.27	.265	.255
2272	1	R	6 1/4	x	16 1/8	5 7/8 x 15 1/4	.37	.36	.32	.315	.31	.305	.295
1583-C	1	R	6 1/4	x	16 3/4	5 7/8 x 16	.37	.36	.32	.315	.31	.305	.295

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1765	2	R-K	6 5/16	x	6 1/2	5 16/16 x 5 5/8	.27	.26	.22	.215	.21	.205	.195
1766	2	R	6 5/16	x	6 1/2	5 15/16 x 5 5/8	.27	.26	.22	.215	.21	.205	.195
1592	2	R	6 5/16	x	6 5/8	5 15/16 x 5 3/4	.27	.26	.22	.215	.21	.205	.195
415	1,2	R	6 5/16	x	7 1/4	5 15/16 x 6 3/8	.27	.26	.22	.215	.21	.205	.195
467	2	R	6 5/16	x	7 11/16	5 15/16 x 6 13/16	.28	.27	.23	.225	.22	.215	.205
798	2	R	6 5/16	x	7 7/8	5 15/16 x 7	.28	.27	.23	.225	.22	.215	.205
1740	2	R	6 5/16	x	8	5 15/16 x 7 1/8	.29	.28	.24	.235	.23	.225	.215
1111	2	R	6 5/16	x	8 1/8	5 15/16 x 7 1/4	.29	.28	.24	.235	.23	.225	.215
543	2	R	6 5/16	x	8 3/8	5 15/16 x 7 1/2	.29	.28	.24	.235	.23	.225	.215
1410	1	R	6 5/16	x	8 3/8	5 15/16 x 7 1/2	.29	.28	.24	.235	.23	.225	.215
2225	2	R	6 5/16	x	8 3/8	5 15/16 x 7 1/2	.29	.28	.24	.235	.23	.225	.215
2317	1	S-K	6 5/16	x	8 9/16	5 15/16 x 7 11/16	.29	.28	.24	.235	.23	.225	.215
602	2	R	6 5/16	x	9 9/16	5 15/16 x 8 11/16	.30	.29	.25	.245	.24	.235	.225
1121	1	R	6 3/8	x	6 5/8	6 x 5 3/4	.27	.26	.22	.215	.21	.205	.195
1349	1	R	6 3/8	x	7	6 x 6 1/8	.28	.27	.23	.225	.22	.215	.205
1726	2	S-K	6 3/8	x	7 1/8		.28	.27	.23	.225	.22	.215	.205
2620	2	R	6 3/8	x	7 1/4	6 x 6 3/8	.28	.27	.23	.225	.22	.215	.205
1696	2	R	6 3/8	x	7 3/8	6 x 6 1/2	.28	.27	.23	.225	.22	.215	.205
3395	3	R	6 3/8	x	7 1/2	6 x 6 5/8	.28	.27	.23	.225	.22	.215	.205
876	2	R	6 3/8	x	7 5/8	6 x 6 3/4	.28	.27	.23	.225	.22	.215	.205
2492	2	R	6 3/8	x	7 7/8	6 x 7	.28	.27	.23	.225	.22	.215	.205
3740	1	R	6 3/8	x	8 1/4	6 x 7 3/8	.285	.275	.235	.23	.225	.22	.21
1260	1	R	6 3/8	x	8 1/2	6 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
882	1	R	6 3/8	x	8 9/16	6 x 7 11/16	.285	.275	.235	.23	.225	.22	.21
3791	2	R	6 3/8	x	8 7/8	6 x 8	.295	.285	.245	.24	.235	.23	.22
2358	1	R	6 3/8	x	9	6 x 8 1/8	.295	.285	.245	.24	.235	.23	.22
1466	2	R	6 3/8	x	9 3/8	6 x 8 1/2	.295	.285	.245	.24	.235	.23	.22
3396	2	R	6 3/8	x	9 5/8	6 x 8 3/4	.295	.285	.245	.24	.235	.23	.22
2289	1	R	6 3/8	x	10 1/2	6 x 9 5/8	.305	.295	.255	.25	.245	.24	.23
3632-MOD	1	R	6 3/8	x	11 3/8	6 x 10 1/2	.32	.31	.27	.265	.26	.255	.245
257	1,2	S	6 3/8	x	11 11/16	6 x 10 13/16	.32	.31	.27	.265	.26	.255	.245
3530-MOD	1	R	6 3/8	x	11 7/8	6 x 11	.32	.31	.27	.265	.26	.255	.245
3309	1	R	6 3/8	x	13	6 x 12 1/8	.335	.325	.285	.28	.275	.27	.26
3248	2	R	6 3/8	x	14 3/8	6 x 13 1/2	.345	.335	.295	.29	.285	.28	.27
1591	1	R	6 3/8	x	14 7/8	6 x 14	.35	.34	.30	.295	.29	.285	.275
1801-C	1	R	6 3/8	x	16 9/16	6 x 15 11/16	.365	.355	.315	.31	.305	.30	.29
2708	2	R	6 3/8	x	17	6 x 16 1/8	.375	.365	.325	.32	.315	.31	.30
1241	1	R	6 3/8	x	17 1/4	6 x 16 3/8	.375	.365	.325	.32	.315	.31	.30
3969	1	R	6 3/8	x	20 5/8	6 x 19 3/4	.415	.405	.365	.36	.355	.35	.34
3932	1,2	R	6 7/16	x	7 5/8	6 1/16 x 6 3/4	.28	.27	.23	.225	.22	.215	.205
1286	2	R	6 7/16	x	8 11/16	6 1/16 x 7 13/16	.285	.275	.235	.23	.225	.22	.21
466	2	R	6 7/16	x	8 7/8	6 1/16 x 8	.285	.275	.235	.23	.225	.22	.21
611	2	R	6 7/16	x	9	6 1/16 x 8 1/8	.295	.285	.245	.24	.235	.23	.22

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3386	2	R	6 7/16	x	9 3/8	6 1/16 x 8 1/2	.295	.285	.245	.24	.235	.23	.22
109	2	R	6 7/16	x	9 7/8	6 1/16 x 9	.295	.285	.245	.24	.235	.23	.22
3931	1,2	R	6 7/16	x	11 3/8	6 1/16 x 10 1/2	.315	.305	.265	.26	.255	.25	.24
138	1	R	6 7/16	x	12 1/2	6 1/16 x 11 5/8	.325	.315	.275	.27	.265	.26	.25
3838	2	R	6 1/2	x	6 1/2	6 1/8 x 5 5/8	.275	.265	.225	.22	.215	.21	.20
3927	2	R	6 1/2	x	6 3/4	6 1/8 x 5 7/8	.275	.265	.225	.22	.215	.21	.20
746	2	R	6 1/2	x	7	6 1/8 x 6 1/8	.275	.265	.225	.22	.215	.21	.20
1641	2	R	6 1/2	x	7 1/16	6 1/8 x 6 3/16	.275	.265	.225	.22	.215	.21	.20
3506	3	R	6 1/2	x	7 1/8	6 1/8 x 6 1/4	.275	.265	.225	.22	.215	.21	.20
1855	1	R	6 1/2	x	7 3/8	6 1/8 x 6 1/2	.275	.265	.225	.22	.215	.21	.20
1705	2	S	6 1/2	x	7 1/2	6 1/8 x 6 5/8	.275	.265	.225	.22	.215	.21	.20
753	2	R	6 1/2	x	7 3/4	6 1/8 x 6 7/8	.275	.265	.225	.22	.215	.21	.20
3331	2	R	6 1/2	x	7 7/8	6 1/8 x 7	.275	.265	.225	.22	.215	.21	.20
1628	2	R	6 1/2	x	8 1/16	6 1/8 x 7 3/16	.275	.265	.225	.22	.215	.21	.20
3321	1	S	6 1/2	x	8 1/16	6 1/8 x 7 3/16	.275	.265	.225	.22	.215	.21	.20
3448	1	R	6 1/2	x	8 1/4	6 1/8 x 7 3/8	.285	.275	.235	.23	.225	.22	.21
3468	2	R	6 1/2	x	8 1/4	6 1/8 x 7 3/8	.285	.275	.235	.23	.225	.22	.21
1863	1	R	6 1/2	x	8 1/2	6 1/8 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
1895-E	1	R	6 1/2	x	8 1/2	6 1/8 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
2299-D	1	R	6 1/2	x	8 5/8	6 1/8 x 7 3/4	.285	.275	.235	.23	.225	.22	.21
MOD.2517	1	R-K	6 1/2	x	8 5/8	6 1/8 x 7 3/4	.285	.275	.235	.23	.225	.22	.21
1311	2	R	6 1/2	x	8 3/4	6 1/8 x 7 7/8	.285	.275	.235	.23	.225	.22	.21
1761	1	R	6 1/2	x	8 13/16	6 1/8 x 8	.285	.275	.235	.23	.225	.22	.21
2014-E	1	R	6 1/2	x	8 7/8	6 1/8 x 8	.285	.275	.235	.23	.225	.22	.21
3686	1	R	6 1/2	x	9	6 1/8 x 8 1/8	.285	.275	.235	.23	.225	.22	.21
2369	1	R	6 1/2	x	9 1/8	6 1/8 x 8 1/4	.295	.285	.245	.24	.235	.23	.22
1782	1	R	6 1/2	x	9 1/4	6 1/8 x 8 3/8	.295	.285	.245	.24	.235	.23	.22
2251	1	R	6 1/2	x	9 3/8	6 1/8 x 8 1/2	.295	.285	.245	.24	.235	.23	.22
2564	2	R	6 1/2	x	9 1/2	6 1/8 x 8 5/8	.295	.285	.245	.24	.235	.23	.22
482	2	R	6 1/2	x	9 3/4	6 1/8 x 9	.295	.285	.245	.24	.235	.23	.22
1871	2	R	6 1/2	x	10	6 1/8 x 9 1/8	.305	.295	.255	.25	.245	.24	.23
1201	2	R	6 1/2	x	10 1/8	6 1/8 x 9 1/4	.305	.295	.255	.25	.245	.24	.23
3131	1	R	6 1/2	x	10 5/16	6 1/8 x 9 7/16	.305	.295	.255	.25	.245	.24	.23
1280	1	R	6 1/2	x	10 1/2	6 1/8 x 9 5/8	.305	.295	.255	.25	.245	.24	.23
3873	2	R	6 1/2	x	10 11/16	6 1/8 x 9 13/16	.305	.295	.255	.25	.245	.24	.23
2134	1	R	6 1/2	x	11 5/16	6 1/8 x 10 7/16	.315	.305	.265	.26	.255	.25	.24
2512	2	R	6 1/2	x	11 5/16	6 1/8 x 10 7/16	.315	.305	.265	.26	.255	.25	.24
2818	1	R	6 1/2	x	11 7/16	6 1/8 x 10 9/16	.315	.305	.265	.26	.255	.25	.24
1321	1	R	6 1/2	x	11 1/2	6 1/8 x 10 5/8	.315	.305	.265	.26	.255	.25	.24
1721	1	R	6 1/2	x	12	6 1/8 x 11 1/8	.325	.315	.275	.27	.265	.26	.25
3403	2	R	6 1/2	x	12 1/4	6 1/8 x 11 3/8	.325	.315	.275	.27	.265	.26	.25
1760	2	R	6 1/2	x	13 1/2	6 1/8 x 12 5/8	.325	.315	.275	.27	.265	.26	.25
3836-MOD	1	R	6 1/2	x	14 1/4	6 1/8 x 13 3/8	.335	.325	.285	.28	.275	.27	.26

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3957	2	R	6 1/2	x	20	6 1/8 x 19 1/8	.405	.395	.355	.35	.345	.34	.33
3930	2	R	6 1/2	x	24 1/2	6 1/8 x 23 5/8	.455	.445	.405	.40	.395	.39	.38
835	1	R-K	6 9/16	x	7 1/8	6 3/16 x 6 1/4	.275	.265	.225	.22	.215	.21	.20
834	1,2	R	6 9/16	x	7 1/4	6 3/16 x 6 3/8	.275	.265	.225	.22	.215	.21	.20
170	2	R	6 9/16	x	7 5/8	6 3/16 x 6 3/4	.275	.265	.225	.22	.215	.21	.20
2426	1	R	6 9/16	x	8 1/2	6 3/16 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
686	1	R	6 9/16	x	8 3/4	6 3/16 x 7 7/8	.285	.275	.235	.23	.225	.22	.21
3380	2	R	6 9/16	x	9 1/2	6 3/16 x 8 5/8	.295	.285	.245	.24	.235	.23	.22
1957	2	S	6 5/8	x	6 7/8	6 1/4 x 6	.275	.265	.225	.22	.215	.21	.20
300	2	R	6 5/8	x	7 1/16	6 1/4 x 6 3/16	.275	.265	.225	.22	.215	.21	.20
769	1	R	6 5/8	x	7 3/4	6 1/4 x 7	.275	.265	.225	.22	.215	.21	.20
2583	2	R	6 5/8	x	8 1/8	6 1/4 x 7 1/4	.285	.275	.235	.23	.225	.22	.21
2829	2	R	6 5/8	x	8 1/8	6 1/4 x 7 1/4	.285	.275	.235	.23	.225	.22	.21
1806	2	R	6 5/8	x	8 3/8	6 1/4 x 7 1/2	.285	.275	.235	.23	.225	.22	.21
3991	2	R-BEADED	6 5/8	x	8 9/16	6 1/4 x 7 11/16	.285	.275	.235	.23	.225	.22	.21
1773	2	R	6 5/8	x	8 7/8	6 1/4 x 8	.285	.275	.235	.23	.225	.22	.21
2688	1	R	6 5/8	x	9 1/4	6 1/4 x 8 3/8	.295	.285	.245	.24	.235	.23	.22
3877	1	R	6 5/8	x	9 5/16	6 1/4 x 8 7/16	.295	.285	.245	.24	.235	.23	.22
3068	1	R	6 5/8	x	9 7/8	6 1/4 x 9	.295	.285	.245	.24	.235	.23	.22
3954	2	R	6 5/8	x	9 15/16	6 1/4 x 9 1/16	.295	.285	.245	.24	.235	.23	.22
1046	2	S	6 5/8	x	10 1/2	6 1/4 x 9 5/8	.315	.305	.265	.26	.255	.25	.24
1837	1	R	6 5/8	x	10 3/4	6 1/4 x 10	.315	.305	.265	.26	.255	.25	.24
3858	2	R	6 5/8	x	12 5/8	6 1/4 x 11 3/4	.335	.325	.285	.28	.275	.27	.26
3806	2	R	6 5/8	x	13 5/8	6 1/4 x 12 3/4	.345	.335	.295	.29	.285	.28	.27
3820	2	R	6 5/8	x	17	6 1/4 x 16 1/8	.385	.375	.335	.33	.325	.32	.31
2145	1	R	6 5/8	x	17 3/8	6 1/4 x 16 1/2	.385	.375	.335	.33	.325	.32	.31
1010	2	R	6 11/16	x	7 3/8	6 5/16 x 6 1/2	.275	.265	.225	.22	.215	.21	.20
1217	1	R	6 11/16	x	8 1/2	6 5/16 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
2687	1	R	6 11/16	x	9	6 5/16 x 8 1/8	.295	.285	.245	.24	.235	.23	.22
2753	1	R	6 11/16	x	15 3/4	6 5/16 x 14 7/8	.355	.345	.305	.30	.295	.29	.28
1508	1	R-K	6 3/4	x	6 3/4	6 3/8 x 6	.275	.265	.225	.22	.215	.21	.20
3685	4	R	6 3/4	x	6 3/4	6 3/8 x 6	.275	.265	.225	.22	.215	.21	.20
1693	2	S	6 3/4	x	7 1/4	6 3/8 x 6 3/8	.275	.265	.225	.22	.215	.21	.20
2294	2	R	6 3/4	x	7 1/4	6 3/8 x 6 3/8	.275	.265	.225	.22	.215	.21	.20
1176	1	R	6 3/4	x	7 9/16	6 3/8 x 6 11/16	.275	.265	.225	.22	.215	.21	.20
2064	2	R	6 3/4	x	7 11/16	6 3/8 x 6 13/16	.275	.265	.225	.22	.215	.21	.20
2752	2	R	6 3/4	x	7 13/16	6 3/8 x 6 15/16	.275	.265	.225	.22	.215	.21	.20
2789	2	R	6 3/4	x	8 1/4	6 3/8 x 7 3/8	.285	.275	.235	.23	.225	.22	.21
1649	1	R	6 3/4	x	8 1/2	6 3/8 x 7 5/8	.285	.275	.235	.23	.225	.22	.21
1787	1	R	6 3/4	x	8 5/8	6 3/8 x 7 3/4	.285	.275	.235	.23	.225	.22	.21
554	1	R	6 3/4	x	8 13/16	6 3/8 x 8	.285	.275	.235	.23	.225	.22	.21
1337	1	R	6 3/4	x	8 15/16	6 3/8 x 8 1/16	.285	.275	.235	.23	.225	.22	.21
553	1,2	R	6 3/4	x	9	6 3/8 x 8 1/8	.295	.285	.245	.24	.235	.23	.22

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3711	2	R	6 3/4	x	9 1/4	6 3/8 x 8 3/8	.295	.285	.245	.24	.235	.23	.22
3238	3	R	6 3/4	x	9 3/8	6 3/8 x 8 1/2	.295	.285	.245	.24	.235	.23	.22
3837-MOD	1	R	6 3/4	x	9 3/8	6 3/8 x 8 1/2	.295	.285	.245	.24	.235	.23	.22
608	1	S	6 3/4	x	9 1/2	6 3/8 x 8 5/8	.295	.285	.245	.24	.235	.23	.22
963	2	R	6 3/4	x	9 7/8	6 3/8 x 9	.295	.285	.245	.24	.235	.23	.22
976	2	R	6 3/4	x	9 7/8	6 3/8 x 9	.295	.285	.245	.24	.235	.23	.22
134	1	R	6 3/4	x	10 1/4	6 3/8 x 9 3/8	.305	.295	.255	.25	.245	.24	.23
2951	1	R	6 3/4	x	11	6 3/8 x 10 1/8	.315	.305	.265	.26	.255	.25	.24
3993-MOD	1	R	6 3/4	x	11 1/4	6 3/8 x 10 3/8	.315	.305	.265	.26	.255	.25	.24
3637-MOD	1	R	6 3/4	x	11 3/8	6 3/8 x 10 1/2	.315	.305	.265	.26	.255	.25	.24
3705	2	R	6 3/4	x	12 1/2	6 3/8 x 11 5/8	.33	.32	.28	.275	.27	.265	.255
2689	1	R	6 3/4	x	13 1/2	6 3/8 x 12 5/8	.34	.33	.29	.285	.28	.275	.265
1571	1	S	6 3/4	x	13 3/4	6 3/8 x 13	.34	.33	.29	.285	.28	.275	.265
1958	1	R	6 3/4	x	14 3/4	6 3/8 x 14	.35	.34	.30	.295	.29	.285	.275
1983-B	1	R	6 3/4	x	15	6 3/8 x 14 1/8	.355	.345	.305	.30	.295	.29	.28
1130	1	R	6 13/16	x	8 7/8	6 7/16 x 8	.29	.28	.24	.235	.23	.225	.215
1356	1	R	6 13/16	x	9 1/2	6 7/16 x 8 5/8	.30	.29	.25	.245	.24	.235	.225
316	3	R	6 13/16	x	10 1/2	6 7/16 x 9 5/8	.315	.305	.265	.26	.255	.25	.24
441	2	R	6 7/8	x	7	6 1/2 x 6 1/8	.275	.265	.225	.22	.215	.21	.20
3507	3	R	6 7/8	x	7 1/8	6 1/2 x 6 1/4	.275	.265	.225	.22	.215	.21	.20
2803	3	R	6 7/8	x	7 3/8	6 1/2 x 6 1/2	.275	.265	.225	.22	.215	.21	.20
423	2	R	6 7/8	x	7 1/2	6 1/2 x 6 5/8	.275	.265	.225	.22	.215	.21	.20
228	1	R	6 7/8	x	7 7/8	6 1/2 x 7	.275	.265	.225	.22	.215	.21	.20
1798	2	R	6 7/8	x	8 1/8	6 1/2 x 7 1/4	.29	.28	.24	.235	.23	.225	.215
3003	1	R	6 7/8	x	8 3/8	6 1/2 x 7 1/2	.29	.28	.24	.235	.23	.225	.215
559	1	R	6 7/8	x	9	6 1/2 x 8 1/8	.30	.29	.25	.245	.24	.235	.225
537	1	R	6 7/8	x	9 1/8	6 1/2 x 8 1/4	.30	.29	.25	.245	.24	.235	.225
544	1	R	6 7/8	x	9 1/4	6 1/2 x 8 3/8	.30	.29	.25	.245	.24	.235	.225
3094	2	R	6 7/8	x	9 3/8	6 1/2 x 8 1/2	.30	.29	.25	.245	.24	.235	.225
216	1	R	6 7/8	x	9 5/8	6 1/2 x 8 3/4	.30	.29	.25	.245	.24	.235	.225
3818	1	R	6 7/8	x	10 1/4	6 1/2 x 9 3/8	.31	.30	.26	.255	.25	.245	.235
376	1	R	6 7/8	x	10 9/16	6 1/2 x 9 11/16	.31	.30	.26	.255	.25	.245	.235
3388	1	R	6 7/8	x	10 3/4	6 1/2 x 9 7/8	.31	.30	.26	.255	.25	.245	.235
104	1	R	6 7/8	x	11 3/8	6 1/2 x 10 1/2	.32	.31	.27	.265	.26	.255	.245
301	1	R	6 7/8	x	11 1/2	6 1/2 x 10 5/8	.32	.31	.27	.265	.26	.255	.245
2395	1	R	6 7/8	x	12	6 1/2 x 11 1/8	.33	.32	.28	.275	.27	.265	.255
3936	2	R	6 7/8	x	15	6 1/2 x 14 1/8	.37	.36	.32	.305	.30	.295	.285
1585	1	R	6 7/8	x	34 1/2	6 1/2 x 33 5/8	.595	.585	.575	.57	.565	.56	.55
539	1	R	6 15/16	x	7 7/16	6 9/16 x 6 9/16	.28	.27	.23	.225	.22	.215	.205
525	2	R	6 15/16	x	7 1/2	6 9/16 x 6 5/8	.28	.27	.23	.225	.22	.215	.205
1943	2	R	6 15/16	x	7 5/8	6 9/16 x 6 3/4	.28	.27	.23	.225	.22	.215	.205
3118	1	R	6 15/16	x	9 13/16	6 9/16 x 8 15/16	.30	.29	.25	.245	.24	.235	.225
911	1	R	6 15/16	x	11 3/8	6 9/16 x 10 1/2	.32	.31	.27	.265	.26	.255	.245

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
512	2	R	6 15/16	x	11 5/8	6 9/16 x 10 3/4	.32	.31	.27	.265	.26	.255	.245
370	1	R	6 15/16	x	12 3/16	6 9/16 x 11 5/16	.33	.32	.28	.275	.27	.265	.255
1196	2	R	7	x	7	6 5/8 x 6 1/8	.285	.275	.235	.23	.225	.22	.21
2181-A	1	R	7	x	7 1/8	6 5/8 x 6 1/4	.285	.275	.235	.23	.225	.22	.21
710	1	R	7	x	7 1/4	6 5/8 x 6 3/8	.285	.275	.235	.23	.225	.22	.21
1345	2	R	7	x	7 13/16	6 5/8 x 7	.285	.275	.235	.23	.225	.22	.21
2034	1	R	7	x	8	6 5/8 x 7 1/8	.285	.275	.235	.23	.225	.22	.21
2897	2	R	7	x	8 1/16	6 5/8 x 7 3/16	.285	.275	.235	.23	.225	.22	.21
1964	1	R	7	x	8 1/4	6 5/8 x 7 3/8	.295	.285	.245	.24	.235	.23	.22
527	2	R&S	7	x	8 1/2	6 5/8 x 7 5/8	.295	.285	.245	.24	.235	.23	.22
3401	2	R	7	x	8 1/2	6 5/8 x 75/8	.295	.285	.245	.24	.235	.23	.22
MOD.2517	1	R-K	7	x	8 5/8	6 5/8 x 7 3/4	.295	.285	.245	.24	.235	.23	.22
2519	1	S	7	x	8 3/4	6 5/8 x 7 7/8	.295	.285	.245	.24	.235	.23	.22
1404	1	R	7	x	8 7/8	6 5/8 x 8	.295	.285	.245	.24	.235	.23	.22
3940-MOD	1	R	7	x	8 7/8	6 5/8 x 8	.295	.285	.245	.24	.235	.23	.22
2538	1	R	7	x	9	6 5/8 x 8 1/8	.305	.295	.255	.25	.245	.24	.23
1315	2	R-K	7	x	9 1/8	6 5/8 x 8 1/4	.305	.295	.255	.25	.245	.24	.23
1318	1,2	R	7	x	10	6 5/8 x 9 1/8	.315	.305	.265	.26	.255	.25	.24
295	1,2	R	7	x	10 1/16	6 5/8 x 9 3/16	.315	.305	.265	.26	.255	.25	.24
2406	1	R	7	x	10 11/16	6 5/8 x 9 13/16	.315	.305	.265	.26	.255	.25	.24
1709	2	S-K	7	x	10 3/4	6 5/8 x 10	.315	.305	.265	.26	.255	.25	.24
1716	1	S-K	7	x	11	6 5/8 x 10 1/8	.325	.315	.275	.27	.265	.26	.25
1845	1	R	7	x	11	6 5/8 x 10 1/8	.325	.315	.275	.27	.265	.26	.25
3559	2	R	7	x	11 1/2	6 5/8 x 10 5/8	.325	.315	.275	.27	.265	.26	.25
1276	1,2	R	7	x	11 3/4	6 5/8 x 11	.325	.315	.275	.27	.265	.26	.25
2462	1	R	7	x	12 1/8	6 5/8 x 11 1/4	.335	.325	.285	.28	.275	.27	.26
2664	1	R	7	x	13 3/8	6 5/8 x 12 1/2	.35	.34	.30	.295	.29	.285	.275
1779	1	R	7	x	28 1/2	6 5/8 x 27 5/8	.595	.585	.575	.57	.565	.56	.55
3644	2	R	7 1/32	x	14 5/8	6 5/8 x 13 3/4	.355	.345	.305	.30	.295	.29	.28
2652	1	R	7 1/16	x	9 9/16	6 11/16 x 8 11/16	.305	.295	.255	.25	.245	.24	.23
688	1	R	7 1/16	x	14 1/4	6 11/16 x 13 3/8	.355	.345	.305	.30	.295	.29	.28
159	1	S	7 1/8	x	7 1/8	6 3/4 x 6 1/4	.285	.275	.235	.23	.225	.22	.21
3508	3	R	7 1/8	x	7 1/4	6 3/4 x 6 3/8	.285	.275	.235	.23	.225	.22	.21
2181-B	1	R	7 1/8	x	7 3/8	6 3/4 x 6 1/2	.285	.275	.235	.23	.225	.22	.21
2181-C	1	R	7 1/8	x	7 3/4	6 3/4 x 7	.285	.275	.235	.23	.225	.22	.21
2122	1	R	7 1/8	x	8	6 3/4 x 7 1/8	.295	.285	.245	.24	.235	.23	.22
1270	1	R	7 1/8	x	8 1/16	6 3/4 x 7 3/16	.295	.285	.245	.24	.235	.23	.22
1586	1	R-K	7 1/8	x	8 1/8	6 3/4 x 7 1/4	.295	.285	.245	.24	.235	.23	.22
2181-D	1	R	7 1/8	x	8 1/8	6 3/4 x 7 1/4	.295	.285	.245	.24	.235	.23	.22
1895-F	1	R	7 1/8	x	8 1/2	6 3/4 x 7 5/8	.295	.285	.245	.24	.235	.23	.22
2181-E	1	R	7 1/8	x	8 1/2	6 3/4 x 7 5/8	.295	.285	.245	.24	.235	.23	.22
2299-E	1	R	7 1/8	x	8 5/8	6 3/4 x 7 3/4	.30	.29	.25	.245	.24	.235	.225
2014-F	1	R	7 1/8	x	8 7/8	6 3/4 x 8	.30	.29	.25	.245	.24	.235	.225

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2181-F	1	R	7 1/8	x	8 7/8	6 3/4 x 8	.30	.29	.25	.245	.24	.235	.225
848	1	R	7 1/8	x	9 1/8	6 3/4 x 8 1/4	.31	.30	.26	.255	.25	.245	.235
2181-G	1	R	7 1/8	x	9 1/4	6 3/4 x 8 3/8	.31	.30	.26	.255	.25	.245	.235
898	2	R	7 1/8	x	9 5/16	6 3/4 x 8 7/16	.31	.30	.26	.255	.25	.245	.235
2238	1	R	7 1/8	x	9 1/2	6 3/4 x 8 5/8	.31	.30	.26	.255	.25	.245	.235
2181-H	1	R	7 1/8	x	9 5/8	6 3/4 x 8 3/4	.31	.30	.26	.255	.25	.245	.235
1808	2	R	7 1/8	x	9 7/8	6 3/4 x 9	.31	.30	.26	.255	.25	.245	.235
1980	2	R	7 1/8	x	10 1/4	6 3/4 x 9 3/8	.32	.31	.27	.265	.26	.255	.245
3383	2	R	7 1/8	x	10 3/4	6 3/4 x 9 7/8	.32	.31	.27	.265	.26	.255	.245
1910	1	R	7 1/8	x	11	6 3/4 x 10 1/8	.325	.315	.275	.27	.265	.26	.25
3316	2	R	7 1/8	x	11 1/2	6 3/4 x 10 5/8	.325	.315	.275	.27	.265	.26	.25
3530-MOD	1	R	7 1/8	x	11 7/8	6 3/4 x 11	.33	.32	.28	.275	.27	.265	.255
1708	1	R	7 1/8	x	13 1/2	6 3/4 x 12 5/8	.345	.335	.295	.29	.285	.28	.27
1722	1	R	7 1/8	x	14 1/8	6 3/4 x 13 1/4	.355	.345	.305	.30	.295	.29	.28
3476	1	R	7 1/8	x	14 3/8	6 3/4 x 13 1/2	.355	.345	.305	.30	.295	.29	.28
1801-D	1	R	7 1/8	x	16 9/16	6 3/4 x 15 11/16	.38	.37	.33	.325	.32	.315	.305
1583-D	1	R	7 1/8	x	16 3/4	6 3/4 x 16	.38	.37	.33	.325	.32	.315	.305
3287	1	R	7 1/8	x	22 3/8	6 3/4 x 21 1/2	.555	.545	.505	.50	.495	.49	.48
589	2	R	7 3/16	x	11 1/8	6 13/16 x 10 1/4	.325	.315	.275	.27	.265	.26	.25
161	1	R	7 3/16	x	17 5/8	6 13/16 x 16 3/4	.40	.39	.35	.345	.34	.335	.325
3990	2	R	7 1/4	x	7 3/8	6 7/8 x 6 1/2	.285	.275	.235	.23	.225	.22	.21
643	1	R	7 1/4	x	7 3/4	6 7/8 x 7	.285	.275	.235	.23	.225	.22	.21
1082	1	R	7 1/4	x	8 1/8	6 7/8 x 7 1/4	.295	.285	.245	.24	.235	.23	.22
1747	2	R	7 1/4	x	8 1/4	6 7/8 x 7 3/8	.295	.285	.245	.24	.235	.23	.22
1542	1	R	7 1/4	x	8 3/8	6 7/8 x 7 1/2	.295	.285	.245	.24	.235	.23	.22
2944	1	R	7 1/4	x	8 13/16	6 7/8 x 8	.295	.285	.245	.24	.235	.23	.22
3194	2	R	7 1/4	x	10 1/4	6 7/8 x 9 3/8	.32	.31	.27	.265	.26	.255	.245
3928	2	R	7 1/4	x	10 1/2	6 7/8 x 9 5/8	.32	.31	.27	.265	.26	.255	.245
1306	1	R	7 1/4	x	10 5/8	6 7/8 x 9 3/4	.32	.31	.27	.265	.26	.255	.245
2680	1	R	7 1/4	x	10 7/8	6 7/8 x 10	.32	.31	.27	.265	.26	.255	.245
3024	1	R	7 1/4	x	11 1/4	6 7/8 x 10 3/8	.33	.32	.28	.275	.27	.265	.255
1331	1	R	7 1/4	x	11 1/2	6 7/8 x 10 5/8	.33	.32	.28	.275	.27	.265	.255
401	2	R	7 1/4	x	12	6 7/8 x 11 1/8	.335	.325	.285	.28	.275	.27	.26
610	1	R	7 1/4	x	12 1/4	6 7/8 x 11 3/8	.335	.325	.285	.28	.275	.27	.26
3016	2	R	7 1/4	x	12 3/4	6 7/8 x 12	.345	.335	.295	.29	.285	.28	.27
1617	1	R	7 1/4	x	13 3/16	6 7/8 x 12 5/16	.345	.335	.295	.29	.285	.28	.27
3836-MOD	1	R	7 1/4	x	14 1/4	6 7/8 x 13 3/8	.365	.355	.315	.31	.305	.30	.29
3034	2	R	7 1/4	x	15	6 7/8 x 14 1/8	.375	.365	.325	.32	.315	.31	.30
937	1	S	7 1/4	x	19	6 7/8 x 18 1/8	.435	.425	.385	.38	.375	.37	.36
1411	1	R	7 1/4	x	20 1/2	6 7/8 x 19 5/8	.435	.425	.385	.38	.375	.37	.36
1631	1	R	7 5/16	x	7 1/2	6 15/16 x 6 5/8	.29	.28	.24	.235	.23	.225	.215
1581	1	R	7 5/16	x	8 5/8	6 15/16 x 7 3/4	.30	.29	.25	.245	.24	.235	.225
230	1	S	7 5/16	x	10 1/16	6 15/16 x 9 3/16	.32	.31	.27	.265	.26	.255	.245

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3328	2	R	7 5/16	x	13 1/16	6 15/16 x 12 3/16	.35	.34	.30	.295	.29	.285	.275
1860-A	1	R	7 5/16	x	14 7/8	6 15/16 x 14	.37	.36	.32	.315	.31	.305	.295
1183	1,2	R-K	7 3/8	x	7 3/8	7 x 6 1/2	.29	.28	.24	.235	.23	.225	.215
587	1,2	R	7 3/8	x	7 15/16	7 x 7 1/16	.295	.285	.245	.24	.235	.23	.22
2009	2	R	7 3/8	x	8 1/8	7 x 7 1/4	.295	.285	.245	.24	.235	.23	.22
2922	1	R	7 3/8	x	8 3/8	7 x 7 1/2	.295	.285	.245	.24	.235	.23	.22
3022	2	R	7 3/8	x	8 7/8	7 x 8	.305	.295	.255	.25	.245	.24	.23
2198	2	R	7 3/8	x	9 1/8	7 x 8 1/4	.305	.295	.255	.25	.245	.24	.23
1313	1	R-K	7 3/8	x	9 5/8	7 x 8 3/4	.305	.295	.255	.25	.245	.24	.23
1874	2	R	7 3/8	x	9 5/8	7 x 8 3/4	.305	.295	.255	.25	.245	.24	.23
110	1	R	7 3/8	x	10 1/8	7 x 9 1/4	.32	.31	.27	.265	.26	.255	.245
3194	2	R	7 3/8	x	10 1/4	7 x 9 3/8	.32	.31	.27	.265	.26	.255	.245
3982	1	R	7 3/8	x	11 ¼	7 x 10 3/8	.33	.32	.28	.275	.27	.265	.255
2887	1	R	7 3/8	x	11 3/8	7 x 10 1/2	.33	.32	.28	.275	.27	.265	.255
3637-MOD	1	R	7 3/8	x	11 3/8	7 x 10 ½	.33	.32	.28	.275	.27	.265	.255
3906-MOD	1	R	7 3/8	x	11 3/8	7 x 10 ½	.33	.32	.28	.275	.27	.265	.255
1621	1	R	7 3/8	x	11 5/8	7 x 10 3/4	.33	.32	.28	.275	.27	.265	.255
2730	2	R	7 3/8	x	11 3/4	7 x 10 7/8	.33	.32	.28	.275	.27	.265	.255
3410	1		7 3/8	x	13 3/8	7 x 12 1/2	.35	.34	.30	.295	.29	.285	.275
2452	1	R	7 3/8	x	13 1/2	7 x 12 5/8	.35	.34	.30	.295	.29	.285	.275
1505	1	R	7 3/8	x	14 1/4	7 x 13 3/8	.36	.35	.31	.305	.30	.295	.285
1983-C	1	R	7 3/8	x	15	7 x 14 1/8	.375	.365	.325	.32	.315	.31	.30
2765	1	R	7 3/8	x	16 1/16	7 x 15 3/16	.385	.375	.335	.33	.325	.32	.31
2672	1	R	7 3/8	x	16 1/2	7 x 15 5/8	.385	.375	.335	.33	.325	.32	.31
3892	1	R	7 3/8	x	19 ½	7 x 18 5/8	.415	.405	.365	.36	.355	.35	.34
2959	2	R	7 7/16	x	7 1/2	7 1/16 x 6 5/8	.29	.28	.24	.235	.23	.225	.215
1546	2	S	7 7/16	x	8	7 1/16 x 7 1/8	.30	.29	.25	.245	.24	.235	.225
284	1	R	7 7/16	x	8 7/16	7 1/16 x 7 9/16	.30	.29	.25	.245	.24	.235	.225
3047	1	R	7 7/16	x	10 9/16	7 1/16 x 9 11/16	.32	.31	.27	.265	.26	.255	.245
2122	1	R	7 1/2	x	8	7 1/8 x 7 1/8	.30	.29	.25	.245	.24	.235	.225
2632	2	R	7 1/2	x	8 1/4	7 1/8 x 7 3/8	.30	.29	.25	.245	.24	.235	.225
3216	1	R	7 1/2	x	8 1/2	7 1/8 x 7 5/8	.30	.29	.25	.245	.24	.235	.225
MOD.2517	1	R-K	7 1/2	x	8 5/8	7 1/8 x 7 3/4	.30	.29	.25	.245	.24	.235	.225
312	1	S	7 1/2	x	8 3/4	7 1/8 x 7 7/8	.30	.29	.25	.245	.24	.235	.225
3940-MOD	1	R	7 ½	x	8 7/8	7 1/8 x 8	.30	.29	.25	.245	.24	.235	.225
1834	1	R	7 1/2	x	9	7 1/8 x 8 1/8	.305	.295	.255	.25	.245	.24	.23
1480	3	R	7 1/2	x	9 1/4	7 1/8 x 8 3/8	.305	.295	.255	.25	.245	.24	.23
341	2	R	7 1/2	x	9 9/16	7 1/8 x 8 11/16	.305	.295	.255	.25	.245	.24	.23
2685	2	R	7 1/2	x	9 11/16	7 1/8 x 8 13/16	.32	.31	.27	.265	.26	.255	.245
2623	2	R	7 1/2	x	10	7 1/8 x 9 1/8	.32	.31	.27	.265	.26	.255	.245
3157	2	R	7 1/2	x	10	7 1/8 x 9 1/8	.32	.31	.27	.265	.26	.255	.245
3901	2	R	7 ½	x	10 ¼	7 1/8 x 9 3/8	.32	.31	.27	.265	.26	.255	.245
3636-MOD	1	R	7 ½	x	10 5/8	7 1/8 x 9 ¾	.325	.315	.275	.27	.265	.26	.25

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1835	1	S-K	7 1/2	x	10 7/8	7 1/8 x 10	.325	.315	.275	.27	.265	.26	.25
2138	1	R	7 1/2	x	10 7/8	7 1/8 x 10	.325	.315	.275	.27	.265	.26	.25
1534	1	R	7 1/2	x	11	7 1/8 x 10 1/8	.33	.32	.28	.275	.27	.265	.255
3868	1	R	7 1/2	x	11 1/4	7 1/8 x 10 3/8	.33	.32	.28	.275	.27	.265	.255
3902	2	R	7 1/2	x	11 1/4	7 1/8 x 10 3/8	.33	.32	.28	.275	.27	.265	.255
130	1,2	R	7 1/2	x	11 1/2	7 1/8 x 10 5/8	.33	.32	.28	.275	.27	.265	.255
2964	2	R	7 1/2	x	11 7/8	7 1/8 x 11	.33	.32	.28	.275	.27	.265	.255
3903	2	R	7 1/2	x	12 1/4	7 1/8 x 11 3/8	.34	.33	.29	.285	.28	.275	.265
551	2	R	7 1/2	x	12 3/8	7 1/8 x 11 1/2	.34	.33	.29	.285	.28	.275	.265
3129	1	R	7 1/2	x	12 1/2	7 1/8 x 11 5/8	.34	.33	.29	.285	.28	.275	.265
140	1	R	7 1/2	x	13 1/16	7 1/8 x 12 3/16	.35	.34	.30	.295	.29	.285	.275
3817-MOD	1	R	7 1/2	x	13 3/16	7 1/8 x 12 5/16	.35	.34	.30	.295	.29	.285	.275
3904	2	R	7 1/2	x	13 1/4	7 1/8 x 12 3/8	.35	.34	.30	.295	.29	.285	.275
267	1	R	7 1/2	x	15 1/4	7 1/8 x 14 3/8	.375	.365	.325	.32	.315	.31	.30
2937	1	R	7 1/2	x	16 5/16	7 1/8 x 15 7/16	.385	.375	.335	.33	.325	.32	.31
3029	1	R	7 1/2	x	18 3/8	7 1/8 x 17 1/2	.405	.395	.355	.35	.345	.34	.33
336	2	R	7 9/16	x	8 13/16	7 3/16 x 8	.32	.31	.27	.265	.26	.255	.245
604	2	R&S	7 5/8	x	9 1/16	7 1/4 x 8 3/16	.32	.31	.27	.265	.26	.255	.245
1788	1	R	7 5/8	x	10 3/8	7 1/4 x 9 1/2	.32	.31	.27	.265	.26	.255	.245
3733	2	R	7 5/8	x	10 5/8	7 1/4 x 9 3/4	.32	.31	.27	.265	.26	.255	.245
725	2	S	7 5/8	x	12 1/16	7 1/4 x 11 3/16	.34	.33	.29	.285	.28	.275	.265
2455	1	R	7 5/8	x	12 1/16	7 1/4 x 11 3/16	.34	.33	.29	.285	.28	.275	.265
3888-MOD	1	R	7 5/8	x	14 3/8	7 1/4 x 13 1/2	.36	.35	.31	.305	.30	.295	.285
2987	1	R	7 5/8	x	15	7 1/4 x 14 1/8	.37	.36	.32	.315	.31	.305	.295
3394	1	R	7 5/8	x	19	7 1/4 x 18 1/8	.42	.41	.37	.365	.36	.355	.345
3287	1	R	7 5/8	x	22 3/8	7 1/4 x 21 1/2	.475	.465	.425	.42	.415	.41	.40
1850	1	R	7 11/16	x	11 1/2	7 5/16 x 10 5/8	.33	.32	.28	.275	.27	.265	.255
3797	2	R	7 3/4	x	8	7 3/8 x 7 1/8	.33	.32	.28	.275	.27	.265	.255
2535	2	R	7 3/4	x	8 1/4	7 3/8 x 7 3/8	.32	.31	.27	.265	.26	.255	.245
1895-G	1	R	7 3/4	x	8 1/2	7 3/8 x 7 5/8	.32	.31	.27	.265	.26	.255	.245
3971	2	R	7 3/4	x	8 1/2	7 3/8 x 7 5/8	.32	.31	.27	.265	.26	.255	.245
2299-F	1	R	7 3/4	x	8 5/8	7 3/8 x 7 3/4	.32	.31	.27	.265	.26	.255	.245
2014-G	1	R	7 3/4	x	8 7/8	7 3/8 x 8	.32	.31	.27	.265	.26	.255	.245
1528	1	R	7 3/4	x	11 1/4	7 3/8 x 10 3/8	.33	.32	.28	.275	.27	.265	.255
3637-MOD	1	R	7 3/4	x	11 3/8	7 3/8 x 10 1/2	.33	.32	.28	.275	.27	.265	.255
3906-MOD	1	R	7 3/4	x	11 3/8	7 3/8 x 10 1/2	.33	.32	.28	.275	.27	.265	.255
1838	1	R	7 3/4	x	11 5/8	7 3/8 x 10 3/4	.33	.32	.28	.275	.27	.265	.255
1198	1	R	7 3/4	x	12 1/8	7 3/8 x 11 1/4	.36	.35	.31	.305	.30	.295	.285
3414	2	R	7 3/4	x	12 3/16	7 3/8 x 11 5/16	.36	.35	.31	.305	.30	.295	.285
1860-B	1	R	7 3/4	x	14 7/8	7 3/8 x 14	.375	.365	.325	.32	.315	.31	.30
2363-MOD	1	R	7 3/4	x	16	7 3/8 x 15 1/8	.39	.38	.34	.335	.33	.325	.315
2363-MOD	1	R	7 3/4	x	22	7 3/8 x 21 1/8	.45	.44	.40	.395	.39	.385	.375
2760	2	R	7 3/4	x	17 1/4	7 3/8 x 16 3/8	.405	.395	.355	.35	.345	.34	.33

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2740	2	S-K	7 3/4	x	18 1/2	7 3/8 x 17 5/8	.41	.40	.36	.355	.35	.345	.335
3721	1	R	7 3/4	x	39	7 3/8 x 38 1/8	.725	.715	.675	.67	.665	.66	.65
766	2	R	7 13/16	x	7 7/8	7 7/16 x 7	.32	.31	.27	.265	.26	.255	.245
3171	2	R	7 13/16	x	10	7 7/16 x 9 1/8	.32	.31	.27	.265	.26	.255	.245
3510	2	R	7 13/16	x	10 11/16	7 7/16 x 9 13/16	.33	.32	.28	.275	.27	.265	.255
4023	1	R	7 13/16	x	11 3/16	7 7/16 x 10 5/16	.34	.33	.29	.285	.28	.275	.265
4024	1	R	7 13/16	x	12 3/16	7 7/16 x 11 5/16	.35	.34	.30	.295	.29	.285	.275
4025	1	R	7 13/16	x	13 3/16	7 7/16 x 12 5/16	.355	.345	.305	.30	.295	.29	.28
4002	2	R	7 7/8	x	8 7/8	7 1/2 x 8	.32	.31	.27	.265	.26	.255	.245
677	2	R	7 7/8	x	9	7 1/2 x 8 1/8	.32	.31	.27	.265	.26	.255	.245
3137	1	R	7 7/8	x	10 3/8	7 1/2 x 9 1/2	.32	.31	.27	.265	.26	.255	.245
730	1	R	7 7/8	x	10 15/16	7 1/2 x 10 1/16	.325	.315	.275	.27	.265	.26	.25
1814	1	R	7 7/8	x	11 3/8	7 1/2 x 10 1/2	.34	.33	.29	.285	.28	.275	.265
588	2	R	7 7/8	x	11 7/8	7 1/2 x 11	.35	.34	.30	.295	.29	.285	.275
4034	1	R	7 7/8	x	13 1/8	7 1/2 x 12 1/4	.36	.35	.31	.305	.30	.295	.285
3486	1	R	7 7/8	x	14 3/8	7 1/2 x 13 1/2	.37	.36	.32	.315	.31	.305	.295
1801-E	1	R	7 7/8	x	16 9/16	7 1/2 x 15 11/16	.375	.365	.325	.32	.315	.31	.30
2054	1	R	7 15/16	x	8 15/16	7 9/16 x 8 1/16	.315	.305	.265	.26	.255	.25	.24
2032	1	R	7 15/16	x	10 3/16	7 9/16 x 9 5/16	.325	.315	.275	.27	.265	.26	.25
2063	1	R	8	x	8	7 5/8 x 7 1/8	.315	.305	.265	.26	.255	.25	.24
802	1	R	8	x	8 1/2	7 5/8 x 7 5/8	.315	.305	.265	.26	.255	.25	.24
MOD.2517	1	R	8	x	8 5/8	7 5/8 x 7 3/4	.315	.305	.265	.26	.255	.25	.24
3906-MOD	1	R	8	x	8 7/8	7 5/8 x 8	.315	.305	.265	.26	.255	.25	.24
2604	2	R	8	x	9	7 5/8 x 8 1/8	.325	.315	.275	.27	.265	.26	.25
1771	1	R	8	x	9 1/2	7 5/8 x 8 5/8	.33	.32	.28	.275	.27	.265	.255
1502	1	R	8	x	9 5/8	7 5/8 x 8 3/4	.33	.32	.28	.275	.27	.265	.255
2149	1	R	8	x	9 3/4	7 5/8 x 8 7/8	.33	.32	.28	.275	.27	.265	.255
3318	1	S	8	x	9 15/16	7 5/8 x 9 1/16	.33	.32	.28	.275	.27	.265	.255
1128	1	R	8	x	10	7 5/8 x 9 1/8	.33	.32	.28	.275	.27	.265	.255
265	1	S	8	x	10 3/16	7 5/8 x 9 5/16	.335	.325	.285	.28	.275	.27	.26
1897	2	R	8	x	10 7/16	7 5/8 x 9 9/16	.335	.325	.285	.28	.275	.27	.26
3600	1	R	8	x	10 3/4	7 5/8 x 10	.335	.325	.285	.28	.275	.27	.26
2035	1	R	8	x	11	7 5/8 x 10 1/8	.345	.335	.295	.29	.285	.28	.27
597	2	R	8	x	11 1/4	7 5/8 x 10 3/8	.345	.335	.295	.29	.285	.28	.27
1015	1	S-K	8	x	11 1/2	7 5/8 x 10 5/8	.345	.335	.295	.29	.285	.28	.27
3852	2	R(2-DIE)	8	x	11 13/16	7 5/8 x 11	.345	.335	.295	.29	.285	.28	.27
2205	1	R	8	x	12	7 5/8 x 11 1/8	.355	.345	.305	.30	.295	.29	.28
2569	2	R	8	x	12	7 5/8 x 11 1/8	.355	.345	.305	.30	.295	.29	.28
1749	1	R	8	x	12 1/4	7 5/8 x 11 3/8	.355	.345	.305	.30	.295	.29	.28
3793	1	R	8	x	12 1/2	7 5/8 x 11 5/8	.355	.345	.305	.30	.295	.29	.28
3817	1	R	8	x	13 3/16	7 5/8 x 12 5/16	.365	.355	.315	.31	.305	.30	.29
3836-MOD	1	R	8	x	14 1/4	7 5/8 x 13 2/8	.39	.38	.34	.335	.33	.325	.315
2773	1	R	8	x	14 3/8	7 5/8 x 13 1/2	.39	.38	.34	.335	.33	.325	.315

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1983-D	1	R	8	x	15	7 5/8 x 14 1/8	.39	.38	.34	.335	.33	.325	.315
1457	1	R	8	x	16 1/4	7 5/8 x 15 3/8	.415	.405	.365	.36	.355	.35	.34
1583-E	1	R	8	x	16 3/4	7 5/8 x 16	.42	.41	.37	.365	.36	.355	.345
1432	1	R	8 1/16	x	10 5/16	7 11/16 x 9 7/16	.34	.33	.29	.285	.28	.275	.265
3598	1	R	8 1/16	x	12 5/8	7 11/16 x 11 3/4	.36	.35	.31	.305	.30	.295	.285
101	1	R	8 1/8	x	8 1/8	7 3/4 x 7 1/4	.32	.31	.27	.265	.26	.255	.245
2458	1	R-K	8 1/8	x	8 1/8	7 3/4 x 7 1/4	.32	.31	.27	.265	.26	.255	.245
240	1	S	8 1/8	x	9 1/8	7 3/4 x 8 1/4	.325	.315	.275	.27	.265	.26	.25
426	1	R	8 1/8	x	10 3/8	7 3/4 x 9 1/2	.335	.325	.285	.28	.275	.27	.26
995	2	S	8 1/18	x	10 1/2	7 11/16 x 9 5/8	.335	.325	.285	.28	.275	.27	.26
410	2	R	8 1/8	x	11 1/16	7 3/4 x 10 3/16	.35	.34	.30	.295	.29	.285	.275
3906-MOD	1	R	8 1/8	x	11 3/8	7 3/4 x 10 1/2	.35	.34	.30	.295	.29	.285	.275
3757	1	R-2-DIE	8 1/8	x	11 7/8	7 3/4 x 11	.355	.345	.305	.30	.295	.29	.28
1846	1	R	8 1/8	x	12 1/2	7 3/4 x 11 5/8	.36	.35	.31	.305	.30	.295	.285
1948	1	R	8 1/8	x	13 3/4	7 3/4 x 12 7/8	.37	.36	.32	.315	.31	.305	.295
1883	1	R	8 1/8	x	13 13/16	7 3/4 x 13	.37	.36	.32	.315	.31	.305	.295
3888-MOD	1	R	8 1/8	x	14 3/8	7 3/4 x 13 1/2	.38	.37	.33	.325	.32	.315	.305
3723	1	R	8 1/8	x	22	7 3/4 x 21 1/8	.47	.46	.42	.415	.41	.405	.395
141	1	S	8 3/16	x	11 1/16	7 13/16 x 10 3/16	.35	.34	.30	.295	.29	.285	.275
280	1	S	8 1/4	x	8 13/16	7 7/8 x 8	.325	.315	.275	.27	.265	.26	.25
339	2	R	8 1/4	x	8 13/16	7 7/8 x 8	.325	.315	.275	.27	.265	.26	.25
2188	1	R	8 1/4	x	9 3/8	7 7/8 x 8 1/2	.335	.325	.285	.28	.275	.27	.26
436	1	R	8 1/4	x	9 11/16	7 7/8 x 8 13/16	.335	.325	.285	.28	.275	.27	.26
3802	1	R	8 1/4	x	10 1/4	7 7/8 x 9 3/8	.335	.325	.285	.28	.275	.27	.26
3083	1	R	8 1/4	x	10 5/8	7 7/8 x 9 3/4	.34	.33	.29	.285	.28	.275	.265
1393	1	R	8 1/4	x	10 3/4	7 7/8 x 10	.34	.33	.29	.285	.28	.275	.265
2950	1	R	8 1/4	x	11	7 7/8 x 10 1/8	.35	.34	.30	.295	.29	.285	.275
3305	1	R	8 1/4	x	11 1/4	7 7/8 x 10 3/8	.35	.34	.30	.295	.29	.285	.275
127	2	R	8 1/4	x	11 3/8	7 7/8 x 10 1/2	.35	.34	.30	.295	.29	.285	.275
1973	1	R	8 1/4	x	13 3/4	7 7/8 x 13	.37	.36	.32	.315	.31	.305	.295
MOD.1983	1	R	8 1/4	x	15	7 7/8 x 14 1/8	.405	.395	.355	.35	.345	.34	.33
2846	1	R	8 1/4	x	17 1/8	7 7/8 x 16 1/4	.42	.41	.37	.365	.36	.355	.345
3437	2	R	8 5/16	x	10	7 15/16 x 9 1/8	.34	.33	.29	.285	.28	.275	.265
1783	2	R	8 5/16	x	11 1/8	7 15/16 x 10 1/4	.35	.34	.30	.295	.29	.285	.275
1543	1	R	8 5/16	x	14 7/8	7 15/16 x 14	.395	.385	.345	.34	.335	.33	.32
1860-C	1	R	8 5/16	x	14 7/8	7 15/16 x 14	.395	.385	.345	.34	.335	.33	.32
1895-MOD	1	R	8 3/8	x	8 1/2	8 x 7 5/8	.325	.315	.275	.27	.265	.26	.25
2299-H	1	R	8 3/8	x	8 1/2	8 x 7 5/8	.325	.315	.275	.27	.265	.26	.25
2299-G	1	R	8 3/8	x	8 5/8	8 x 7 3/4	.325	.315	.275	.27	.265	.26	.25
1802	1	R	8 3/8	x	8 3/4	8 x 7 7/8	.325	.315	.275	.27	.265	.26	.25
1768	2	R	8 3/8	x	8 7/8	8 x 8	.325	.315	.275	.27	.265	.26	.25
2014-H	1	R	8 3/8	x	8 7/8	8 x 8	.325	.315	.275	.27	.265	.26	.25
3323	2	R	8 3/8	x	9 1/8	8 x 8 1/4	.335	.325	.285	.28	.275	.27	.26

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
565	2	R	8 3/8	x	9 11/16	8 x 8 13/16	.335	.325	.285	.28	.275	.27	.26
2373	1	R	8 3/8	x	10	8 x 9 1/8	.345	.335	.295	.29	.285	.28	.27
1014	1	R	8 3/8	x	10 1/4	8 x 9 3/8	.345	.335	.295	.29	.285	.28	.27
1655	1	R	8 3/8	x	10 1/4	8 x 9 3/8	.345	.335	.295	.29	.285	.28	.27
3718	2	R	8 3/8	x	10 7/16	8 x 9 9/16	.345	.335	.295	.29	.285	.28	.27
2099	1	R	8 3/8	x	10 11/16	8 x 9 13/16	.345	.335	.295	.29	.285	.28	.27
1403	1	R	8 3/8	x	10 3/4	8 x 9 7/8	.345	.335	.295	.29	.285	.28	.27
1494	1	R	8 3/8	x	10 15/16	8 x 10 1/16	.345	.335	.295	.29	.285	.28	.27
2260	1	R	8 3/8	x	13 3/8	8 x 12 1/2	.365	.355	.315	.31	.305	.30	.29
3965	1	R	8 3/8	x	26 1/8	8 x 25 1/4	.625	.615	.575	.57	.565	.56	.55
2388	1	S	8 7/16	x	9	8 1/16 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
1089	1	R	8 7/16	x	10 9/16	8 1/16 x 9 11/16	.345	.335	.295	.29	.285	.28	.27
2981	2	R	8 7/16	x	11	8 1/6 x 10 1/8	.345	.335	.295	.29	.285	.28	.27
344	1	R	8 7/16	x	11 1/4	8 1/16 x 10 3/8	.345	.335	.295	.29	.285	.28	.27
2189	1	R	8 7/16	x	12 1/16	8 1/16 x 11 3/16	.36	.35	.31	.305	.30	.295	.285
2062	1	R	8 1/2	x	8 1/2	8 1/8 x 7 5/8	.325	.315	.275	.27	.265	.26	.25
MOD.2517	1	R-K	8 1/2	x	8 5/8	8 1/8 x 7 3/4	.325	.315	.275	.27	.265	.26	.25
777	2	R	8 1/2	x	8 3/4	8 1/8 x 7 7/8	.325	.315	.275	.27	.265	.26	.25
3940-MOD	1	R	8 1/2	x	8 7/8	8 1/8 x 8	.325	.315	.275	.27	.265	.26	.25
2702	2	R	8 1/2	x	9	8 1/8 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
1895-I	1	R	8 1/2	x	9	8 1/8 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
1895-J	1	R	8 1/2	x	9 5/8	8 1/8 x 8 3/4	.335	.325	.285	.28	.275	.27	.26
1895-K	1	R	8 1/2	x	10 1/4	8 1/8 x 9 3/8	.345	.335	.295	.29	.285	.28	.27
573	1,2	R	8 1/2	x	10 5/8	8 1/8 x 9 3/4	.345	.335	.295	.29	.285	.28	.27
2450	1	R	8 1/2	x	10 3/4	8 1/8 x 9 7/8	.345	.335	.295	.29	.285	.28	.27
1895-L	1	R	8 1/2	x	10 7/8	8 1/8 x 10	.345	.335	.295	.29	.285	.28	.27
2182	1	R	8 1/2	x	10 7/8	8 1/8 x 10	.345	.335	.295	.29	.285	.28	.27
2504	1	R	8 1/2	x	10 7/8	8 1/8 x 10	.345	.335	.295	.29	.285	.28	.27
182	1	R	8 1/2	x	11	8 1/8 x 10 1/8	.355	.345	.305	.30	.295	.29	.28
1580	1	R	8 1/2	x	11	8 1/8 x 10 1/8	.355	.345	.305	.30	.295	.29	.28
3906-MOD	1	R	8 1/2	x	11 3/8	8 1/8 x 10 1/2	.35	.34	.30	.295	.29	.285	.275
285	2	R	8 1/2	x	11 1/2	8 1/8 x 10 5/8	.35	.34	.30	.295	.29	.285	.275
1895-M	1	R	8 1/2	x	11 1/2	8 1/8 x 10 5/8	.35	.34	.30	.295	.29	.285	.275
3218	1	R-K	8 1/2	x	11 1/2	8 1/8 x 10 5/8	.35	.34	.30	.295	.29	.285	.275
988	1	R	8 1/2	x	11 15/16	8 1/8 x 11 1/16	.36	.35	.31	.305	.30	.295	.285
305	1	S	8 1/2	x	12	8 1/8 x 11 1/8	.36	.35	.31	.305	.30	.295	.285
1552	1	R	8 1/2	x	12	8 1/8 x 11 1/8	.36	.35	.31	.305	.30	.295	.285
3881	1	R	8 1/2	x	12 1/4	8 1/8 x 11 3/8	.36	.35	.31	.305	.30	.295	.285
1574	2	R	8 1/2	x	12 1/2	8 1/8 x 11 5/8	.36	.35	.31	.305	.30	.295	.285
2866	2	R	8 1/2	x	12 3/4	8 1/8 x 12	.36	.35	.31	.305	.30	.295	.285
286	1	R	8 1/2	x	13	8 1/8 x 12 1/8	.37	.36	.32	.315	.31	.305	.295
547	1	S-K	8 1/2	x	13	8 1/8 x 12 1/8	.37	.36	.32	.315	.31	.305	.295
3817-MOD	1	R	8 1/2	x	13 3/16	8 1/8 x 12 5/16	.37	.36	.32	.315	.31	.305	.295

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3594	1	R	8 1/2	x	13 5/16	8 1/8 x 12 7/16	.37	.36	.32	.315	.31	.305	.295
3980	2	R	8 1/2	x	13 3/8	8 1/8 x 12 1/2	.37	.36	.32	.315	.31	.305	.295
3408	1	R	8 1/2	x	13 1/2	8 1/8 x 12 5/8	.37	.36	.32	.315	.31	.305	.295
3854	1	R	8 1/2	x	14	8 1/8 x 13 1/8	.39	.38	.34	.335	.33	.325	.315
1490	1	R	8 1/2	x	14 1/4	8 1/8 x 13 3/8	.39	.38	.34	.335	.33	.325	.315
1207	1	R	8 1/2	x	14 1/2	8 1/8 x 13 5/8	.39	.38	.34	.335	.33	.325	.315
2300	1	BIG-R	8 1/2	x	22	8 1/8 x 21 1/8	.555	.545	.505	.50	.495	.49	.48
2510	1	R-K	8 1/2	x	22	8 1/8 x 21 1/8	.555	.545	.505	.50	.495	.49	.48
723	1	S-K	8 1/2	x	23	8 1/8 x 22 1/8	.555	.545	.505	.50	.495	.49	.48
2860	1	R	8 1/2	x	26	8 1/8 x 25 1/8	.575	.565	.525	.52	.515	.51	.50
1175	1	R-2DIE	8 9/16	x	11	8 3/16 x 10 1/8	.35	.34	.30	.295	.29	.285	.275
1517	1	R	8 9/16	x	11	8 3/16 x 10 1/8	.35	.34	.30	.295	.29	.285	.275
2831	2	R	8 9/16	x	11	8 3/16 x 10 1/8	.35	.34	.30	.295	.29	.285	.275
120	1	S	8 9/16	x	11 11/16	8 3/16 x 10 13/16	.35	.34	.30	.295	.29	.285	.275
1601	1	R	8 9/16	x	12 3/8	8 3/16 x 11 1/2	.36	.35	.31	.305	.30	.295	.285
2655	1,2	R	8 9/16	x	12 13/16	8 3/16 x 12	.36	.35	.31	.305	.30	.295	.285
800	2	R	8 5/8	x	8 7/8	8 1/4 x 8	.33	.32	.28	.275	.27	.265	.255
815	1	R	8 5/8	x	8 7/8	8 1/4 x 8	.33	.32	.28	.275	.27	.265	.255
1162	1	R	8 5/8	x	8 7/8	8 1/4 x 8	.33	.32	.28	.275	.27	.265	.255
3548	2	R	8 5/8	x	8 15/16	8 1/4 x 8 1/16	.33	.32	.28	.275	.27	.265	.255
2299-H	1	R	8 5/8	x	9	8 1/4 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
MOD.2517	1	R-K	8 5/8	x	9	8 1/4 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
1243	1	R	8 5/8	x	9 1/2	8 1/4 x 8 5/8	.335	.325	.285	.28	.275	.27	.26
MOD.2517	1	R-K	8 5/8	x	9 1/2	8 1/4 x 8 5/8	.335	.325	.285	.28	.275	.27	.26
2299-I	1	R	8 5/8	x	9 5/8	8 1/4 x 8 3/4	.335	.325	.285	.28	.275	.27	.26
MOD.2517	1	R-K	8 5/8	x	10	8 1/4 x 9 1/8	.345	.335	.295	.29	.285	.28	.27
2299-J	1	R	8 5/8	x	10 1/4	8 1/4 x 9 3/8	.345	.335	.295	.29	.285	.28	.27
MOD.2517	1	R-K	8 5/8	x	10 1/2	8 1/4 x 9 5/8	.345	.335	.295	.29	.285	.28	.27
2299-K	1	R	8 5/8	x	10 7/8	8 1/4 x 10	.35	.34	.30	.295	.29	.285	.275
MOD.2517	1	R-K	8 5/8	x	11	8 1/4 x 10 1/8	.35	.34	.30	.295	.29	.285	.275
2112	1	R	8 5/8	x	11 1/8	8 1/4 x 10 1/4	.35	.34	.30	.295	.29	.285	.275
1665	1	R	8 5/8	x	11 3/8	8 1/4 x 10 1/2	.35	.34	.30	.295	.29	.285	.275
2299-L	1	R	8 5/8	x	11 1/2	8 1/4 x 10 5/8	.35	.34	.30	.295	.29	.285	.275
2190	1	R-K	8 5/8	x	11 7/8	8 1/4 x 11	.35	.34	.30	.295	.29	.285	.275
256	1	S	8 5/8	x	13 3/16	8 1/4 x 12 5/16	.37	.36	.32	.315	.31	.305	.295
2405	1	R	8 5/8	x	13 7/8	8 1/4 x 13	.37	.36	.32	.315	.31	.305	.295
3888-MOD	1	R	8 5/8	x	14 3/8	8 1/4 x 13 1/2	.38	.37	.33	.325	.32	.315	.305
MOD.1983	1	R	8 5/8	x	15	8 1/4 x 14 1/8	.41	.40	.36	.355	.35	.345	.335
MOD.1801	1	R	8 5/8	x	16 9/16	8 1/4 x 15 11/16	.41	.40	.36	.355	.35	.345	.335
2989	1	R	8 11/16	x	16 5/8	8 5/16 x 15 3/4	.41	.40	.36	.355	.35	.345	.335
836	2	R	8 3/4	x	9 1/16	8 3/8 x 8 3/16	.335	.325	.285	.28	.275	.27	.26
1219	1	R&K	8 3/4	x	9 1/8	8 3/8 x 8 1/4	.335	.325	.285	.28	.275	.27	.26
1461	1	R	8 3/4	x	9 1/4	8 3/8 x 8 3/8	.335	.325	.285	.28	.275	.27	.26

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
811	2	R	8 3/4	x	9 3/8	8 3/8 x 8 1/2	.335	.325	.285	.28	.275	.27	.26
2444	1	R	8 3/4	x	9 3/4	8 3/8 x 9	.335	.325	.285	.28	.275	.27	.26
183	1	R	8 3/4	x	10 7/16	8 3/8 x 9 9/16	.345	.335	.295	.29	.285	.28	.27
1469	1	S-K	8 3/4	x	10 5/8	8 3/8 x 9 3/4	.345	.335	.295	.29	.285	.28	.27
1216	1	R	8 3/4	x	10 7/8	8 3/8 x 10	.345	.335	.295	.29	.285	.28	.27
1919	1	R	8 3/4	x	11	8 3/8 x 10 1/8	.35	.34	.30	.295	.29	.285	.275
2921	1	R	8 3/4	x	11 1/16	8 3/8 x 10 3/16	.35	.34	.30	.295	.29	.285	.275
168	1	R	8 3/4	x	11 1/8	8 3/8 x 10 1/4	.35	.34	.30	.295	.29	.285	.275
3993-MOD	1	R	8 3/4	x	11 1/4	8 3/8 x 10 3/8	.35	.34	.30	.295	.29	.285	.275
136	1	R	8 3/4	x	11 3/8	8 3/8 x 10 1/2	.35	.34	.30	.295	.29	.285	.275
1234	1	R	8 3/4	x	11 1/2	8 3/8 x 10 5/8	.35	.34	.30	.295	.29	.285	.275
1536	2	R	8 3/4	x	11 5/8	8 3/8 x 10 3/4	.35	.34	.30	.295	.29	.285	.275
1113	1	R	8 3/4	x	11 3/4	8 3/8 x 11	.35	.34	.30	.295	.29	.285	.275
1223	1		8 3/4	x	12 13/16	8 3/8 x 12	.35	.34	.30	.295	.29	.285	.275
2100	1	R	8 3/4	x	13 5/8	8 3/8 x 12 3/4	.37	.36	.32	.315	.31	.305	.295
3012	2	R	8 3/4	x	14	8 3/8 x 13 1/8	.40	.39	.35	.345	.34	.335	.325
3836-MOD	1	R	8 3/4	x	14 1/4	8 3/8 x 13 3/8	.40	.39	.35	.345	.34	.335	.325
3632-MOD	1	R	8 3/4	x	14 3/8	8 3/8 x 13 1/2	.40	.39	.35	.345	.34	.335	.325
1860-S	1	R	8 3/4	x	14 7/8	8 3/8 x 14	.40	.39	.35	.345	.34	.335	.325
2651	1	R	8 3/4	x	15 3/4	8 3/8 x 14 7/8	.405	.395	.355	.35	.345	.34	.33
2741	2	S-K	8 3/4	x	18 1/2	8 3/8 x 17 5/8	.475	.465	.425	.42	.415	.41	.40
454	1,2	R	8 3/4	x	19	8 3/8 x 18 1/8	.48	.47	.43	.425	.42	.415	.405
1769	1	R	8 13/16	x	11 1/8	8 7/16 x 10 1/4	.35	.34	.30	.295	.29	.285	.275
2903	2	R	8 13/16	x	11 1/8	8 7/16 x 10 1/4	.35	.34	.30	.295	.29	.285	.275
1450	1	R	8 13/16	x	11 1/4	8 7/16 x 10 3/8	.35	.34	.30	.295	.29	.285	.275
246	2	R	8 13/16	x	11 7/16	8 7/16 x 10 9/16	.35	.34	.30	.295	.29	.285	.275
1022	1	R	8 13/16	x	12	8 7/16 x 11 1/8	.36	.35	.31	.305	.30	.295	.285
2639	1	R	8 13/16	x	12 7/16	8 7/16 x 11 9/16	.36	.35	.31	.305	.30	.295	.285
1627	1	R	8 13/16	x	12 7/8	8 7/16 x 12	.36	.35	.31	.305	.30	.295	.285
1762	1	R	8 13/16	x	13	8 7/16 x 12 1/8	.37	.36	.32	.315	.31	.305	.295
2945	1	R	8 13/16	x	14 3/4	8 7/16 x 14	.395	.385	.345	.34	.335	.33	.32
1367	1	R	8 7/8	x	8 7/8	8 1/2 x 8	.335	.325	.285	.28	.275	.27	.26
2014-I	1	R	8 7/8	x	9	8 1/2 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
3940-MOD	1	R	8 7/8	x	9	8 1/2 x 8 1/8	.335	.325	.285	.28	.275	.27	.26
3121	1	R	8 7/8	x	9 1/4	8 1/2 x 8 3/8	.335	.325	.285	.28	.275	.27	.26
3940-MOD	1	R	8 7/8	x	9 1/2	8 1/2 x 8 5/8	.335	.325	.285	.28	.275	.27	.26
2014-H	1	R	8 7/8	x	9 5/8	8 1/2 x 8 3/4	.335	.325	.285	.28	.275	.27	.26
181	1	R	8 7/8	x	9 3/4	8 1/2 x 8 3/4	.335	.325	.285	.28	.275	.27	.26
2929	1	R	8 7/8	x	10	8 1/2 x 9 1/8	.345	.335	.295	.29	.285	.28	.27
3940-MOD	1	R	8 7/8	x	10	8 1/2 x 9 1/8	.345	.335	.295	.29	.285	.28	.27
2014-J	1	R	8 7/8	x	10 1/4	8 1/2 x 9 3/8	.345	.335	.295	.29	.285	.28	.27
3940-MOD	1	R	8 7/8	x	10 1/2	8 1/2 x 9 5/8	.355	.345	.305	.30	.295	.29	.28
3392	2	R	8 7/8	x	10 3/4	8 1/2 x 9 7/8	.355	.345	.305	.30	.295	.29	.28

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3940-MOD	1	R	8 7/8	x	11	8 1/2 x 10 1/8	.355	.345	.305	.30	.295	.29	.28
582	1,2	R	8 7/8	x	11 3/8	8 1/2 x 10 1/2	.355	.345	.305	.30	.295	.29	.28
3906-MOD	1	R	8 7/8	x	11 3/8	8 1/2 x 10 1/2	.355	.345	.305	.30	.295	.29	.28
931	1	R	8 7/8	x	11 1/2	8 1/2 x 10 5/8	.355	.345	.305	.30	.295	.29	.28
3940-MOD	1	R	8 7/8	x	11 1/2	8 1/2 x 10 5/8	.355	.345	.305	.30	.295	.29	.28
896	1,2	R	8 7/8	x	11 3/4	8 1/2 x 10 7/8	.355	.345	.305	.30	.295	.29	.28
1009	1	R	8 7/8	x	11 7/8	8 1/2 x 11	.355	.345	.305	.30	.295	.29	.28
1165-A	1	R-K	8 7/8	x	12 1/2	8 1/2 x 11 5/8	.365	.355	.315	.31	.305	.30	.29
2003	1	R	8 7/8	x	13 3/8	8 1/2 x 12 1/2	.375	.365	.325	.32	.315	.31	.30
1993	1	R	8 7/8	x	14 3/8	8 1/2 x 13 1/2	.40	.39	.35	.345	.34	.335	.325
132	1	R	8 7/8	x	14 5/8	8 1/2 x 13 3/4	.40	.39	.35	.345	.34	.335	.325
2091	1	R	8 7/8	x	14 7/8	8 1/2 x 14	.40	.39	.35	.345	.34	.335	.325
2375	1	R	8 7/8	x	15 3/4	8 1/2 x 15	.415	.405	.365	.36	.355	.35	.34
1169	1	R	8 7/8	x	16	8 1/2 x 15 1/8	.42	.41	.37	.365	.36	.355	.345
2988	2	R	8 7/8	x	16 3/8	8 1/2 x 15 1/2	.42	.41	.37	.365	.36	.355	.345
2389	1	R	8 7/8	x	17 1/2	8 1/2 x 16 5/8	.455	.445	.405	.40	.395	.39	.38
1452	1	R	8 7/8	x	22 3/8	8 1/2 x 21 1/2	.555	.545	.505	.50	.495	.49	.48
1660-B	1	R	8 15/16	x	8 15/16	8 9/16 x 8 1/16	.335	.325	.285	.28	.275	.27	.26
1661-C	1	R	8 15/16	x	11 7/16	8 9/16 x 10 9/16	.36	.35	.31	.305	.30	.295	.285
1300	1	R	8 15/16	x	11 5/8	8 9/16 x 10 3/4	.36	.35	.31	.305	.30	.295	.285
1209	1	R	8 15/16	x	18 1/8	8 9/16 x 17 1/4	.485	.475	.435	.43	.425	.42	.41
599	1	R	9	x	9	8 5/8 x 8 1/8	.345	.335	.295	.29	.285	.28	.27
1068	1	R	9	x	9 1/8	8 5/8 x 8 1/4	.345	.335	.295	.29	.285	.28	.27
1396	1	R	9	x	9 1/4	8 5/8 x 8 3/8	.345	.335	.295	.29	.285	.28	.27
2919	1	R	9	x	9 3/8	8 5/8 x 8 1/2	.34	.33	.29	.285	.28	.275	.265
2960	1	R	9	x	9 3/8	8 5/8 x 8 1/2	.34	.33	.29	.285	.28	.275	.265
387	1	S-K	9	x	9 7/16	8 5/8 x 8 9/16	.34	.33	.29	.285	.28	.275	.265
1986	2	R	9	x	9 1/2	8 5/8 x 8 5/8	.34	.33	.29	.285	.28	.275	.265
450	1	R	9	x	10 3/16	8 5/8 x 9 5/16	.35	.34	.30	.295	.29	.285	.275
817	1	R	9	x	10 5/16	8 5/8 x 9 7/16	.35	.34	.30	.295	.29	.285	.275
1724	1	R	9	x	10 3/8	8 5/8 x 9 1/2	.35	.34	.30	.295	.29	.285	.275
1232	1	R	9	x	10 1/2	8 5/8 x 9 5/8	.35	.34	.30	.295	.29	.285	.275
1996	2	R&S	9	x	10 7/8	8 5/8 x 10	.35	.34	.30	.295	.29	.285	.275
163	1	S	9	x	11	8 5/8 x 10 1/8	.36	.35	.31	.305	.30	.295	.285
2347	1	R	9	x	11 1/8	8 5/8 x 10 1/4	.36	.35	.31	.305	.30	.295	.285
906	1	S	9	x	11 3/16	8 5/8 x 10 5/16	.36	.35	.31	.305	.30	.295	.285
2023	1	R-K	9	x	11 3/16	8 5/8 x 10 5/16	.36	.35	.31	.305	.30	.295	.285
714	1	S	9	x	11 7/16	8 5/8 x 10 9/16	.36	.35	.31	.305	.30	.295	.285
1548	1,2	R	9	x	11 1/2	8 5/8 x 10 5/8	.36	.35	.31	.305	.30	.295	.285
268	1	S	9	x	12	8 5/8 x 11 1/8	.375	.365	.325	.32	.315	.31	.30
372	1	S-K	9	x	12	8 5/8 x 11 1/8	.375	.365	.325	.32	.315	.31	.30
764	1	R	9	x	12	8 5/8 x 11 1/8	.375	.365	.325	.32	.315	.31	.30
1407	1,2	R	9	x	12	8 5/8 x 11 1/8	.375	.365	.325	.32	.315	.31	.30

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
3028	1	R	9	x	12 3/16	8 5/8 x 11 5/16	.375	.365	.325	.32	.315	.31	.30
517	1	S-K	9	x	12 1/2	8 5/8 x 11 5/8	.375	.365	.325	.32	.315	.31	.30
1284	1	R	9	x	12 1/2	8 5/8 x 11 5/8	.375	.365	.325	.32	.315	.31	.30
2948	1	R-K	9	x	12 3/4	8 5/8 x 11 7/8	.375	.365	.325	.32	.315	.31	.30
431	1,2	R	9	x	12 7/8	8 5/8 x 12	.375	.365	.325	.32	.315	.31	.30
534	1	S	9	x	13	8 5/8 x 12 1/8	.38	.37	.33	.325	.32	.315	.305
3183	1	R	9	x	13 1/2	8 5/8 x 12 5/8	.38	.37	.33	.325	.32	.315	.305
3063	2	R	9	x	14	8 5/8 x 13 1/8	.39	.38	.34	.335	.33	.325	.315
3249	1	R	9	x	14 3/8	8 5/8 x 13 1/2	.39	.38	.34	.335	.33	.325	.315
2397	1	R	9	x	14 1/2	8 5/8 x 13 5/8	.39	.38	.34	.335	.33	.325	.315
2677	1	R	9	x	14 1/2	8 5/8 x 13 5/8	.39	.38	.34	.335	.33	.325	.315
2393	1	R	9	x	15 1/4	8 5/8 x 14 3/8	.405	.395	.355	.35	.345	.34	.33
2990	1	R	9	x	16 3/8	8 5/8 x 15 1/2	.405	.395	.355	.35	.345	.34	.33
2073	1	R	9 1/32	x	11 1/16	8 5/8 x 10 3/16	.36	.35	.31	.305	.30	.295	.285
437	1	R	9 1/16	x	9 3/4	8 11/16 x 9	.34	.33	.29	.285	.28	.275	.265
330	1	R	9 1/16	x	11 1/16	8 11/16 x 10 3/16	.36	.35	.31	.305	.30	.295	.285
1141	1	R	9 1/16	x	11 1/16	8 11/16 x 10 3/16	.36	.35	.31	.305	.30	.295	.285
678	1	R	9 1/16	x	11 1/4	8 11/16 x 10 3/8	.36	.35	.31	.305	.30	.295	.285
2835	1	R	9 1/16	x	11 1/2	8 11/16 x 10 5/8	.36	.35	.31	.305	.30	.295	.285
2709	1	R	9 1/16	x	11 3/4	8 11/16 x 10 7/8	.36	.35	.31	.305	.30	.295	.285
1683	1	R	9 1/16	x	13 1/8	8 11/16 x 12 1/4	.38	.37	.33	.325	.32	.315	.305
572	2	R	9 1/8	x	9 1/2	8 3/4 x 8 5/8	.34	.33	.29	.285	.28	.275	.265
366	1	R	9 1/8	x	9 3/4	8 3/4 x 9 7/8	.34	.33	.29	.285	.28	.275	.265
2911	1	R	9 1/8	x	9 7/8	8 3/4 x 9	.34	.33	.29	.285	.28	.275	.265
1817	1	R	9 1/8	x	10 1/4	8 3/4 x 9 3/8	.35	.34	.30	.295	.29	.285	.275
1695	1	R	9 1/8	x	11 1/4	8 3/4 x 10 3/8	.36	.35	.31	.305	.30	.295	.285
3909	1	R-K	9 1/8	x	11 ¼	8 ¾ x 10 3/8	.36	.35	.31	.305	.30	.295	.285
3221	2	R	9 1/8	x	11 3/8	8 3/4 x 10 1/2	.36	.35	.31	.305	.30	.295	.285
111	1,2	R	9 1/8	x	11 5/8	8 3/4 x 10 3/4	.36	.35	.31	.305	.30	.295	.285
297	1,2	R	9 1/8	x	11 5/8	8 3/4 x 10 3/4	.36	.35	.31	.305	.30	.295	.285
1025	1	R	9 1/8	x	11 5/8	8 3/4 x 10 3/4	.36	.35	.31	.305	.30	.295	.285
557	1	R	9 1/8	x	11 3/4	8 3/4 x 10 7/8	.36	.35	.31	.305	.30	.295	.285
2626	1	R	9 1/8	x	12 1/8	8 3/4 x 11 1/4	.37	.36	.32	.315	.31	.305	.295
123	1	S	9 1/8	x	14	8 3/4 x 13 1/8	.39	.38	.34	.335	.33	.325	.315
3888-MOD	1	R	9 1/8	x	14 3/8	8 ¾ x 13 ½	.39	.38	.34	.335	.33	.325	.315
1292	1	R	9 1/8	x	18 5/8	8 3/4 x 17 3/4	.47	.46	.42	.415	.41	.405	.395
2671	1	R	9 1/8	x	33 1/2	8 3/4 x 32 5/8	.755	.745	.735	.73	.725	.72	.70
389	1	R	9 3/16	x	10 1/16	8 13/16 x 9 3/16	.35	.34	.30	.295	.29	.285	.275
2184	1	R	9 3/16	x	11 1/8	8 13/16 x 10 1/4	.36	.35	.31	.305	.30	.295	.285
454	2	R	9 3/16	x	11 3/16	8 13/16 x 10 5/16	.36	.35	.31	.305	.30	.295	.285
334	2	R	9 3/16	x	11 7/16	8 13/16 x 10 9/16	.36	.35	.31	.305	.30	.295	.285
618	1	R	9 3/16	x	12	8 13/16 x 11 1/8	.37	.36	.32	.315	.31	.305	.295
1297	1	S	9 3/16	x	12 1/16	8 13/16 x 11 3/16	.37	.36	.32	.315	.31	.305	.295

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
261	1	R	9 3/16	x	12 9/16	8 13/16 x 11 11/16	.37	.36	.32	.315	.31	.305	.295
613	1	R	9 3/16	x	14 9/16	8 13/16 x 13 11/16	.38	.37	.33	.325	.32	.315	.305
1394	1	R	9 7/32	x	11 9/16	8 13/16 x 10 9/16	.36	.35	.31	.305	.30	.295	.285
2440	1	R	9 7/32	x	13 13/16	8 13/16 x 13	.39	.38	.34	.335	.33	.325	.315
2046	1	R	9 1/4	x	9 1/4	8 7/8 x 8 3/8	.35	.34	.29	.285	.28	.275	.265
2016	2	R	9 1/4	x	9 3/4	8 7/8 x 8 7/8	.35	.34	.29	.285	.28	.275	.265
1637	1	R	9 1/4	x	10 1/8	8 7/8 x 9 1/4	.35	.34	.30	.295	.29	.285	.275
420	2	R	9 1/4	x	10 3/8	8 7/8 x 9 1/2	.35	.34	.30	.295	.29	.285	.275
828	2	R	9 1/4	x	11 1/4	8 7/8 x 10 3/8	.365	.355	.315	.31	.305	.30	.29
3906-MOD	1	R	9 ¼	x	11 3/8	8 ¾ x 10 ½	.365	.355	.315	.31	.305	.30	.29
892	1	R	9 1/4	x	11 1/2	8 7/8 x 10 5/8	.365	.355	.315	.31	.305	.30	.29
3945	1	R	9 ¼	x	11 5/8	8 ¾ x 10 ¾	.365	.355	.315	.31	.305	.30	.29
184	1	S	9 1/4	x	11 3/4	8 7/8 x 11	.365	.355	.315	.31	.305	.30	.29
333	1	S	9 1/4	x	11 7/8	8 7/8 x 11	.365	.355	.315	.31	.305	.30	.29
2499	1	R	9 1/4	x	12	8 7/8 x 11 1/8	.37	.36	.32	.315	.31	.305	.295
1562	1	R	9 1/4	x	12 1/4	8 7/8 x 11 3/8	.37	.36	.32	.315	.31	.305	.295
1233	2	R	9 1/4	x	12 5/16	8 7/8 x 11 7/16	.37	.36	.32	.315	.31	.305	.295
1658	1	R	9 1/4	x	13	8 7/8 x 12 1/8	.385	.375	.335	.33	.325	.32	.31
2720	1	R	9 1/4	x	14 3/8	8 7/8 x 13 1/2	.405	.395	.355	.35	.345	.34	.33
313	1	R	9 1/4	x	14 1/2	8 7/8 x 13 5/8	.405	.395	.355	.35	.345	.34	.33
1860-E	1	R	9 1/4	x	14 7/8	8 7/8 x 14	.405	.395	.355	.35	.345	.34	.33
1341	1	R	9 1/4	x	15 1/16	8 7/8 x 14 3/16	.41	.40	.36	.355	.35	.345	.335
3107	1	R	9 1/4	x	15 5/8	8 7/8 x 14 3/4	.41	.40	.36	.355	.35	.345	.335
1213	1	R	9 1/4	x	17 1/2	8 7/8 x 16 5/8	.465	.455	.415	.41	.405	.40	.39
2083	1	R	9 1/4	x	25	8 7/8 x 24 1/8	.545	.535	.525	.52	.515	.51	.50
2731	1	R	9 5/16	x	10 1/2	8 15/16 x 9 5/8	.36	.35	.31	.305	.30	.295	.285
1578	1	R-K	9 5/16	x	11 1/8	8 15/16 x 10 1/4	.36	.35	.31	.305	.30	.295	.285
3603	2	R	9 5/16	x	11 1/2	8 15/16 x 10 5/8	.36	.35	.31	.305	.30	.295	.285
711	1	R	9 5/16	x	12 1/16	8 15/16 x 11 3/16	.37	.36	.32	.315	.31	.305	.295
3790	1	R	9 5/16	x	14 3/4	8 15/16 x 13 7/8	.405	.395	.355	.35	.345	.34	.33
2784	1	R	9 3/8	x	9 3/8	9 x 8 1/2	.345	.335	.295	.29	.285	.28	.27
449	1	R	9 3/8	x	10 1/16	9 x 9 3/16	.36	.35	.31	.305	.30	.295	.285
2854	1	R	9 3/8	x	10 3/8	9 x 9 1/2	.36	.35	.31	.305	.30	.295	.285
3162	1	R	9 3/8	x	10 3/4	9 x 10	.36	.35	.31	.305	.30	.295	.285
2785	1	R	9 3/8	x	11 1/4	9 x 10 3/8	.36	.35	.31	.305	.30	.295	.285
2077	1	R	9 3/8	x	11 3/8	9 x 10 1/2	.36	.35	.31	.305	.30	.295	.285
3637-MOD	1	R	9 3/8	x	11 3/8	9 x 10 ½	.36	.35	.31	.305	.30	.295	.285
2812	1	R	9 3/8	x	11 11/16	9 x 10 13/16	.37	.36	.32	.315	.31	.305	.295
932	1	S	9 3/8	x	11 7/8	9 x 11	.37	.36	.32	.315	.31	.305	.295
185	1,2	R	9 3/8	x	11 15/16	9 x 11 1/16	.37	.36	.32	.315	.31	.305	.295
2996	1	R	9 3/8	x	12 3/8	9 x 11 1/2	.37	.36	.32	.315	.31	.305	.295
2427	2	R	9 3/8	x	12 1/2	9 x 11 5/8	.37	.36	.32	.315	.31	.305	.295
2635	1	R	9 3/8	x	12 3/4	9 x 11 7/8	.37	.36	.32	.315	.31	.305	.295

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
1689	1	R	9 3/8	x	14 1/8	9 x 13 1/4	.405	.395	.355	.35	.345	.34	.33
122	1	R	9 3/8	x	15 1/4	9 x 14 3/8	.41	.40	.36	.355	.35	.345	.335
2886	1	R	9 3/8	x	15 13/16	9 x 15	.41	.40	.36	.355	.35	.345	.335
1801-G	1	R	9 3/8	x	16 9/16	9 x 15 11/16	.435	.425	.385	.38	.375	.37	.36
455	2	R	9 7/16	x	11 3/16	9 1/16 x 10 5/16	.36	.35	.31	.305	.30	.295	.285
224	1	R	9 7/16	x	12 1/2	9 1/16 x 11 5/8	.37	.36	.32	.315	.31	.305	.295
3835	1	R	9 7/16	x	13 11/16	9 1/16 x 12 13/16	.385	.375	.335	.33	.325	.32	.31
3596	1	R	9 7/16	x	14 3/16	9 1/16 x 13 5/16	.395	.385	.345	.34	.335	.33	.32
2071	1	R	9 7/16	x	15	9 1/16 x 14 1/8	.41	.40	.36	.355	.35	.345	.335
480	1	R	9 7/16	x	17 1/16	9 1/16 x 16 3/16	.46	.45	.41	.405	.40	.395	.385
229	1	R	9 1/2	x	9 9/16	9 1/8 x 8 11/16	.355	.345	.305	.30	.295	.29	.28
2227	1	R	9 1/2	x	9 7/8	9 1/8 x 9	.355	.345	.305	.30	.295	.29	.28
2928	1	R	9 1/2	x	10 1/4	9 1/8 x 9 3/8	.355	.345	.305	.30	.295	.29	.28
3549	1	R	9 1/2	x	10 1/2	9 1/8 x 9 5/8	.355	.345	.305	.30	.295	.29	.28
1629	1	R	9 1/2	x	11	9 1/8 x 10 1/8	.36	.35	.31	.305	.30	.295	.285
1362	1	R	9 1/2	x	11 1/8	9 1/8 x 10 1/4	.36	.35	.31	.305	.30	.295	.285
1506	1	R	9 1/2	x	11 3/16	9 1/8 x 10 5/16	.36	.35	.31	.305	.30	.295	.285
3284	1	R	9 1/2	x	11 9/16	9 1/8 x 10 11/16	.36	.35	.31	.305	.30	.295	.285
4020	2	R	9 1/2	x	11 3/4	9 1/8 x 10 7/8	.365	.355	.315	.31	.305	.30	.29
1099	1	R	9 1/2	x	11 7/8	9 1/8 x 11	.37	.36	.32	.315	.31	.305	.295
2172	1	R	9 1/2	x	12	9 1/8 x 11 1/8	.375	.365	.325	.32	.315	.31	.30
3675	1	R-K	9 1/2	x	12	9 1/8 x 11 1/8	.375	.365	.325	.32	.315	.31	.30
3799	1	R	9 1/2	x	12 5/16	9 1/8 x 11 7/16	.375	.365	.325	.32	.315	.31	.30
345	1,2	R	9 1/2	x	12 1/2	9 1/8 x 11 5/8	.375	.365	.325	.32	.315	.31	.30
3115	1	R	9 1/2	x	12 5/8	9 1/8 x 11 3/4	.375	.365	.325	.32	.315	.31	.30
425	1,2	R	9 1/2	x	13 1/2	9 1/8 x 12 5/8	.385	.375	.335	.33	.325	.32	.31
3836-MOD	1	R	9 1/2	x	14 1/4	9 1/8 x 13 3/8	.395	.385	.345	.34	.335	.33	.32
1904	1	R	9 1/2	x	14 5/16	9 1/8 x 13 7/16	.395	.385	.345	.34	.335	.33	.32
274	1	R	9 1/2	x	14 1/2	9 1/8 x 13 5/8	.395	.385	.345	.34	.335	.33	.32
2390	1	R	9 1/2	x	14 5/8	9 1/8 x 13 3/4	.395	.385	.345	.34	.335	.33	.32
484	1	R	9 1/2	x	15	9 1/8 x 14 1/8	.395	.385	.345	.34	.335	.33	.32
1077	1	R	9 1/2	x	15 3/8	9 1/8 x 14 1/2	.395	.385	.345	.34	.335	.33	.32
391	1	R	9 1/2	x	16	9 1/8 x 15 1/8	.43	.42	.38	.375	.37	.365	.355
2916			9 1/2	x	17	9 1/8 x 16 1/8	.455	.445	.405	.40	.395	.39	.38
3839	1	R	9 1/2	x	22	9 1/8 x 21 1/8	.625	.615	.605	.60	.595	.59	.58
1638	1	R	9 9/16	x	10 3/4	9 3/16 x 10	.355	.345	.305	.30	.295	.29	.28
2795	1	R	9 9/16	x	11 1/2	9 3/16 x 10 5/8	.36	.35	.31	.305	.30	.295	.285
2820	1	R	9 9/16	x	12 3/16	9 3/16 x 11 5/16	.375	.365	.325	.32	.315	.31	.30
2574	1	R	9 9/16	x	13	9 3/16 x 12 1/8	.385	.375	.335	.33	.325	.32	.31
1735	1	R	9 9/16	x	13 1/16	9 3/16 x 12 3/16	.385	.375	.335	.33	.325	.32	.31
112	2	R	9 9/16	x	13 3/16	9 3/16 x 12 5/16	.385	.375	.335	.33	.325	.32	.31
221	1	R	9 9/16	x	16 1/16	9 3/16 x 15 3/16	.42	.41	.37	.365	.36	.355	.345
2916	1	R	9 9/16	x	17	9 3/16 x 16 1/8	.45	.44	.40	.395	.39	.385	.375

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2991	1	R	9 9/16	x	17 1/4	9 3/16 x 16 3/8	.45	.44	.40	.395	.39	.385	.375
3436	1	R-SER 9 5/8	9 5/8	x	10	9 1/4 x 9 1/8	.355	.345	.305	.30	.295	.29	.28
3307	1	R-SER 9 5/8	9 5/8	x	10 5/8	9 1/4 x 9 3/4	.355	.345	.305	.30	.295	.29	.28
1567	1	R	9 5/8	x	11 3/8	9 1/4 x 10 1/2	.36	.35	.31	.305	.30	.295	.285
3967	1	R	9 5/8	x	11 3/4	9 1/4 x 10 7/8	.37	.36	.32	.315	.31	.305	.295
2118			9 5/8	x	12	9 1/4 x 11 1/8	.375	.365	.325	.32	.315	.31	.30
549	1	S	9 5/8	x	12 1/16	9 1/4 x 11 3/16	.375	.365	.325	.32	.315	.31	.30
1163	1	R	9 5/8	x	12 3/16	9 1/4 x 11 5/16	.375	.365	.325	.32	.315	.31	.30
2325	1	R	9 5/8	x	12 1/4	9 1/4 x 11 3/8	.375	.365	.325	.32	.315	.31	.30
1613	1	R	9 5/8	x	12 1/2	9 1/4 x 11 5/8	.38	.37	.33	.325	.32	.315	.305
702	1	R	9 5/8	x	12 15/16	9 1/4 x 12 1/16	.38	.37	.33	.325	.32	.315	.305
703	1	R	9 5/8	x	12 15/16	9 1/4 x 12 1/16	.38	.37	.33	.325	.32	.315	.305
1398	1	R	9 5/8	x	13 1/8	9 1/4 x 12 1/4	.385	.375	.335	.33	.325	.32	.31
3595	1	R	9 5/8	x	13 7/16	9 1/4 x 12 9/16	.385	.375	.335	.33	.325	.32	.31
2464	1	R	9 5/8	x	14 3/8	9 1/4 x 13 1/2	.405	.395	.355	.35	.345	.34	.33
1167	1	R	9 5/8	x	14 7/8	9 1/4 x 14	.405	.395	.355	.35	.345	.34	.33
2407	1	R	9 5/8	x	15 5/8	9 1/4 x 14 3/4	.42	.41	.37	.365	.36	.355	.345
3547	1	R	9 5/8	x	16 1/4	9 1/4 x 15 3/8	.435	.425	.385	.38	.375	.37	.36
3308	1	R-SER 9 5/8	9 5/8	x	16 1/2	9 1/4 x 15 5/8	.435	.425	.385	.38	.375	.37	.36
3538	1	R	9 5/8	x	16 5/8	9 1/4 x 15 3/4	.435	.425	.385	.38	.375	.37	.36
2307	1	R	9 5/8	x	16 3/4	9 1/4 x 16	.435	.425	.385	.38	.375	.37	.36
2992	1	R	9 5/8	x	19 5/8	9 1/4 x 18 3/4	.465	.455	.445	.44	.435	.43	.42
1281	1	R	9 5/8	x	25	9 1/4 x 24 1/8	.695	.685	.675	.67	.665	.66	.65
3894-MOD	1	R	9 5/8	x	30 3/8	9 1/4 x 29 1/2	.77	.765	.76	.755	.75	.745	.735
3894-MOD	1,2	R	9 5/8	x	31	9 1/4 x 20 1/8	.775	.77	.765	.76	.755	.75	.74
3036	1	R	9 11/16	x	10 7/16	9 5/16 x 9 9/16	.355	.345	.305	.30	.295	.29	.28
203	1	R	9 11/16	x	11	9 5/16 x 10 1/8	.36	.35	.31	.305	.30	.295	.285
2489	1	R	9 11/16	x	11 15/16	9 5/16 x 11 1/16	.36	.35	.31	.305	.30	.295	.285
625	2	R	9 3/4	x	11	9 3/8 x 10 1/8	.36	.35	.31	.305	.30	.295	.285
701	1	R	9 3/4	x	11 7/16	9 3/8 x 10 11/16	.36	.35	.31	.305	.30	.295	.285
965	1	S-K	9 3/4	x	11 3/4	9 3/8 x 11	.37	.36	.32	.315	.31	.305	.295
705	1	R	9 3/4	x	12	9 3/8 x 11 1/8	.37	.36	.32	.315	.31	.305	.295
1062	1	S-K	9 3/4	x	12	9 3/8 x 11 1/8	.37	.36	.32	.315	.31	.305	.295
1332	1	R	9 3/4	x	12 1/2	9 3/8 x 11 5/8	.38	.37	.33	.325	.32	.315	.305
2328	1	R	9 3/4	x	12 5/8	9 3/8 x 11 3/4	.38	.37	.33	.325	.32	.315	.305
1445	1	R	9 3/4	x	12 7/8	9 3/8 x 12	.38	.37	.33	.325	.32	.315	.305
535	1	R	9 3/4	x	13 1/4	9 3/8 x 12 1/2	.39	.38	.34	.335	.33	.325	.315
3492	1	R	9 3/4	x	14 1/16	9 3/8 x 13 3/16	.40	.39	.35	.345	.34	.335	.325
3632-MOD	1	R	9 3/4	x	14 3/8	9 3/8 x 13 1/2	.40	.39	.35	.345	.34	.335	.325
3071	1	R	9 3/4	x	15	9 3/8 x 14 1/8	.405	.395	.355	.35	.345	.34	.33
2116	1	R	9 3/4	x	15 1/4	9 3/8 x 14 3/8	.405	.395	.355	.35	.345	.34	.33
2930	1	R	9 3/4	x	18	9 3/8 x 17 1/8	.47	.46	.42	.415	.41	.405	.395
328	1	R	9 13/16	x	10 1/16	9 7/16 x 9 3/16	.355	.345	.305	.30	.295	.29	.28

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
322	1	R	9 13/16	x	10 5/16	9 7/16 x 9 7/16	.355	.345	.305	.30	.295	.29	.28
1525	1	R	9 13/16	x	12 7/16	9 7/16 x 11 9/16	.375	.365	.325	.32	.315	.31	.30
2993	1	R	9 13/16	x	17 1/2	9 7/16 x 16 5/8	.465	.455	.415	.41	.405	.40	.39
2733	1	R	9 7/8	x	11 5/8	9 1/2 x 10 3/4	.375	.365	.325	.32	.315	.31	.30
2832	1	R-SER 9 5/8	9 7/8	x	14	9 1/2 x 13 1/8	.405	.395	.355	.35	.345	.34	.33
3013	1	R	9 7/8	x	14 7/8	9 1/2 x 14	.405	.395	.355	.35	.345	.34	.33
2839	1	R	9 7/8	x	16	9 1/2 x 15 1/8	.435	.425	.385	.38	.375	.37	.36
3895	1	R	9 7/8	x	16 1/8	9 1/2 x 15 1/4	.435	.425	.385	.38	.375	.37	.36
1839	2	R	9 7/8	x	16 1/4	9 1/2 x 15 3/8	.435	.425	.385	.38	.375	.37	.36
2219	1	R	9 7/8	x	17	9 1/2 x 16 1/8	.465	.455	.415	.41	.405	.40	.39
3296	1	R	9 7/8	x	24 7/8	9 1/2 x 24	.695	.685	.675	.67	.665	.66	.65
1282	1	R	9 15/16	x	10 1/8	9 9/16 x 9 1/4	.375	.365	.325	.32	.315	.31	.30
518	1	R	9 15/16	x	20 13/16	9 9/16 x 20	.555	.545	.535	.53	.525	.52	.51
503	2	R	10	x	10	9 5/8 x 9 1/8	.365	.355	.315	.31	.305	.30	.29
3264	1	R	10	x	10 1/4	9 5/8 x 9 1/2	.365	.355	.315	.31	.305	.30	.29
2748	1	R	10	x	11	9 5/8 x 10 1/8	.375	.365	.325	.32	.315	.31	.30
2021	2	R&S-B	10	x	12	9 5/8 x 11 1/8	.385	.375	.335	.33	.325	.32	.31
2949	1	R-K	10	x	12 1/4	9 5/8 x 11 3/8	.385	.375	.335	.33	.325	.32	.31
1667	1	R	10	x	12 5/8	9 5/8 x 11 3/4	.395	.385	.345	.34	.335	.33	.32
1668	1	R	10	x	12 3/4	9 5/8 x 11 7/8	.395	.385	.345	.34	.335	.33	.32
1682	1	R	10	x	12 3/4	9 5/8 x 12	.395	.385	.345	.34	.335	.33	.32
282	1	R	10	x	13	9 5/8 x 12 1/8	.395	.385	.345	.34	.335	.33	.32
804	1	R	10	x	13 1/2	9 5/8 x 12 5/8	.40	.39	.35	.345	.34	.335	.325
200	1	R	10	x	14	9 5/8 x 13 1/8	.405	.395	.355	.35	.345	.34	.33
3122	1	R	10	x	14 1/2	9 5/8 x 13 5/8	.405	.395	.355	.35	.345	.34	.33
MOD.2738	1	R	10	x	15 1/8	9 5/8 x 14 1/4	.42	.41	.37	.365	.36	.355	.345
2193	1	R	10	x	16 3/8	9 5/8 x 15 1/2	.44	.43	.39	.385	.38	.375	.365
MOD.2738	1	R	10	x	17 5/8	9 5/8 x 16 3/4	.49	.48	.44	.435	.43	.425	.415
1103	1	R-K	10	x	19	9 5/8 x 18 1/8	.525	.515	.475	.47	.465	.46	.45
683	1	R	10	x	24 1/8	9 5/8 x 23 1/4	.695	.685	.675	.67	.665	.66	.65
MOD.2737	1	R	10	x	30	9 5/8 x 29 1/8	.795	.785	.775	.77	.765	.76	.75
MOD.2737	1	R	10	x	30 1/2	9 5/8 x 29 5/8	.805	.795	.785	.78	.775	.77	.76
MOD.2737	1	R	10	x	31 1/8	9 5/8 x 30 1/4	.825	.815	.805	.80	.795	.79	.78
MOD.2737	1	R	10	x	31 3/4	9 5/8 x 31	.835	.825	.815	.81	.805	.80	.79
MOD.2737	1	R	10	x	32 1/2	9 5/8 x 31 5/8	.845	.835	.825	.82	.815	.81	.80
113	1	R	10	x	12 1/16	9 11/16 x 11 3/16	.385	.375	.335	.33	.325	.32	.31
1519	1	R	10 1/16	x	12 3/8	9 11/16 x 11 1/2	.385	.375	.335	.33	.325	.32	.31
191	1	R	10 1/16	x	13	9 11/16 x 12 1/8	.40	.39	.35	.345	.34	.335	.325
576	3	R	10 1/16	x	14 9/16	9 11/16 x 13 11/16	.42	.41	.37	.365	.36	.355	.345
1544	1	R	10 1/16	x	14 5/8	9 11/16 x 13 3/4	.42	.41	.37	.365	.36	.355	.345
241	1	S	10 1/16	x	15 15/16	9 11/16 x 15 1/16	.435	.425	.385	.38	.375	.37	.36
2165	1	R	10 1/8	x	12	9 3/4 x 11 1/8	.395	.385	.345	.34	.335	.33	.32
116	1	R2DIE	10 1/8	x	12 5/8	9 3/4 x 11 3/4	.40	.39	.35	.345	.34	.335	.325

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
131	1	S	10 1/8	x	13 7/16	9 3/4 x 12 9/16	.405	.395	.355	.35	.345	.34	.33
1097	1	R	10 1/8	x	23 3/4	9 3/4 x 22 7/8	.695	.685	.675	.67	.665	.66	.65
1844	1	R	10 3/16	x	12 3/4	9 3/4 x 12	.395	.385	.345	.34	.335	.33	.32
3422	1	R	10 3/16	x	19	9 13/16 x 18 1/8	.525	.515	.48	.475	.47	.465	.455
1000	2	R	10 1/4	x	10 1/2	9 7/8 x 9 5/8	.38	.37	.33	.325	.32	.315	.305
3425	1	R	10 1/4	x	10 3/4	9 7/8 x 10	.38	.37	.33	.325	.32	.315	.305
2434	1	R	10 1/4	x	11	9 7/8 x 10 1/8	.38	.37	.33	.325	.32	.315	.305
1669	1	R	10 1/4	x	11 3/8	9 7/8 x 10 1/2	.38	.37	.33	.325	.32	.315	.305
1823	1	R	10 1/4	x	11 1/2	9 7/8 x 10 5/8	.38	.37	.33	.325	.32	.315	.305
1453	1	R	10 1/4	x	11 7/8	9 7/8 x 11	.385	.375	.335	.33	.325	.32	.31
444	1	R	10 1/4	x	12 1/4	9 7/8 x 11 3/8	.385	.375	.335	.33	.325	.32	.31
1604	1	R	10 1/4	x	13 1/4	9 7/8 x 12 3/8	.405	.395	.355	.35	.345	.34	.33
2079			10 1/4	x	13 3/8	9 7/8 x 12 1/2	.405	.395	.355	.35	.345	.34	.33
532	1	R-K	10 1/4	x	13 1/2	9 7/8 x 12 5/8	.405	.395	.355	.35	.345	.34	.33
1767	1	R	10 1/4	x	13 5/8	9 7/8 x 12 3/4	.405	.395	.355	.35	.345	.34	.33
1538	1	R	10 1/4	x	14 3/8	9 7/8 x 13 1/2	.42	.41	.37	.365	.36	.355	.345
2506	1	R	10 1/4	x	15 1/2	9 7/8 x 14 5/8	.435	.425	.385	.38	.375	.37	.36
2986	1	R	10 1/4	x	16	9 7/8 x 15 1/8	.44	.43	.39	.385	.38	.375	.365
3010	1	R-SER 10 1/4	10 1/4	x	16 1/2	9 7/8 x 15 5/8	.445	.435	.395	.39	.385	.38	.37
2031	1	R	10 1/4	x	17 1/8	9 7/8 x 16 1/4	.49	.48	.44	.435	.43	.425	.415
2994	1	R	10 1/4	x	19 7/8	9 7/8 x 19	.525	.515	.505	.50	.495	.49	.48
1968	1	R	10 1/4	x	21	9 7/8 x 20 1/8	.575	.565	.555	.55	.545	.54	.53
1558	1	R	10 5/16	x	12 5/8	9 15/16 x 11 3/4	.40	.39	.35	.345	.34	.335	.325
1296	1	R	10 5/16	x	17 1/4	9 15/16 x 16 3/8	.47	.46	.42	.415	.41	.405	.395
3236	1	R	10 3/8	x	10 3/8	10 x 9 1/2	.38	.37	.33	.325	.32	.315	.305
3207	1	R-K	10 3/8	x	11 5/16	10 x 10 7/16	.385	.375	.335	.33	.325	.32	.31
3014	1	R	10 3/8	x	13 7/8	10 x 13	.405	.395	.355	.35	.345	.34	.33
2041	1	R	10 3/8	x	16 3/8	10 x 15 1/2	.445	.435	.395	.39	.385	.38	.37
2893	1	R	10 7/16	x	12 3/4	10 1/16 x 12	.40	.39	.35	.345	.34	.335	.325
172	1	R	10 7/16	x	14 3/8	10 1/16 x 13 1/2	.425	.415	.375	.37	.365	.36	.35
135	1	R	10 7/16	x	15 1/8	10 1/16 x 14 1/4	.455	.445	.405	.40	.395	.39	.38
279	1	R	10 1/2	x	11 1/16	10 1/8 x 10 3/16	.38	.37	.33	.325	.32	.315	.305
1686	1	R	10 1/2	x	11 5/8	10 1/8 x 10 3/4	.38	.37	.33	.325	.32	.315	.305
2320	1	R	10 1/2	x	12 1/4	10 1/8 x 11 3/8	.395	.385	.345	.34	.335	.33	.32
2355	1	S	10 1/2	x	12 3/8	10 1/8 x 11 1/2	.395	.385	.345	.34	.335	.33	.32
1603	1	R	10 1/2	x	13 1/2	10 1/8 x 12 5/8	.405	.395	.355	.35	.345	.34	.33
220	1	R	10 1/2	x	13 9/16	10 1/8 x 12 11/16	.405	.395	.355	.35	.345	.34	.33
1389	1	R	10 1/2	x	14 1/8	10 1/8 x 13 1/4	.41	.40	.36	.355	.35	.345	.335
3580	1	R	10 1/2	x	14 1/2	10 1/8 x 13 5/8	.41	.40	.36	.355	.35	.345	.335
3786	1	R	10 1/2	x	14 1/2	10 1/8 x 13 5/8	.41	.40	.36	.355	.35	.345	.335
2103	1	R-SER 10 1/4	10 1/2	x	15	10 1/8 x 14 1/8	.42	.41	.37	.365	.36	.355	.345
2497	1	R	10 1/2	x	15 1/2	10 1/8 x 14 5/8	.42	.41	.37	.365	.36	.355	.345
2290	1	R	10 1/2	x	16	10 1/8 x 15 1/8	.44	.43	.39	.385	.38	.375	.365

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
121	1	R	10 1/2	x	17 3/4	10 1/8 x 17	.48	.47	.43	.425	.42	.415	.405
2220	1	R	10 1/2	x	24 1/2	10 1/8 x 23 5/8	.695	.685	.675	.67	.665	.66	.65
2844	1	R	10 9/16	x	11 3/16	10 3/16 x 10 5/16	.38	.37	.33	.325	.32	.315	.305
1264	1	R	10 5/8	x	10 5/8	10 1/4 x 9 3/4	.375	.365	.325	.32	.315	.31	.30
160	1	S	10 5/8	x	12 7/8	10 1/4 x 12	.405	.395	.355	.35	.345	.34	.33
1992	1	R	10 5/8	x	13	10 1/4 x 12 1/8	.405	.395	.355	.35	.345	.34	.33
2419	1	R	10 5/8	x	13 3/4	10 1/4 x 13	.41	.40	.36	.355	.35	.345	.335
513	1	R	10 5/8	x	16 1/16	10 1/4 x 15 3/16	.44	.43	.39	.385	.38	.375	.365
3288	1	R	10 5/8	x	16 5/8	10 1/4 x 15 3/4	.445	.435	.395	.39	.385	.38	.37
2830	1	R	10 5/8	x	20 1/2	10 1/4 x 19 5/8	.545	.535	.525	.52	.515	.51	.50
2058	1	R	10 5/8	x	12 3/4	10 1/4 x 12	.41	.40	.36	.355	.35	.345	.335
1870	1	R	10 11/16	x	17 3/4	10 5/16 x 17	.48	.47	.43	.425	.42	.415	.405
1370	1	R	10 3/4	x	10 7/8	10 3/8 x 10	.38	.37	.33	.325	.32	.315	.305
1687	1	R	10 3/4	x	10 7/8	10 3/8 x 10	.38	.37	.33	.325	.32	.315	.305
3720	1	R	10 3/4	x	11 1/4	10 3/8 x 10 3/8	.385	.375	.335	.33	.325	.32	.31
2947	1	R	10 3/4	x	12 3/4	10 3/8 x 12	.40	.39	.35	.345	.34	.335	.325
3584	1	R	10 3/4	x	15 1/4	10 3/8 x 14 3/8	.435	.425	.385	.38	.375	.37	.36
2653	1	R	10 7/8	x	10 7/8	10 1/2 x 10	.38	.37	.33	.325	.32	.315	.305
529	1	S	10 7/8	x	11 3/8	10 1/2 x 10 1/2	.385	.375	.335	.33	.325	.32	.31
1954	1	S	10 7/8	x	13 7/8	10 1/2 x 13	.42	.41	.37	.365	.36	.355	.345
3523	1	R	10 7/8	x	14	10 1/2 x 13 1/8	.42	.41	.37	.365	.36	.355	.345
491	1	R	10 7/8	x	14 1/2	10 1/2 x 13 5/8	.425	.415	.375	.37	.365	.36	.35
3948	1	R	10 7/8	x	15 3/4	10 1/2 x 15	.445	.435	.395	.39	.385	.38	.37
1963	1	R	10 7/8	x	31	10 1/2 x 30 1/8	.825	.815	.775	.77	.765	.76	.75
3755	1	R	10 15/16	x	11 1/2	10 1/2 x 10 5/8	.395	.385	.345	.34	.335	.33	.32
1464	1	R	10 15/16	x	16 1/4	10 9/16 x 15 3/8	.455	.445	.405	.40	.395	.39	.38
4028	1	R	10 15/16	x	19 7/8	10 9/16 x 19	.515	.505	.465	.46	.455	.45	.44
1405	1	R	11	x	11 1/8	10 5/8 x 10 1/4	.39	.38	.34	.335	.33	.325	.315
3041	1	R	11	x	11 5/16	10 5/8 x 10 7/16	.39	.38	.34	.335	.33	.325	.315
2111	1	R	11	x	11 13/16	10 5/8 x 11	.39	.38	.34	.335	.33	.325	.315
718	1	S	11	x	12 1/16	10 5/8 x 11 3/16	.40	.39	.35	.345	.34	.335	.325
2055	1	R	11	x	12 1/16	10 5/8 x 11 3/16	.40	.39	.35	.345	.34	.335	.325
2159	1	R	11	x	12 1/2	10 5/8 x 11 5/8	.405	.395	.355	.35	.345	.34	.33
2017	1	R	11	x	12 3/4	10 5/8 x 11 7/8	.405	.395	.355	.35	.345	.34	.33
760	1	R	11	x	12 13/16	10 5/8 x 12	.405	.395	.355	.35	.345	.34	.33
1573	1	R	11	x	13	10 5/8 x 12 1/8	.41	.40	.36	.355	.35	.345	.335
427	1	R	11	x	13 7/8	10 5/8 x 13	.415	.405	.365	.36	.355	.35	.34
1501	1	R	11	x	14 1/8	10 5/8 x 13 1/4	.43	.42	.38	.375	.37	.365	.355
2207	2	R	11	x	14 3/8	10 5/8 x 13 1/2	.43	.42	.38	.375	.37	.365	.355
1804	1	R	11	x	14 7/8	10 5/8 x 14	.435	.425	.385	.38	.375	.37	.36
733	1	R	11	x	15	10 5/8 x 14 1/8	.44	.43	.39	.385	.38	.375	.365
1251	1	R	11	x	16 3/4	10 5/8 x 16	.44	.43	.39	.385	.38	.375	.365
452	1	S-K	11	x	17	10 5/8 x 16 1/8	.49	.48	.44	.435	.43	.425	.415

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
579	1	R-K	11	x	17	10 5/8 x 16 1/8	.49	.48	.44	.435	.43	.425	.415
382	1	R	11	x	17 1/4	10 5/8 x 16 3/8	.49	.48	.44	.435	.43	.425	.415
626	1	R	11	x	17 9/16	10 5/8 x 16 11/16	.49	.48	.44	.435	.43	.425	.415
1003	1	S	11	x	17 3/4	10 5/8 x 17	.49	.48	.44	.435	.43	.425	.415
3673	1	R	11	x	19	10 5/8 x 18 1/8	.515	.505	.465	.46	.455	.45	.44
2811	1	R	11	x	21	10 5/8 x 20 1/8	.725	.715	.675	.67	.665	.66	.65
2780	1	R	11	x	22 1/4	10 5/8 x 21 3/8	.735	.725	.685	.68	.675	.67	.66
187	1	R	11	x	24	10 5/8 x 23 1/8	.755	.745	.705	.70	.695	.69	.68
2509	1	R-K	11	x	34	10 5/8 x 33 1/8	.855	.845	.805	.80	.795	.79	.78
114	1	R	11 1/8	x	12 1/8	10 3/4 x 11 1/4	.41	.40	.36	.355	.35	.345	.335
3715	1	R	11 1/8	x	12 1/4	10 3/4 x 11 3/8	.41	.40	.36	.355	.35	.345	.335
590	1	R	11 1/8	x	12 15/16	10 7/8 x 12 1/16	.42	.41	.37	.365	.36	.355	.345
3384	1		11 1/8	x	17 3/8	10 3/4 x 16 1/2	.495	.485	.445	.44	.435	.43	.42
388	1	S	11 1/8	x	28 1/4	10 3/4 x 27 3/8	.795	.785	.745	.74	.735	.73	.72
1098	1	R-K	11 3/16	x	15 7/8	10 13/16 x 15	.465	.455	.415	.41	.405	.40	.39
175	1	S-K	11 3/16	x	17 3/8	10 13/16 x 16 1/2	.505	.495	.455	.45	.445	.44	.43
1463	1	R	11 3/16	x	18 1/16	10 13/16 x 17 3/16	.515	.505	.465	.46	.455	.45	.44
2102	1	R	11 1/4	x	11 13/16	10 7/8 x 11	.405	.395	.355	.35	.345	.34	.33
3193	1	R	11 1/4	x	12 1/4	10 7/8 x 11 1/2	.41	.40	.36	.355	.35	.345	.335
569	1	R	11 1/4	x	14	10 7/8 x 13 1/8	.435	.425	.385	.38	.375	.37	.36
3944	1	R	11 1/4	x	15 1/4	10 7/8 x 14 3/8	.445	.435	.395	.39	.385	.38	.37
383	1	S	11 1/4	x	17 1/4	10 7/8 x 16 3/8	.49	.48	.44	.435	.43	.425	.415
2495	1	S	11 1/4	x	17 1/4	10 7/8 x 16 3/8	.49	.48	.44	.435	.43	.425	.415
1387	1	R	11 1/4	x	17 15/16	10 7/8 x 17 1/16	.50	.49	.45	.445	.44	.435	.425
1935	1	R	11 1/4	x	18 1/2	10 7/8 x 17 5/8	.505	.495	.455	.45	.445	.44	.43
3133	1	R	11 1/4	x	18 3/4	10 7/8 x 18	.515	.505	.465	.46	.455	.45	.44
253	1	S	11 1/4	x	24 11/16	10 7/8 x 23 13/16	.735	.725	.685	.68	.675	.67	.66
767	1	R	11 1/4	x	28 1/8	10 7/8 x 27 1/4	.785	.775	.735	.73	.725	.72	.71
1618-A	1	S	11 5/16	x	11 3/8	10 15/16 x 10 1/2	.405	.395	.355	.35	.345	.34	.33
175	1	S-BEA	11 5/16	x	17 5/16	10 15/16 x 16 7/16	.495	.485	.445	.44	.435	.43	.42
2175	1	R-K	11 5/16	x	17 3/4	10 15/16 x 17	.50	.49	.45	.445	.44	.435	.425
3303	1	R	11 5/16	x	18	10 15/16 x 17 1/8	.50	.49	.45	.445	.44	.435	.425
1298	1	S	11 5/16	x	20 9/16	10 15/16 x 19 11/16	.575	.565	.525	.52	.515	.51	.50
1299	1	R	11 3/8	x	14 1/2	11 x 13 5/8	.44	.43	.39	.385	.38	.375	.365
1268	1	R	11 3/8	x	14 5/8	11 x 13 3/4	.44	.43	.39	.385	.38	.375	.365
3349	1	R	11 3/8	x	17 1/2	11 x 16 5/8	.505	.495	.455	.45	.445	.44	.43
3423	1	R	11 3/8	x	18	11 x 17 1/8	.51	.50	.46	.455	.45	.445	.435
424	1	R	11 3/8	x	18 1/2	11 x 17 5/8	.51	.50	.46	.455	.45	.445	.435
1493	1	R	11 3/8	x	18 5/8	11 x 17 3/4	.51	.50	.46	.455	.45	.445	.435
1858	1	R	11 3/8	x	19 5/8	11 x 18 3/4	.535	.525	.485	.48	.475	.47	.46
2180	1	R	11 7/16	x	12	11 1/16 x 11 1/8	.415	.405	.365	.36	.355	.35	.34
2790	1	R	11 7/16	x	13	11 1/16 x 12 1/8	.42	.41	.37	.365	.36	.355	.345
150	1	R	11 7/16	x	18 5/16	11 1/16 x 17 7/16	.51	.50	.46	.455	.45	.445	.435

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
1597	1	R	11 7/16	x	19 1/4	11 1/16 x 18 3/8	.53	.52	.48	.475	.47	.465	.455
831	1	R	11 7/16	x	19 3/4	11 1/16 x 19	.54	.53	.49	.485	.48	.475	.465
2057	1	R	11 7/16	x	21 3/8	11 1/16 x 20 1/2	.635	.625	.585	.58	.575	.57	.56
1524-A	1	R	11 1/2	x	12 3/8	11 1/8 x 11 1/2	.415	.405	.365	.36	.355	.35	.34
2366	1	R	11 1/2	x	13 1/4	11 1/8 x 12 3/8	.43	.42	.38	.375	.37	.365	.355
1524-B	1	R	11 1/2	x	13 3/8	11 1/8 x 12 1/2	.43	.42	.38	.375	.37	.365	.355
1524-C	1	R	11 1/2	x	14 3/8	11 1/8 x 13 1/2	.445	.435	.395	.39	.385	.38	.37
1681	1	R	11 1/2	x	14 3/4	11 1/8 x 14	.44	.43	.39	.385	.38	.375	.365
118	1	R	11 1/2	x	15	11 1/8 x 14 1/8	.45	.44	.40	.395	.39	.385	.375
1524-D	1	R	11 1/2	x	15 3/8	11 1/8 x 14 1/2	.45	.44	.40	.395	.39	.385	.375
893	1	R	11 1/2	x	15 1/2	11 1/8 x 14 5/8	.45	.44	.40	.395	.39	.385	.375
1941	1	R	11 1/2	x	16 1/8	11 1/8 x 15 1/4	.48	.47	.43	.425	.42	.415	.405
1524-E	1	R	11 1/2	x	16 3/8	11 1/8 x 15 1/2	.48	.47	.43	.425	.42	.415	.405
151	1	R	11 1/2	x	16 7/16	11 1/8 x 15 9/15	.48	.47	.43	.425	.42	.415	.405
694	1	R	11 1/2	x	16 1/2	11 1/8 x 15 5/8	.48	.47	.43	.425	.42	.415	.405
1576	2	R	11 1/2	x	16 3/4	11 1/8 x 16	.48	.47	.43	.425	.42	.415	.405
254	1	R	11 1/2	x	17 1/8	11 1/8 x 16 1/4	.50	.49	.45	.445	.44	.435	.425
1524-F	1	R	11 1/2	x	17 3/8	11 1/8 x 16 1/2	.50	.49	.45	.445	.44	.435	.425
3512	1	R	11 1/2	x	18	11 1/8 x 17 1/8	.51	.50	.46	.455	.45	.445	.435
1346	1	R	11 1/2	x	18 1/4	11 1/8 x 17 3/8	.51	.50	.46	.455	.45	.445	.435
3973	1	R	11 1.2	x	18 5/16	11 1/8 x 17 7/16	.51	.50	.46	.455	.45	.445	.435
3136	1	R	11 1/2	x	18 3/4	11 1/8 x 18	.51	.50	.46	.455	.45	.445	.435
4029	1	R	11 ½	x	19 1/8	11 1/8 x 18 ¼	.515	.505	.465	.46	.455	.45	.44
674	1	R	11 1/2	x	22 9/16	11 1/8 x 21 11/16	.615	.605	.565	.56	.555	.55	.54
4026	1	R	11 ½	x	36	11 1/8 x 35 1/8	.855	.845	.805	.80	.795	.79	.78
1671	1	R	11 9/16	x	11 3/4	11 3/16 x 10 7/8	.41	.40	.36	.355	.35	.345	.335
294	1	R	11 9/16	x	17 5/8	11 3/16 x 16 3/4	.52	.51	.47	.465	.46	.455	.445
277	1	S	11 9/16	x	18 3/8	11 3/16 x 17 1/2	.53	.52	.48	.475	.47	.465	.455
3283	1	R	11 9/16	x	27 3/4	11 3/16 x 26 7/8	.735	.725	.685	.68	.675	.67	.66
2311	1	R	11 5/8	x	11 3/4	11 1/4 x 11	.41	.40	.36	.355	.35	.345	.335
2917	1	R	11 5/8	x	11 13/16	11 1/4 x 11	.41	.40	.36	.355	.35	.345	.335
1053	1	S	11 5/8	x	12 1/4	11 1/4 x 11 3/8	.415	.405	.365	.36	.355	.35	.34
2316	1	R	11 5/8	x	12 1/2	11 1/4 x 11 5/8	.415	.405	.365	.36	.355	.35	.34
3035	1	R	11 5/8	x	12 3/4	11 1/4 x 12	.415	.405	.365	.36	.355	.35	.34
2365	1	R	11 5/8	x	13 3/8	11 1/4 x 12 1/2	.435	.425	.385	.38	.375	.37	.36
1138	1	R	11 5/8	x	14 1/16	11 1/4 x 13 31/6	.445	.435	.395	.39	.385	.38	.37
1818	2	R	11 5/8	x	14 5/8	11 1/4 x 13 3/4	.445	.435	.395	.39	.385	.38	.37
3038	1	R	11 5/8	x	15 5/8	11 1/4 x 14 3/4	.46	.45	.41	.405	.40	.395	.385
2804			11 5/8	x	17 1/2	11 1/4 x 16 5/8	.52	.51	.47	.465	.46	.455	.445
1436	1	R	11 5/8	x	17 7/8	11 1/4 x 17	.525	.515	.475	.47	.465	.46	.45
2490	1	R	11 5/8	x	18 7/8	11 1/4 x 18	.535	.525	.485	.48	.475	.47	.46
2914	1	R	11 5/8	x	20	11 1/4 x 19 1/8	.605	.595	.555	.55	.545	.54	.53
847	1	R	11 5/8	x	21 1/2	11 1/4 x 20 5/8	.775	.765	.725	.72	.715	.71	.70

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
854	1	R	11 5/8	x	22	11 1/4 x 21 1/8	.775	.765	.725	.72	.715	.71	.70
153	1	R	11 5/8	x	24 7/8	11 1/4 x 24	.785	.775	.735	.73	.725	.72	.71
1791	1	R	11 11/16	x	18 1/8	11 5/16 x 17 1/4	.535	.525	.485	.48	.475	.47	.46
3320	1	R	11 3/4	x	14	11 3/8 x 13 1/8	.44	.43	.39	.385	.38	.375	.365
1304	1	R	11 3/4	x	15 1/4	11 3/8 x 14 3/8	.455	.445	.405	.40	.395	.39	.38
1589	1	R	11 3/4	x	17 3/4	11 3/8 x 17	.525	.515	.475	.47	.465	.46	.45
117	1	R	11 3/4	x	18	11 3/8 x 17 1/8	.535	.525	.485	.48	.475	.47	.46
1467	1	R	11 3/4	x	18 1/4	11 3/8 x 17 3/8	.535	.525	.485	.48	.475	.47	.46
2607	1	R	11 3/4	x	18 1/2	11 3/8 x 17 5/8	.535	.525	.485	.48	.475	.47	.46
935	1	R	11 3/4	x	19 1/8	11 3/8 x 18 1/4	.555	.545	.505	.50	.495	.49	.48
1862	1	R	11 13/16	x	19 5/8	11 7/16 x 18 3/4	.555	.545	.505	.50	.495	.49	.48
3123	1	R	11 7/8	x	12 1/2	11 1/2 x 11 5/8	.425	.415	.375	.37	.365	.36	.35
510	2	S	11 7/8	x	16 13/16	11 1/2 x 16	.495	.485	.445	.44	.435	.43	.42
3006	1	R	11 7/8	x	17 3/8	11 1/2 x 16 1/2	.52	.51	.47	.465	.46	.455	.445
1607	1	R	11 7/8	x	18	11 1/2 x 17 1/8	.525	.515	.475	.47	.465	.46	.45
2247	1	R	11 7/8	x	19 3/8	11 1/2 x 18 1/2	.535	.525	.485	.48	.475	.47	.46
709	1	R	11 7/8	x	21 1/4	11 1/2 x 20 3/8	.615	.605	.565	.56	.555	.55	.54
483	1	R	11 15/16	x	16 1/16	11 9/16 x 15 3/16	.49	.48	.44	.435	.43	.425	.415
115	1	R	11 15/16	x	18	11 9/16 x 17 1/8	.515	.505	.465	.46	.455	.45	.44
303	1	R	12	x	12 1/2	11 5/8 x 11 5/8	.425	.415	.375	.37	.365	.36	.35
2548	1	R	12	x	13 3/8	11 5/8 x 12 1/2	.44	.43	.39	.385	.38	.375	.365
1852	1	R	12	x	14 5/16	11 5/8 x 13 7/16	.45	.44	.40	.395	.39	.385	.375
1688	1	R	12	x	14 3/8	11 5/8 x 13 1/2	.45	.44	.40	.395	.39	.385	.375
4030	1	R	12	x	14 1/2	11 5/8 x 13 5/8	.45	.44	.40	.395	.39	.385	.375
2782	1	R	12	x	14 5/8	11 5/8 x 13 3/4	.45	.44	.40	.395	.39	.385	.375
1561	1	R	12	x	15	11 5/8 x 14 1/8	.465	.455	.415	.41	.405	.40	.39
3823	1	R	12	x	15 7/16	11 5/8 x 14 5/8	.47	.46	.42	.415	.41	.405	.395
198	1	R	12	x	16	11 5/8 x 15 1/8	.475	.465	.425	.42	.415	.41	.40
3461	1	R	12	x	17	11 5/8 x 16 1/8	.485	.475	.435	.43	.425	.42	.41
1165	1	R	12	x	17 1/2	11 5/8 x 16 5/8	.535	.525	.485	.48	.475	.47	.46
1166	1	R	12	x	17 1/2	11 5/8 x 16 5/8	.535	.525	.485	.48	.475	.47	.46
2923	1	R	12	x	18	11 5/8 x 17 1/8	.515	.505	.465	.46	.455	.45	.44
2152	1	R	12	x	19	11 5/8 x 18 1/8	.535	.525	.485	.48	.475	.47	.46
1856	1	R	12	x	19 5/8	11 5/8 x 18 3/4	.555	.545	.505	.50	.495	.49	.48
2542	1	S	12	x	19 3/4	11 5/8 x 18 7/8	.555	.545	.505	.50	.495	.49	.48
298	1	R	12	x	24 1/16	11 5/8 x 23 3/16	.725	.715	.675	.67	.665	.66	.65
1468	1	R	12	x	26 1/2	11 5/8 x 25 5/8	.745	.735	.695	.69	.685	.68	.67
186	1	R	12 1/16	x	13 1/4	11 11/16 x 12 3/8	.435	.425	.385	.38	.375	.37	.36
2675	1	R	12 1/16	x	13 5/6	11 11/16 x 127/16	.435	.425	.385	.38	.375	.37	.36
523	1	R	12 1/16	x	14 1/16	11 11/16 x 13 3/16	.45	.44	.40	.395	.39	.385	.375
2059	1	R	12 3/16	x	14 1/4	11 13/16 x 13 3/8	.45	.44	.40	.395	.39	.385	.375
2121	1	R	12 1/4	x	12 1/4	11 7/8 x 11 3/8	.43	.42	.38	.375	.37	.365	.355
1242	1	R	12 1/4	x	12 3/4	11 7/8 x 12	.43	.42	.38	.375	.37	.365	.355

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
2232	1	R	12 1/4	x	17 1/4	11 7/8 x 16 3/8	.51	.50	.46	.455	.45	.445	.435
2404	1	R	12 1/4	x	17 3/8	11 7/8 x 16 1/2	.51	.50	.46	.455	.45	.445	.435
386	1	S-K	12 1/4	x	17 3/4	11 7/8 x 17	.51	.50	.46	.455	.45	.445	.435
302	1	R	12 1/4	x	18	11 7/8 x 17 1/8	.52	.51	.47	.465	.46	.455	.445
516	1	R	12 1/4	x	18 1/2	11 7/8 x 17 5/8	.525	.515	.475	.47	.465	.46	.45
299	1	R	12 5/16	x	16 1/4	11 15/16 x 15 3/8	.50	.49	.45	.445	.44	.435	.425
413	1	R	12 5/16	x	19 3/4	11 15/16 x 19	.56	.55	.51	.505	.50	.495	.485
119	1	R	12 3/8	x	14 7/8	12 x 14	.475	.465	.425	.42	.415	.41	.40
263	1	R	12 3/8	x	16 7/8	12 1/16 x 16	.505	.495	.455	.45	.445	.44	.43
3871	1	R	12 3/8	x	18 7/8	12 x 18	.525	.515	.51	.505	.50	.495	.485
309	1	R	12 3/8	x	19 13/16	12 x 19	.525	.515	.51	.505	.50	.495	.485
2293	1	R	12 7/16	x	17 3/8	12 1/16 x 16 1/2	.515	.505	.465	.46	.455	.45	.44
2124	1	R	12 1/2	x	12 3/4	12 1/8 x 12	.43	.42	.38	.375	.37	.365	.355
3471	1	R-BEA	12 1/2	x	18 3/4	12 1/8 x 17 7/8	.535	.525	.485	.48	.475	.47	.46
741	1	R	12 1/2	x	21	12 1/8 x 20 1/8	.55	.54	.535	.53	.525	.52	.51
231	1	S	12 9/16	x	19 3/8	12 3/16 x 18 1/2	.535	.525	.52	.515	.51	.505	.495
2275	1	R	12 9/16	x	19 5/8	12 3/16 x 18 3/4	.535	.525	.52	.515	.51	.505	.495
304	1	R	12 9/16	x	20	12 3/16 x 19 1/8	.54	.53	.525	.52	.515	.51	.50
486	1	R	12 9/16	x	22 5/8	12 3/16 x 21 3/4	.57	.56	.555	.55	.545	.54	.53
3695	1	R	12 5/8	x	13	12 1/4 x 12 1/8	.45	.44	.40	.395	.39	.385	.375
2001	1	R	12 5/8	x	14 1/8	12 1/4 x 13 1/4	.465	.455	.415	.41	.405	.40	.39
2673	1	R	12 5/8	x	19 3/8	12 1/4 x 18 1/2	.535	.525	.52	.515	.51	.505	.495
3293	1	R	12 3/4	x	13 1/4	12 3/8 x 12 3/8	.45	.44	.40	.395	.39	.385	.375
3754	1	R	12 3/4	x	13 5/8	12 3/8 x 12 3/4	.45	.44	.40	.395	.39	.385	.375
2110	1	R	12 3/4	x	14 1/4	12 3/8 x 13 3/8	.47	.46	.42	.415	.41	.405	.395
1965	1	R	12 3/4	x	15 1/4	12 3/8 x 14 3/8	.475	.465	.425	.42	.415	.41	.40
3112	1	R	12 3/4	x	16	12 3/8 x 15 1/8	.495	.485	.445	.44	.435	.43	.42
3579	1	R	12 3/4	x	20 3/4	12 3/8 x 20	.55	.54	.535	.53	.525	.52	.51
3138	1	S-K	12 13/16	x	17 1/16	12 7/16 x 16 3/16	.525	.515	.475	.47	.465	.46	.45
2087	1	R	12 7/8	x	16 7/8	12 1/2 x 16	.52	.51	.47	.465	.46	.455	.445
2327	1	R	12 7/8	x	19 7/8	12 1/2 x 19	.54	.53	.525	.52	.515	.51	.50
342	1	R	12 7/8	x	24 7/16	12 1/2 x 23 7/16	.635	.625	.62	.615	.61	.605	.595
742	1	R	12 7/8	x	26 3/8	12 1/2 x 25 1/2	.655	.645	.64	.635	.63	.625	.615
193	1	S	12 15/16	x	20 1/2	12 9/16 x 19 5/8	.575	.565	.555	.55	.545	.54	.53
1482	1	R	13	x	13 3/8	12 5/8 x 12 1/2	.455	.445	.405	.40	.395	.39	.38
2323	1	R	13	x	15	12 5/8 x 14 1/8	.49	.48	.44	.435	.43	.425	.415
152	1	R	13	x	15 1/4	12 5/8 x 14 3/8	.49	.48	.44	.435	.43	.425	.415
3398	1	R	13		16	12 5/8 x 15 1/8	.50	.49	.45	.445	.44	.435	.425
2442	1	R	13	x	17 5/16	12 5/8 x 16 7/16	.515	.505	.465	.46	.455	.45	.44
2654	1	R	13	x	20 5/8	12 5/8 x 19 3/4	.555	.545	.54	.535	.53	.525	.515
1516	1	R	13 1/16	x	14 7/8	12 11/16 x 14	.49	.48	.44	.435	.43	.425	.415
349	1	R	13 1/16	x	20 1/16	12 11/16 x 19 3/16	.555	.545	.54	.535	.53	.525	.515
129	2	R	13 1/8	x	13 1/8	12 3/4 x 12 1/4	.47	.46	.42	.415	.41	.405	.395

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
2418	1	R	13 1/8	x	14 3/8	12 3/4 x 13 1/2	.495	.485	.445	.44	.435	.43	.42
3724	1	R	13 1/8	x	20 7/8	12 3/4 x 20	.555	.545	.54	.535	.53	.525	.515
3482	1	R	13 1/4	x	15 1/8	12 7/8 x 14 1/4	.49	.48	.44	.435	.43	.425	.415
1593	1	R	13 1/4	x	15 3/8	12 7/8 x 14 1/2	.49	.48	.44	.435	.43	.425	.415
353	1	R	13 1/4	x	16	12 7/8 x 15 1/8	.51	.50	.46	.455	.45	.445	.435
3994	1	R	13 1/4	x	16 3/16	12 7/8 x 15 1/4	.51	.50	.46	.455	.45	.445	.435
2530	1	R	13 1/4	x	18 1/8	12 7/8 x 17 1/4	.525	.515	.51	.505	.50	.495	.485
409	1	R	13 5/16	x	18	12 15/16 x 17 1/8	.525	.515	.51	.505	.50	.495	.485
1872	1	R	13 3/8	x	13 1/2	13 x 12 5/8	.44	.43	.425	.42	.415	.41	.40
2344	1	R	13 3/8	x	17 1/4	13 x 16 3/8	.53	.52	.48	.475	.47	.465	.455
3004	1	R	13 3/8	x	20 1/4	13 x 19 3/8	.555	.545	.54	.535	.53	.525	.515
1877	1	R	13 7/16	x	13 3/4	13 1/16 x 13	.48	.47	.43	.425	.42	.415	.405
3760	1	R	13 1/2	x	14 1/8	13 1/8 x 13 1/4	.48	.47	.43	.425	.42	.415	.405
780	1	R-SERRATED	13 1/2	x	14 3/8	13 1/8 x 13 1/2	.48	.47	.43	.425	.42	.415	.405
393	1	S-K	13 1/2	x	17 3/4	13 1/8 x 17	.51	.50	.495	.49	.485	.48	.47
808	1	R	13 1/2	x	20 1/4	13 1/8 x 19 3/8	.56	.55	.545	.54	.535	.53	.52
2715	1	R	13 9/16	x	16	13 31/6 x 15 1/8	.51	.50	.46	.455	.45	.445	.435
438	1	R	13 9/16	x	19 3/4	13 3/16 x 19	.55	.54	.535	.53	.525	.52	.51
1758	1	R	13 9/16	x	21 3/4	13 3/16 x 21	.56	.55	.545	.54	.535	.53	.52
2160	1	R	13 5/8	x	16 1/2	13 1/4 x 15 5/8	.52	.51	.47	.465	.46	.455	.445
2758	1	R	13 5/8	x	17 1/4	13 1/4 x 16 3/8	.51	.50	.495	.49	.485	.48	.47
251	1	R	13 11/16	x	22 3/8	13 5/16 x 21 1/2	.695	.685	.675	.67	.665	.66	.65
3242	1	R	13 3/4	x	14 3/8	13 3/8 x 13 1/2	.49	.48	.44	.435	.43	.425	.415
1868	1	R	13 3/4	x	15 1/8	13 3/8 x 14 1/4	.50	.49	.45	.445	.44	.435	.425
1515	1	R	13 3/4	x	16 1/2	13 3/8 x 15 5/8	.515	.505	.465	.46	.455	.45	.44
1353	1	R	13 3/4	x	20 3/4	13 3/8 x 20	.57	.56	.555	.55	.545	.54	.53
2213	1	R	13 7/8	x	22	13 1/2 x 21 1/8	.60	.59	.585	.58	.575	.57	.56
3604	1	R	14	x	15 1/2	13 5/8 x 14 5/8	.51	.50	.46	.455	.45	.445	.435
2715	1	R	14	x	16	13 5/8 x 15 1/8	.485	.475	.47	.465	.46	.455	.445
623	1	R	14	x	16 1/2	13 5/8 x 15 5/8	.485	.475	.47	.465	.46	.455	.445
1697	1	R	14	x	17	13 5/8 x 16 1/8	.51	.50	.495	.49	.485	.48	.47
2000	1	R	14	x	17	13 5/8 x 16 1/8	.51	.50	.495	.49	.485	.48	.47
2075	1	R	14	x	18	13 5/8 x 17 1/8	.535	.525	.52	.515	.51	.505	.495
1925	1	R	14	x	18	13 5/8 x 17 1/8	.535	.525	.52	.515	.51	.505	.495
1911	1	R	14	x	22 7/8	13 5/8 x 22	.62	.61	.605	.60	.595	.59	.58
2905	1	R	14	x	27	13 5/8 x 26 1/8	.71	.70	.695	.69	.685	.68	.67
350	1	R	14 1/8	x	20 1/8	13 3/4 x 19 1/4	.57	.56	.555	.55	.545	.54	.53
2089	1	R	14 1/4	x	15	13 7/8 x 14 1/8	.51	.50	.46	.455	.45	.445	.435
1539	1	R	14 3/8	x	17 3/4	14 x 17	.535	.525	.52	.515	.51	.505	.495
3078	1	R	14 3/8	x	18 3/8	14 x 17 1/2	.55	.54	.535	.53	.525	.52	.51
2028	1	R	14 3/8	x	22	14 x 21 1/8	.62	.61	.605	.60	.595	.59	.58
1365	1	R	14 7/16	x	27 5/16	14 1/16 x 26 7/16	.73	.72	.715	.71	.705	.70	.69
1745	1	R	14 1/2	x	15 1/2	14 1/8 x 14 5/8	.505	.495	.485	.48	.475	.47	.46

DIE#	UP	COR	Outside Dimension		Inside Capacity	100	300	500	1,000	2,500	5,000	10,000	
2630	1	R	14 1/2	x	18 1/4	14 1/8 x 17 3/8	.575	.565	.555	.55	.545	.54	.53
3220	1	R	14 1/2	x	18 3/4	14 1/8 x 17 7/8	.58	.57	.56	.555	.55	.545	.535
162	1	R	14 1/2	x	18 7/8	14 1/8 x 18	.58	.57	.56	.555	.55	.545	.535
3246	1	R	14 1/2	x	19 1/2	14 1/8 x 18 5/8	.585	.575	.565	.56	.555	.55	.54
3415	1	R-BEADED	14 1/2	x	20	14 1/8 x 19 1/8	.605	.595	.585	.58	.575	.57	.56
278	1	R	14 1/2	x	20 3/8	14 1/8 x 19 1/2	.605	.595	.585	.58	.575	.57	.56
249	1	R	14 1/2	x	27	14 1/8 x 26 1/8	.765	.755	.745	.735	.725	.715	.70
4000	1	R	14 5/8	x	19 3/4	14 1/4 x 18 7/8	.60	.59	.585	.58	.575	.57	.56
1139	1	R	14 3/4	x	17 1/16	14 3/8 x 16 3/16	.57	.56	.55	.545	.54	.535	.525
672	1	R	15	x	15 3/4	14 5/8 x 15	.565	.555	.545	.54	.535	.53	.52
2816	1	R	15	x	16	14 5/8 x 15 1/8	.565	.555	.545	.54	.535	.53	.52
1853	1	R	15	x	17 5/16	14 5/8 x 16 7/16	.58	.57	.56	.555	.55	.545	.535
1245	1	R	15	x	18 3/4	14 5/8 x 18	.585	.575	.565	.56	.555	.55	.54
530	1	S-K	15	x	19 1/4	14 5/8 x 18 3/8	.595	.585	.575	.57	.565	.56	.55
403	1	R	15 1/8	x	19 5/8	14 3/4 x 18 3/4	.655	.645	.635	.625	.615	.605	.595
252	1	S	15 1/8	x	22 1/16	14 3/4 x 21 3/16	.95	.94	.93	.925	.92	.915	.905
3070	1	R	15 1/8	x	22 1/16	14 3/4 x 21 3/16	.95	.94	.93	.925	.92	.915	.905
404	1	R	15 1/8	x	24 5/8	14 3/4 x 23 3/4	.845	.835	.825	.82	.815	.81	.80
402	1	R	15 1/8	x	27 1/8	14 3/4 x 26 1/4	.965	.955	.945	.935	.925	.915	.90
3572	1	R	15 1/2	x	21	15 1/8 x 20 1/8	.94	.93	.92	.915	.91	.905	.895
3402	1	R	15 5/8	x	18 7/8	15 1/4 x 18	.695	.685	.675	.67	.665	.66	.65
311	1	R	15 5/8	x	19 3/8	15 1/4 x 18 1/2	.705	.695	.685	.68	.675	.67	.66
2399	1	R	15 5/8	x	22 1/2	15 1/4 x 21 5/8	.95	.94	.93	.925	.92	.915	.905
2143	1	R	15 3/4	x	17 1/4	15 3/8 x 16 3/8	.65	.64	.63	.625	.62	.615	.605
1555	1	R	15 3/4	x	19 1/4	15 3/8 x 18 3/8	.705	.695	.685	.68	.675	.67	.66
3026	1	R	15 7/8	x	16 3/8	15 1/2 x 15 1/2	.675	.665	.655	.65	.645	.64	.63
2828	1	R	15 7/8	x	17 5/8	15 1/2 x 16 3/4	.685	.675	.665	.66	.655	.65	.64
3824	1	R	15 7/8	x	19 3/4	15 1/2 x 19	.705	.695	.685	.68	.675	.67	.66
4021	1	R	16 3/8	x	19 7/8	16 x 19	.71	.705	.695	.69	.685	.68	.67
2349	1	R	16 5/8	x	16 5/8	16 1/4 x 15 3/4	.775	.765	.755	.75	.745	.74	.73
3487	1	R	16 5/8	x	22 3/8	16 1/4 x 21 1/2	.845	.835	.825	.815	.805	.795	.78
2627	1	R	16 3/4	x	21 1/4	16 3/8 x 20 3/8	.795	.785	.775	.765	.755	.745	.73
3260	1	R	16 7/8	x	22 3/8	16 1/2 x 21 1/2	.845	.835	.825	.815	.805	.795	.78
154	1	R	16 15/16	x	16 15/16	16 9/16 x 16 1/16	.775	.765	.755	.75	.745	.74	.73
2638	1	R	17	x	22	16 5/8 x 21 1/8	.825	.815	.805	.795	.785	.775	.76
2364	1	R	17 1/4	x	20 1/4	16 7/8 x 19 3/8	.805	.795	.785	.775	.765	.755	.74
2006	1	R	17 1/2	x	18	17 1/8 x 17 1/8	.785	.775	.765	.755	.745	.735	.72
620	1	R	17 9/16	x	22 1/2	17 3/16 x 21 5/8	.905	.895	.885	.875	.865	.855	.84
1137	1	R	17 5/8	x	22 1/16	17 1/4 x 21 3/16	.905	.895	.885	.875	.865	.855	.84
1933	1	R	17 5/8	x	26 3/8	17 1/4 x 25 1/2	1.19	1.14	1.09	1.04	.985	.935	.88
250	1	S	17 15/16	x	28 3/4	17 9/16 x 27 7/8	1.83	1.78	1.73	1.68	1.63	1.58	1.52
2722	1	R	18	x	18	17 5/8 x 17 1/8	1.28	1.26	1.24	1.22	1.20	1.18	1.15
2801	1	R	18	x	20	17 5/8 x 19 1/8	1.33	1.30	1.27	1.24	1.22	1.20	1.17

DIE#	UP	COR	Outside Dimension			Inside Capacity	100	300	500	1,000	2,500	5,000	10,000
				x									
3908	1	R	18	x	21	17 5/8 x 20 1/8	1.34	1.31	1.28	1.25	1.21	1.19	1.16
176	1	R	18 1/4	x	25	17 7/8 x 24 1/8	1.68	1.63	1.58	1.53	1.48	1.43	1.37
1706	1	R	18 3/8	x	22 1/2	18 x 21 5/8	1.65	1.60	1.55	1.50	1.45	1.40	1.34
124	1	R	18 3/8	x	24 1/4	18 x 23 3/8	1.68	1.63	1.58	1.53	1.48	1.43	1.37
2428	1	R	18 1/2	x	24 1/2	18 1/8 x 23 5/8	1.68	1.63	1.58	1.53	1.48	1.43	1.37
2636	1	R	18 1/2	x	24 3/4	18 1/2 x 24	1.83	1.78	1.73	1.68	1.63	1.58	1.52
1140	1	R	18 3/4	x	24 1/16	18 3/8 x 23 3/16	1.83	1.78	1.73	1.68	1.63	1.58	1.52
194	1	R	19	x	24 1/2	18 5/8 x 23 5/8	1.83	1.78	1.73	1.68	1.63	1.58	1.52
1819	1	R	19	x	32	18 5/8 x 31 1/8	2.38	2.33	2.28	2.23	2.18	2.13	2.07
1114	1	R	19 1/2	x	20 1/2	19 1/8 x 19 5/8	1.83	1.78	1.73	1.68	1.63	1.58	1.52
375	1	R	20 1/4	x	20 1/4	19 7/8 x 19 3/8	1.78	1.73	1.68	1.63	1.58	1.53	1.47
195	1	R	20 5/8	x	20 5/8	20 1/4 x 19 3/4	1.78	1.73	1.68	1.63	1.58	1.53	1.47
2833	1	R-SER23	20 5/8	x	22 7/8	20 1/4 x 22	1.83	1.78	1.73	1.68	1.63	1.58	1.52
226	1	R	20 3/4	x	26 7/8	20 3/8 x 26	2.28	2.23	2.18	2.13	2.08	2.03	1.97
3840	1	R	21 1/4	x	26 3/8	20 7/8 x 25 1/2	2.28	2.23	2.18	2.13	2.08	2.03	1.97
1132	1	R	21 1/2	x	32	21 1/8 x 31 1/8	2.43	2.38	2.33	2.28	2.23	2.18	2.12
1918	1	R	22 3/8	x	28 1/2	22 x 27 5/8	2.33	2.28	2.23	2.18	2.13	2.08	2.02
1455	1	R	22 1/2	x	24	22 1/8 x 23 1/8	2.27	2.22	2.17	2.12	2.07	2.02	1.96
2726	1	R-SER23	23	x	27 3/4	22 5/8 x 27	2.33	2.28	2.23	2.18	2.13	2.08	2.02
1222	1	R	23	x	28 7/8	22 5/8 x 28	2.34	2.29	2.24	2.19	2.14	2.09	2.03
3255	1	R	23	x	35 1/2	22 5/8 x 34 5/8	2.63	2.58	2.53	2.48	2.43	2.38	2.32
1953	1	R	24	x	33	23 5/8 x 32 1/8	2.48	2.43	2.38	2.33	2.28	2.23	2.17
125	1	R	24 1/2	x	25 3/4	24 1/8 x 25	2.33	2.28	2.23	2.18	2.13	2.08	2.02
3489	1	R	24 3/8	x	32 1/4	24 x 31 3/8	2.48	2.43	2.38	2.33	2.28	2.23	2.17
1873	1	R	24 3/4	x	36 1/4	24 x 35 7/8(long only)	3.53	3.48	3.43	3.38	3.33	3.28	3.22
2094	1	R	26	x	37	25 1/8 x 36 5/8(long)	3.68	3.63	3.58	3.53	3.48	3.43	3.37
227	1	R	26 7/8	x	39	26 x 38 5/8(long only)	3.78	3.73	3.68	3.63	3.58	3.53	3.47